

Floods in a Changing Climate

Hydrologic Modeling

Hydrologic modeling of floods enables more accurate assessment of climate change impacts on flood magnitudes and frequencies. This book synthesizes various modeling methodologies available to aid planning and operational decision-making, with emphasis on methodologies applicable in data-scarce regions, such as developing countries. Topics covered include: physical processes that transform precipitation into flood runoff, flood routing, assessment of likely changes in flood frequencies and magnitudes under climate change scenarios, and use of remote sensing, GIS, and DEM technologies in modeling of floods to aid decision-making. Problems included in each chapter, and supported by links to available online data sets and modeling tools accessible at www.cambridge.org/mujumdar, engage the reader with practical applications of the models.

This is an important resource for academic researchers in the fields of hydrology, climate change, and environmental science and hazards, and will also be invaluable to professionals and policy-makers working in hazard mitigation, remote sensing, and hydrologic engineering.

This volume is the second in a collection of four books within the International Hydrology Series on flood disaster management theory and practice within the context of anthropogenic climate change. The other books are:

- 1 – Floods in a Changing Climate: Extreme Precipitation by *Ramesh Teegavarapu*
- 2 – Floods in a Changing Climate: Inundation Modelling by *Giuliano Di Baldassarre*
- 3 – Floods in a Changing Climate: Risk Management by *Slodoban Simonović*

P. P. MUJUMDAR is a Professor in the Department of Civil Engineering at the Indian Institute of Science (IISc), Bangalore, India, and holds an Associate Faculty position in the Divecha Center for Climate Change at IISc Bangalore. He is also Chairman of the Water Resources Management Committee of the International Association for Hydro-Environment Research (IAHR). Professor Mujumdar’s area of specialization is water resources with a focus on climate change impacts that includes downscaling and uncertainty modeling. He also works as a professional consultant across areas including floodplain management, reservoir operation, urban storm water drainage, lift irrigation, and hydropower development. He is a Distinguished Visiting Fellow of the Royal Academy of Engineering, UK, and is currently a member of the Editorial Board of the journal *Advances in Water Resources*.

D. NAGESH KUMAR is a Professor in the Department of Civil Engineering at the Indian Institute of Science (IISc), Bangalore, India, and holds an Associate Faculty position in the Center for Earth Sciences. His primary research areas include applications of remote sensing and GIS in hydrologic modeling, soft computing, hydrologic teleconnections, and water resources systems. Professor Kumar also works in professional consultancy in areas such as river basin planning and management, flood routing, downscaling for climate change projections, and reservoir operation. He is currently an Associate Editor of the *Journal of Hydrologic Engineering*.

INTERNATIONAL HYDROLOGY SERIES

The **International Hydrological Programme** (IHP) was established by the United Nations Educational, Scientific and Cultural Organization (UNESCO) in 1975 as the successor to the International Hydrological Decade. The long-term goal of the IHP is to advance our understanding of processes occurring in the water cycle and to integrate this knowledge into water resources management. The IHP is the only UN science and educational programme in the field of water resources, and one of its outputs has been a steady stream of technical and information documents aimed at water specialists and decision-makers.

The **International Hydrology Series** has been developed by the IHP in collaboration with Cambridge University Press as a major collection of research monographs, synthesis volumes, and graduate texts on the subject of water. Authoritative and international in scope, the various books within the series all contribute to the aims of the IHP in improving scientific and technical knowledge of fresh-water processes, in providing research know-how and in stimulating the responsible management of water resources.

EDITORIAL ADVISORY BOARD

Secretary to the Advisory Board
Mr Shab haz Khan *Division of Water Science, UNESCO, 1 rue Miollis, Paris 75015, France*

Members of the Advisory Board

- Professor B. P. F. Braga Jr *Centro Tecnológica de Hidráulica, São Paulo, Brazil*
Professor G. Dagan *Faculty of Engineering, Tel Aviv University, Israel*
Dr J. Khouri *Water Resources Division, Arab Centre for Studies of Arid Zones and Dry Lands, Damascus, Syria*
Dr G. Leavesley *US Geological Survey, Water Resources Division, Denver Federal Center, Colorado, USA*
Dr E. Morris Scott *Polar Research Institute, Cambridge, UK*
Professor L. Oyebande *Department of Geography and Planning, University of Lagos, Nigeria*
Professor S. Sorooshian *Department of Civil and Environmental Engineering, University of California, Irvine, California, USA*
Professor K. Takeuchi *Department of Civil and Environmental Engineering, Yamanashi University, Japan*
Professor D. E. Walling *Department of Geography, University of Exeter, UK*
Professor I. White *Fenner School of Environment and Society, Australian National University, Canberra, Australia*

TITLES IN PRINT IN THIS SERIES

- M. Bonell, M. M. Hufschmidt and J. S. Gladwell *Hydrology and Water Management in the Humid Tropics: Hydrological Research Issues and Strategies for Water Management*
Z. W. Kundzewicz *New Uncertainty Concepts in Hydrology and Water Resources*
R. A. Feddes *Space and Time Scale Variability and Interdependencies in Hydrological Processes*
J. Gibert, J. Mathieu and F. Fournier *Groundwater/Surface Water Ecotones: Biological and Hydrological Interactions and Management Options*
G. Dagan and S. Neuman *Subsurface Flow and Transport: A Stochastic Approach*
J. C. van Dam *Impacts of Climate Change and Climate Variability on Hydrological Regimes*
D. P. Loucks and J. S. Gladwell *Sustainability Criteria for Water Resource Systems*
J. J. Bogardi and Z. W. Kundzewicz *Risk, Reliability, Uncertainty, and Robustness of Water Resource Systems*
G. Kaser and H. Osmaston *Tropical Glaciers*
I. A. Shiklomanov and J. C. Rodda *World Water Resources at the Beginning of the Twenty-First Century*
A. S. Issar *Climate Changes during the Holocene and their Impact on Hydrological Systems*
M. Bonell and L. A. Bruijnzeel *Forests, Water and People in the Humid Tropics: Past, Present and Future Hydrological Research for Integrated Land and Water Management*
F. Ghassemi and I. White *Inter-Basin Water Transfer: Case Studies from Australia, United States, Canada, China and India*
K. D. W. Nandalal and J. J. Bogardi *Dynamic Programming Based Operation of Reservoirs: Applicability and Limits*
H.S. Wheeler, S. Sorooshian and K.D. Sharma *Hydrological Modelling in Arid and Semi-Arid Areas*
J. Delli Priscoli and A. T. Wolf *Managing and Transforming Water Conflicts*
H. S. Wheeler, S. A. Mathias and X. Li *Groundwater Modelling in Arid and Semi-Arid Areas*
L. A. Bruijnzeel, F. N. Scatena and L. S. Hamilton *Tropical Montane Cloud Forests*
S. Mithen and E. Black *Water, Life and Civilization: Climate, Environment and Society in the Jordan Valley*
K.A. Daniell *Co-Engineering and Participatory Water Management*
R. Teegavarapu *Floods in a Changing Climate: Extreme Precipitation*
P. P. Mujumdar and D. Nagesh Kumar *Floods in a Changing Climate: Hydrologic Modeling*
G. Di Baldassarre *Floods in a Changing Climate: Inundation Modelling*
S. Simonović *Floods in a Changing Climate: Risk Management*

Cambridge University Press
978-1-107-01876-1 - Floods in a Changing Climate: Hydrologic Modeling
P. P. Mujumdar and D. Nagesh Kumar
Frontmatter
[More information](#)

Floods in a Changing Climate

Hydrologic Modeling

P. P. Mujumdar and D. Nagesh Kumar
Indian Institute of Science, Bangalore



Cambridge University Press
978-1-107-01876-1 - Floods in a Changing Climate: Hydrologic Modeling
P. P. Mujumdar and D. Nagesh Kumar
Frontmatter
[More information](#)

CAMBRIDGE UNIVERSITY PRESS
Cambridge, New York, Melbourne, Madrid, Cape Town,
Singapore, São Paulo, Delhi, Mexico City

Cambridge University Press
The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org
Information on this title: www.cambridge.org/9781107018761

© P. P. Mujumdar, D. Nagesh Kumar and UNESCO 2012

This publication is in copyright. Subject to statutory exception
and to the provisions of relevant collective licensing agreements,
no reproduction of any part may take place without the written
permission of Cambridge University Press.

First published 2012

Printed in the United Kingdom at the University Press, Cambridge

A catalog record for this publication is available from the British Library

Library of Congress Cataloging in Publication data
Mujumdar, P. P., 1958–
Floods in a changing climate. Hydrologic modeling / P. P. Mujumdar, D. Nagesh Kumar.
pages cm. – (International hydrology series)
Includes bibliographical references and index.
ISBN 978-1-107-01876-1
1. Hydrologic models – Remote sensing. 2. Flood forecasting. 3. Flood damage prevention.
4. Climatic changes – Environmental aspects. I. Nagesh Kumar, D. (Dasika), 1963– II. Title.
GB656.2.H9M85 2012
511.48'9011 – dc23 2012015666

ISBN 978-1-107-01876-1 Hardback

Cambridge University Press has no responsibility for the persistence or
accuracy of URLs for external or third-party internet websites referred to
in this publication, and does not guarantee that any content on such
websites is, or will remain, accurate or appropriate.

Contents

<i>Foreword by Robert L. Wilby</i>	<i>page</i> vii	4.3 Image rectification	95
<i>Preface</i>	ix	4.4 Image enhancement	95
<i>Glossary</i>	xi	4.5 Image information extraction	101
<i>List of abbreviations</i>	xiii	4.6 Land use/land cover information	107
		4.7 Utility of remote sensing for hydrologic modeling	107
1 Introduction	1	4.8 Demonstration of image processing using MATLAB	112
1.1 Hydrologic models	1	4.9 Conclusions and future scope	118
1.2 Remote sensing for hydrologic modeling	2	Exercises	119
1.3 GIS and DEM for hydrologic modeling	2		
1.4 Assessment of climate change impacts	3	5 Geographic information systems for hydrologic modeling	120
1.5 Organization of the book	4	5.1 Introduction	120
2 Hydrologic modeling for floods	5	5.2 Representation of spatial objects in GIS	120
2.1 Introduction	5	5.3 GIS for proximity analysis	122
2.2 Estimation of flood peak discharge	6	5.4 Digital elevation models	123
2.3 Intensity–duration–frequency relationship	10	5.5 Applications of digital elevation modeling	125
2.4 Flood routing	12	5.6 Other sources of digital elevation data	129
2.5 A brief review of commonly used hydrologic models	19	5.7 Combining digital images and maps	132
2.6 Empirical models	29	5.8 Integration of spatial, non-spatial, and ancillary data into a distributed hydrologic model	133
2.7 Summary	40	5.9 GIS and remote sensing for flood zone mapping	134
Exercises	40	5.10 Web-based GIS	140
3 Climate change impact assessment	43	5.11 Summary	144
3.1 Introduction	43	Exercises	145
3.2 Projection of hydrologic impacts	45	6 Case studies and future perspectives	146
3.3 Dynamical downscaling approaches	45	6.1 Case study: Malaprabha Reservoir catchment, India	146
3.4 Statistical downscaling approaches	47	6.2 Case study: Mahanadi River basin, India	158
3.5 Disaggregation models	64	6.3 Future perspectives	164
3.6 Macroscale hydrologic models	68	6.4 Summary	165
3.7 Hypothetical scenarios for hydrologic modeling	71		
3.8 Modeling of floods under climate change	71	<i>References</i>	167
3.9 Uncertainty modeling	75	<i>Index</i>	176
3.10 Summary	83		
Exercises	86	<i>Color plates appear between pages 18 and 19.</i>	
4 Remote sensing for hydrologic modeling	88		
4.1 Introduction	88		
4.2 Digital images	91		

Cambridge University Press
978-1-107-01876-1 - Floods in a Changing Climate: Hydrologic Modeling
P. P. Mujumdar and D. Nagesh Kumar
Frontmatter
[More information](#)

Foreword

How much *higher* does the flood wall need to be built? How much *larger* does the reservoir spillway need to be? How much *more* capacity is needed in the urban drainage system? These are the type of questions that floods are confronting, given expected changes in rainfall intensity, timing and volume of peak flows, and sea levels under climate change.

There are no simple answers. In fact, climate change is just one driver of flood risk amongst many others. Rapid urbanization, development in floodplains, removal of natural vegetation, artificial drainage, and so forth, can all compound flooding. Therefore, it is helpful to regard the climatic hazard as a multiplier of flood risk that may already be increasing because of other socio-economic trends and/or human changes to the landscape. It then follows that the adaptation responses will involve cooperation amongst many disciplines: the hydrologist to quantify the impact of environmental changes on river flows; the economist to weigh up the costs and benefits of different options; the geographer to see the broader socio-physical context of the scheme and non-structural choices; the engineer to implement the design and devise operational rules; and the politician to persuade taxpayers to pay for the project!

The unavoidable truth is that structural measures for reducing flood risk need hard numbers to dimension the flood wall, spillway, and drainage system. This is challenging enough under present climate conditions because we seldom have long enough hydrometeorological records (if any); the records we have may be corrupted by other long-term changes in the river basin; and there is plenty of subjectivity in our methods for estimating extreme flow statistics. To add climate change to this situation is to present a technical challenge steeped in uncertainty. Meanwhile, the engineer still needs numbers to get the project underway.

The scientific community offers the practitioner a bewildering set of methodologies. For example, there are many different ways of conjuring future rainfall intensity: regional climate downscaling (using physical or statistical models); Monte Carlo and re-sampling techniques for constructing large synthetic rain-

fall series based on available data; or just specifying a plausible range of values for sensitivity testing. Indeed, given the large and irreducible uncertainties in climate model predictions, a strong case can often be made for simpler methods. Depending on the risk-reward, a climate change safety margin may be set without even referring to climate models. In situations where the structure has a short (less than 20 years) life-span, the concern will be climate variability not climate change. In other heavily discounted cases, future climate changes may be irrelevant to the viability of a scheme and shorter-term goals may be paramount.

Despite the large uncertainty in future flood risk, hydrologists still have plenty to offer adaptation planners. More accurate, timely, and clearly articulated flood warnings will continue to improve the safety of vulnerable populations living with unavoidable flooding. Simulations of flood depths and areas will help planners to zone floodplains and regulate development in hazardous places. Field monitoring and modeling will contribute to improved understanding of the physical processes that generate extreme floods in different environments. Remotely sensed data and seasonal forecasts can inform the operation of infrastructure to optimize benefits across multiple objectives (such as flood control, hydropower production, and water supply). Such activities are not always perceived as adaptation, but they do contribute to flood risk management just as much as the wall, spillway, and drainage system.

The authors of this book are to be commended for guiding practitioners, step-by-step, through some of the analytical tools and techniques for evaluating flood risk under non-stationary climate conditions. The true benefit will come from recognizing the part played by these approaches within a larger armoury of strategies for managing flood hazards over coming decades and beyond.

Robert L. Wilby
Professor of Hydroclimatic Modelling,
Department of Geography,
Loughborough University, UK

Cambridge University Press
978-1-107-01876-1 - Floods in a Changing Climate: Hydrologic Modeling
P. P. Mujumdar and D. Nagesh Kumar
Frontmatter
[More information](#)

Preface

This book has been developed under the coordination of Professor Siegfried Demuth, International Hydrology Programme, Chief of the Hydrological Systems and Global Change Section and Scientist in Charge of the International Flood Initiative, and Dr. Biljana Radojevic of the Division of Water Sciences, UNESCO.

The book presents methodologies for hydrologic modeling of floods and for assessing climate change impacts on hydrology, with specific focus on impacts on flood magnitudes and frequencies. The following topics are covered with a view to training the reader in the use of hydrologic models for assessing climate change impacts: (i) review of basic hydrology that includes physical processes transforming precipitation into flood runoff, intensity–duration–frequency relationships, and flood routing; (ii) recent modeling tools of artificial neural networks and fuzzy inference systems for river discharge forecasting and flood routing; (iii) use of climate projections provided by the general circulation models (GCMs) for assessing likely changes in flood frequencies; and (iv) use of remote sensing, global information system (GIS) and digital elevation model (DEM) technologies in modeling of floods to aid decision-making.

The novelty of the book lies in synthesizing various methodologies available to help in planning and operational decision-making, in the face of climate change. Exercise problems discussed in the text and those presented at the end of the chapters are intended to train a reader on applications in practical settings. Two case studies are discussed in detail in Chapter 6 to help the reader understand the use of the methodologies for long-term planning, in real situations. The book is intended to serve as a reference document to practicing hydrologists, especially those with responsibilities of assisting in decision-making with respect to floods, graduate students, professionals, researchers, and members of governmental and non-governmental agencies interested in impacts of changing climate on floods.

Bringing together the basic material available in classical textbooks on hydrology and the advanced material available only in the recently published research papers in a coherent form in a book is a challenge. The authors were confronted with the

difficulty of presenting fundamental topics, such as estimation of flood runoff, hydrologic flood routing, and frequency analysis, that are available in standard text books along with advanced topics of statistical downscaling of GCM simulations, fuzzy inference systems, and use of satellite remote sensing in hydrologic modeling. The authors believe that such a mix of topics will be of immense use to a new entrant to the field of hydrologic modeling for climate change impact assessment.

The book comprises six chapters. Chapter 1 provides an introduction to climate change impacts on hydrology, and sets the tone for the remainder of the book. Chapter 2 provides the necessary background on basic hydrology and use of hydrologic models for planning and management of floods. Chapter 3 presents methodologies commonly employed to obtain projections of flood magnitudes and frequencies under future climate change, with GCMs and hydrologic models. A review of techniques for downscaling large-scale atmospheric variables to station-scale hydrologic variables is also provided in this chapter. Chapter 4 introduces remote sensing (RS), covering the topics of spectral reflectance curves, RS platforms, digital images, image processing including rectification, enhancement, and information extraction. The role of RS in hydrologic modeling is discussed through examples. Use of GIS and DEMs in hydrologic modeling is discussed in Chapter 5. Synthesis of climate change impacts, uncertainties, RS, GIS, DEM, and hydrologic models is demonstrated through two case studies in Chapter 6. Future perspectives on hydrologic modeling under climate change are presented in Chapter 6.

The topic of climate change impact assessment is of recent origin, and the authors had to rely on contemporary research, especially in the chapters dealing with climate change impact assessment and use of remote sensing and GIS for hydrologic modeling. The authors have used material from their own recently published research papers extensively in the book.

The contribution to Chapter 3 by Dr. Deepashree Raje, a post-doctoral research associate at IISc Bangalore when the first draft of the book was prepared, was significant and valuable. Considerable help was provided by Ms. J. Indu, research student, in the

preparation of Chapter 5. The authors are grateful to their students, Ms. Arpita Mondal, Mr. Ujjwal Saha, Ms. Divya Bhatt, Mr. Laxmi Raju, Dr. Reshmidevi, Dr. Dhanya, and Ms. Sonali Pattanayak for their help in providing solutions to the numerical examples and in

preparation of figures. Ms. Chandra Rupa, a Project Associate at IISc, helped the authors in the preparation of numerical examples and in formatting the figures, tables, and text. Her assistance is gratefully acknowledged.

Glossary

Climate change Climate change refers to a change in the state of the climate that can be identified by changes in the mean and/or the variability of its properties, and that persists for an extended period, typically decades or longer. Climate change may be due to natural internal processes or external forcings, or to persistent anthropogenic changes in the composition of the atmosphere or in land use (IPCC, 2007).

Climate model A numerical representation of the climate system based on the physical, chemical, and biological properties of its components, their interactions and feedback processes, and accounting for all or some of its known properties (IPCC, 2007).

Climate projection A projection of the response of the climate system to emission or concentration scenarios of greenhouse gases and aerosols, or radiative forcing scenarios, often based upon simulations by climate models. Climate projections are distinguished from climate predictions in order to emphasize that climate projections depend upon the emission/concentration/ radiative forcing scenarios used, which are based on assumptions concerning, for example, future socio-economic and technological developments that may or may not be realized and are therefore subject to substantial uncertainty (IPCC, 2007).

Climate scenario A plausible and often simplified representation of the future climate, based on an internally consistent set of climatological relationships, that has been constructed for explicit use in investigating the potential consequences of anthropogenic climate change, often serving as input to impact models (IPCC, 2007).

Climate variability Climate variability refers to variations in the mean state and other statistics (such as standard deviations, the occurrence of extremes, etc.) of the climate on all spatial and temporal scales beyond that of individual weather events. Variability may be due to natural internal processes within the climate system (internal variability), or to variations in natural or anthropogenic external forcing (external variability) (IPCC, 2007).

Digital elevation models (DEMs) DEMs are data files that contain the elevation of the terrain over a specified area, usually

at a fixed grid interval over the surface of the Earth. The intervals between each of the grid points are always referenced to some geographical coordinate system such as latitude/longitude or Universal Transverse Mercator (UTM) coordinates. When the grid points are located closer together, more detailed information is available in the DEM. The details of the peaks and valleys in the terrain are better modeled with a closer grid spacing than when the grid intervals are very large.

Downscaling Downscaling is a method that derives local- to regional-scale (10 to 100 km) information from larger-scale models or data analyses. Two main methods are distinguished: dynamical downscaling and empirical/statistical downscaling. The dynamical method uses the output of regional climate models, global models with variable spatial resolution, or high-resolution global models. The empirical/statistical methods develop statistical relationships that link the large-scale atmospheric variables with local/regional climate variables. In all cases, the quality of the downscaled product depends on the quality of the driving model (IPCC, 2007).

Emissions scenario A scenario is a plausible representation of the future development of emissions of substances that are potentially radiatively active (e.g., greenhouse gases, aerosols), based on a coherent and internally consistent set of assumptions about driving forces (such as demographic and socio-economic development, technological change) and their key relationships. Concentration scenarios, derived from emissions scenarios, are used as input to a climate model to compute climate projections (IPCC, 2007).

Geographic information systems (GIS) GIS is a system of hardware and software used for storage, retrieval, mapping, and analysis of geographic data. Spatial features are stored in a latitude/longitude or UTM coordinate system, which references a particular place on the Earth. Descriptive attributes in tabular form are associated with spatial features. Spatial data and associated attributes in the same coordinate system can then be layered together for mapping and analysis. GIS can be used for scientific investigations, resource management, and development planning.

Remote sensing Remote sensing (RS) is the art and science of obtaining information about an object or feature without physically coming in contact with that object or feature. It is the process of inferring surface parameters from measurements of the electromagnetic radiation (EMR) from the Earth’s surface. This EMR can be either reflected or emitted radiation from the Earth’s surface. In other words, RS is detecting and measuring electromagnetic energy emanating or reflected from distant objects made of

various materials, to identify and categorize these objects by class or type, substance, and spatial distribution (American Society of Photogrammetry, 1975).

Troposphere The lower part of the terrestrial atmosphere, extending from the Earth’s surface up to a height varying from about 9 km at the poles to about 17 km at the equator, in which the temperature decreases fairly uniformly with height.

Abbreviations

AMC	Antecedent Moisture Content	MHM	Macroscale Hydrologic Model
ANN	Artificial Neural Network	MSLP	Mean Sea Level Pressure
AOGCM	Atmospheric Oceanic General Circulation Model	NARR	North American Regional Reanalysis
ARI	Average Recurrence Interval	NCAR	National Center for Atmospheric Research
AVSWAT	ArcView Soil and Water Assessment Tool	NCEP	National Center for Environmental Prediction
BP	Back Propagation	NHMM	Non-homogeneous Hidden Markov Model
CCA	Canonical Correlation Analysis	NIR	Near Infrared
CGCM	Coupled General Circulation Model	NRCS	Natural Resources Conservation Service (formerly known as Soil Conservation Service)
CN	Curve Number	NRMSE	Normalized Root Mean Square Error
CP	Circulation Pattern	PCA	Principal Component Analysis
CRF	Conditional Random Field	PDO	Pacific Decadal Oscillation
CWG	Conditional Weather Generator	RBF	Radial Basis Function
DEM	Digital Elevation Model	RCM	Regional Climate Model
DHM	Distributed Hydrologic Model	RMSE	Root Mean Square Error
DN	Digital Number	RS	Remote Sensing
EMR	ElectroMagnetic Radiation	SCS	Soil Conservation Service (now known as Natural Resources Conservation Service)
ENSO	El Niño–Southern Oscillation	SDSM	Statistical DownScaling Model
FCC	False Color Composite	SMOS	Soil Moisture and Ocean Salinity
FDFRM	Fuzzy Dynamic Flood Routing Model	SPI	Standardized Precipitation Index
GCM	General Circulation Model (Global Climate Model)	SRES	Special Report on Emissions Scenarios
GEV	Generalized Extreme Value	SRTM	Shuttle Radar Topography Mission
GHG	GreenHouse Gas	SSFI	Standardized Stream Flow Index
GIS	Geographic Information System	SVL	Soil–Vegetation–Land
HEC-HMS	Hydrologic Engineering Center – Hydrologic Modeling System	SVM	Support Vector Machine
HEC-RAS	Hydrologic Engineering Center – River Analysis System	SWAT	Soil and Water Assessment Tool
HRU	Hydrologic Response Unit	SWMM	Storm Water Management Model
IDF	Intensity–Duration–Frequency	TCC	True Color Composite
IMD	India Meteorological Department	TRMM	Tropical Rainfall Measuring Mission
IPCC	Intergovernmental Panel on Climate Change	UNESCO	United Nations Education, Social and Cultural Organisation
IR	Infrared	USACE	United States Army Corps of Engineers
ISRO	Indian Space Research Organisation	USEPA	United States Environmental Protection Agency
KNN	K-Nearest Neighbor	USGS	United States Geological Survey
LSAV	Large-Scale Atmospheric Variable	VCS	Variable Convergence Score
LSM	Land Surface Model	VIC	Variable Infiltration Capacity
MATLAB	MATrix LABoratory	VPMS	Variable Parameter Muskingum Stage hydrograph
MF	Membership Function	WG	Weather Generator