

Index

a

ablation threshold, laser wavelength
influences on 94

ablative piston effect 335

absolute quantum efficiency determination
644–645

absorbing film-assisted laser-induced
forward transfer (AFA-LIFT) 237, 290

absorbing polymer release layer systems
296–304

absorption spectroscopy, photoacoustic
versus 628–629

active mode locking 31

aerosol monitoring 77–78

agglomeration of nanoparticles 58–59

aggregation of nanoparticles 52, 58–59

aligned ferrite nanorods with TAPLD
135–142, *See also under*
thermal-assisted pulsed laser
deposition (TAPLD)

aliovalent substitution 45

ammonium dihydrogen phosphate (ADP)
633

Ammosov–Delone–Krainov (ADK)
tunneling 71

amorphous carbon nanoparticles synthesis
by LAL 476–479

– key parameters for 477

– laser power intensity effect on NPs size
477

– liquid effect on NP size 478

– target material effect on bonding structures
477

antigen and DNA, LIFT of 235

architectures at nanoscale 35–65

argon ion laser 17–18

– physical construction 17

– working of 17–18

arrays of nanoholes 209–210

aryltriazene photopolymers 298

atmospheric effects 78–79

atomic force microscopy (AFM) 232

atomic gas laser 16–17

atomicforce microscopy (AFM) 156

attosecond pulse generation 70

autoconsistent confined interaction code
(ACCIC) 327

avalanche ionization 88

avalanche photodiodes (APDs) 575

avalanche threshold 87

axial mode of laser 7

b

backpressure 92

‘backscattering’ process 261

ballistic laser-assisted solid transfer (BLAST)
303

band gap 39

band theory of solids 37–41

– band gap 39

– conduction band (C_B) 39

– direct band gap semiconductors 39

– highest occupied molecular orbital
(HOMO) 39

– indirect band gap semiconductor materials
39

– lowest unoccupied molecular orbital
(LUMO) 39

– valence band (V_B) 39

BaTiO₃ nanoparticles 714–717

– high-order harmonic generation from
723–725

– low- and high-order nonlinear optical
properties study of 714–717

– – experimental arrangements 715–717

– – structural characterization 717–719

- BaTiO₃ nanoparticles (*contd.*)
 - nonlinear refraction and nonlinear absorption of BaTiO₃-contained suspensions 719–723
- biogenic materials, LIFT of 274–275
- biological laser printing (BioLP™) 289
- biology, photoacoustic spectroscopy in 646–648
- blister-based laser-induced forward transfer (BB-LIFT) 251
- blistering lift-off methods 304–305
- Boltzmann constant 536, 579
- bottom-up technology 53
- Brillouin zone 513–514
- Brownian motion of NPs 536
- Brunauer, Emmett, and Teller (BET) method 535
- bulk defects 47
- c**
- carbide NPs synthesis by LAL 447–451
 - components 447
 - – ablated target 447
 - – laser source 447
 - – liquid medium 447
 - – β -SiC quantum dots formation 448–449
- carbon dioxide (CO₂) laser 19–20
- carbon nanocrystals (CNTs)
 - LIFT of 272
 - – multiwall carbon nanotubes (MWCNTs) 272
 - synthesis by LAL 479–481, *See also under* carbon nanocrystals; diamond nanoparticles
 - – carbon nanotubes 481
 - – carbon nitride nanocrystals 481
 - – in ethanol 479
 - – in THF 479
- carbon nanotubes (CNTs) 243, 272–273, 293, 648, 655, 660, 670, 676
- carbon nitride nanocrystals 481
- carrier-envelope phase (CEP) 70
- CATGIXRF program 109
- cathodoluminescence (CL) 160, 567–568
 - applications on single nanomaterials 568–571
 - – spatially resolved CL intensity mapping 569
- cavitation nanospallation 206
- cavitations bubble formation 339–343
- characterization of nanomaterials, lasers
 - application in 59–64
- charge carrier dynamics
 - electron relaxation dynamics in metal NPs, size and surface effect on 683–684
 - excitation power effect on 682–683
 - measurement of 679–684
 - in semiconductor NPs, size and surface effect on 680–682
 - – deep trap (DT) state 681
 - – shallow trap (ST) state 681
- chemical vapor deposition (CVD) 271, 439
- chirped-pulse amplifier (CPA) lasers 78
- chirping, 33n1
- circulating liquid, liquid-PLA of solid with 385–386
- classical nucleation theory (CNT) 168
- cluster physics 73
- clusters 74–75
 - laser-cluster interaction 76–77
 - laser-cluster production 75–76
- coherence length (L_c) 29
- coherence time (t_c) 29
- coherent anti-Stoke's Raman spectroscopy (CARS) 664, 666–670
- columnar microstructures, nanostructure-textured 208–209
- complementary metal oxide semiconductor (CMOS) 497
- compound nanostructures of active metals, preparation 365–369
- conduction band (C_B) 39
- confinement process 322–324
- confocal micro-Raman spectroscopy, experimental setup for 520
- confocal Raman spectroscopy 504–508
 - confocal uRS, spatial resolution of 507
 - confocal UV Raman spectroscopy 504
 - for future sub-22 nm node CMOS technology application 504–508
- contact etch stop layer (CESL) 497
- continuous anodic oxidation technique (CAOT) 507
- continuous wave (CW) lasers 59, 91
- convolution 603
- Coulomb explosion 73
- Coulomb liquids 74
- Coulombic explosion of nanoparticles, laser-induced 402–407
 - electron ejection through multiphoton ionization 402–403
 - electron ejection through photoelectric effect 403–405
 - electron ejection through thermionic emission 405–407

d

- 1D confinement 41
 - 3D confinement 41
 - Debye Sherrer formula 526–527
 - defects 44–47
 - extrinsic stacking fault (ESF) 47
 - intrinsic stacking fault (ISF) 46
 - line defects 45
 - planar defects 45–47
 - point defect 45
 - volume or bulk defects 47
 - degenerate four wave mixing (DFWM) 659, 693
 - devices fabrication, LIFT for 255–306, *See also* direct-write applications, LIFT techniques for
 - device microfabrication 260
 - direct-write transfer methods 258
 - inkjet technology 258
 - microcontact printing (μ CP) 257
 - screen printing (serigraphy) 257
 - in three dimensions 256
 - diamond nanoparticles synthesis by LAL 468–476
 - amorphous carbon nanoparticles 476–479, *See also* individual entry
 - laser parameter effect 475
 - liquid effect 475
 - pressure–temperature phase diagram of carbon 475
 - source material effect 468–475
 - diatomic materials 41
 - 4-dicyanomethylene-2-methyl-6-p-dimethylaminostyryl-4H-pyran (DCM) 21
 - diffuse reflectance 54
 - diffusion process 732
 - direct band gap semiconductors 39
 - direct femtosecond laser ablation 204–205
 - direct space to time pulse shaper (DST-PS) 33
 - direct-write applications, LIFT techniques for 261–276, *See also* modified LIFT methods
 - enhanced donor systems for printing applications 262–263
 - metal patterns 263–271
 - organic materials 271–276
 - traditional LIFT 261–276
 - direct-write transfer methods 258
 - dispersive Raman spectrometer 515
 - donor substrate 241
 - dopant energy levels in host matrices 9
 - doped insulator laser 8–9
 - energy level diagrams for 10
 - doped nanocrystals upconversion by LVCC method 190–194
 - Doppler effect 538
 - double pulse laser ablation 99
 - drag model 96
 - dynamic light scattering (DLS) 54, 535–552
 - general principles of 537–542, *See also* photon correlation spectroscopy
 - NPs size determination by 535–552
 - particle size standards applied to 542–546
 - sample characterization using 547–551
 - – instruments 548
 - – ‘Marquardt/Contin’ or multimodal analytical procedure 549
 - – size determination of particles in suspension 548–549
 - single-mode fiber-optic dynamic light scattering 546–547
 - uncertainty in secondary NPs size, identifying and analyzing 549–551, *See also* secondary NPs size uncertainty
 - unique DLS instruments 546–547
 - dynamic process, in laser ablation in liquid 459–462
 - dynamic quenching 598
- e**
- echo 673–678
 - effective absorption coefficient for laser ablation 273
 - Einstein relations and gain coefficient 2–3
 - elastic sphere model (ESM) 515
 - electric field, filaments growth and treelike assembly by 186–190
 - electrical-field-assisted LAL method 99–101, 489
 - electric-field-assisted laser ablation in liquids (EFLALs) 347
 - electric-field-assisted LP-PLA of solid target 380
 - electrical isolation, in fluorescence correlation spectroscopy 589
 - electromagnetic (EM) field 49
 - electron-beam-based characterization methods 56–57
 - electron diffraction (ED) pattern 173
 - electron ejection
 - through multiphoton ionization 402
 - through photoelectric effect 403–405
 - through thermionic emission 405–407
 - electron–hole pairs (EHPs) 133
 - electron microscopes 56
 - electron–phonon relaxation time (τ_c) 286

- electron relaxation dynamics in metal NPs, size and surface effect on 683–684
- electronic plasma 90
- electronic Raman scattering time-resolved measurement 668
- elemental nanomaterials, LP-PLA of noble metals in liquids for preparation of 351–364
- target compound NPs preparation by reactive LP-PLA of solids 365
- elemental NPs of active metals, preparation of 350–365
- elemental spectroscopy for chemical analysis (ESCA) 56
- ellipsometry 54
- energy-dispersive X-ray spectroscopy (EDX) 56, 160, 268
- Engines of Creation: The Coming Era of Nanotechnology* 36
- enhanced donor systems for printing applications 262–263
- enhanced photoelectron emission from FLIPSS 213
- excimer lasers 20–21
- excitation-dependent PL spectroscopy 565–567
- explosive ablation threshold 88
- extended X-ray absorption fine structure (EXAFS) 55
- external quantum efficiency (EQE) 422–423
- extreme ultraviolet/vacuum ultraviolet (EUV/VUV) laser lights 1
 - methods of producing 22–26
 - free electron lasers (FELs) 22–24
 - through higher harmonic generation 25–26
- extrinsic stacking fault (ESF) 47
- f**
- fast scanning optics, liquid-PLA of solid with 382–385
- FeAl intermetallic nanoparticles 183–185
- femtosecond laser ablation, surface nanostructuring by 204–205
- femtosecond laser emitting 267
- femtosecond laser-induced impulsive force 63
- femtosecond laser-induced melt dynamics 206
- femtosecond laser-induced periodic surface structure (FLIPSS) 207
 - applications of 210–214
 - biomedical applications 212–213
 - enhanced photoelectron emission from FLIPSS 213
 - in optical properties modification 210–211
 - thermal radiation emission from incandescent light sources, modifying 214
 - wetting properties modification 211–212
 - in X-ray bursts generation 213
 - on metals 207–208
- femtosecond laser pulses (fs-LIFT) 242
- femtosecond lasers, special applications using 303
- femtosecond stimulated Raman spectroscopy 668
- femtosecond transient absorption technique 655, 671
- Fick's law 733
- field-effect transistors (FETs) 53
- field emission gun (FEG) 129
- first thermal diffusion length (μ) 638
- flash-assisted rapid thermal process (fRTP) 506
- fluorescence correlation spectroscopy (FCS) of nanomaterials 573–593
 - basic theory of 577–580
 - Gaussian–Gaussian–Lorentzian intensity profile 579
 - molecule detection function (MDF) 579
 - normalized autocorrelation function 578
 - point spread function (PSF) 578
 - total detected fluorescence $F(t)$ 578
 - components of the setup 581–587
 - collection 582
 - detector signal analysis 583
 - excitation 581–582
 - filters 582
 - fluorescence detection 583
 - focusing to a pinhole 582–583
 - fluorescence as a tool for FCS 576
 - instrumentation 580–587
 - continuous wave excitation 581
 - pulsed excitation 581
 - instrument construction 583–587
 - dichroic mirror (DM) 583
 - emission filter (EM) 583
 - neutral-density (ND) filters 583
 - setup with microscope 584–585
 - single-photon-counting detector (APD) 584
 - instrument optimization and FCS experiments 587–589

- electrical isolation 589
- light isolation 588
- sample preparation 589
- setup, aligning and optimizing 587–593
- vibration isolation 588–589
- nanomaterial characterizations 589–593
- core–shell silica particles through multiphoton FCS 591
- for tetramethylrhodamine isothiocyanate (TRITC) dye 591
- sodium dodecyl sulfate (SDS) in 590
- prism spectrometer 586–587
- desired wavelength range detection 586
- prism-based fluorescence cross-correlation spectrometer (FCCS) 585–586
- tasks of FCS 576
- working 576–577
- fluorescence 21
- fluoroalcoholpolysiloxane (SFXA) 278
- four level laser systems 4
- Fourier transform infrared (FTIR) 504
- Fourier transform pulse shaper (FT-PS) 33
- Fourier-transformed-infrared (FT-IR) spectra 443
- fourth group NPs synthesis by LAL 457–491, *See also* carbon nanocrystals: synthesis by LAL; germanium NPs synthesis by LAL; silicon NPs synthesis by LAL
- four-wave mixing 678–679
- free electron lasers (FELs) 22–24
 - brilliance 24
 - coherence 24
 - pulse duration 24
 - tunability 23
- Frenkel defect 45
- front-end processing (FEP) metrologies 497

g

- gain coefficient 2–3
- gas dynamic laser 20
- gas flow laser 20
- gas laser 15–21
 - atomic gas laser 16–17
 - carbon dioxide (CO₂) laser 19–20
 - construction of gas laser system 16
 - excimer lasers 20–21
 - gas dynamic laser 20
 - gas flow laser 20
 - He–Ne laser 16–17
 - ion laser, argon ion laser 17–18
 - molecular laser 18–21
 - nitrogen laser 20
 - sealed tube laser 20

- self-terminating 20
- transversally excited atmospheric (TEA) laser 20
- gas phase, advantages of liquid-phase laser ablation over 319
- Gaussian–Gaussian–Lorentzian intensity profile 579
- Gaussian-shaped energy profile 267
- germanium NPs synthesis by LAL 489–491
 - electrical-field-assisted LAL method 489
- giant pulse formation, *See* Q-switching
- gold–palladium alloy nanoparticles 181–182
 - TEM of 181
 - XRD data of 182
- gold–silver nanostructures 176
 - gold–silver alloy nanoparticles 177–179
- Gruneisen parameter 529
- guide to the expression of uncertainty in measurement (GUM) 549, 551

h

- Hall, R. N. 1
- hematite, electron microscope characterization of 138–140
- He–Ne laser 16–17
- Hertz–Knudsen equation 330
- heterojunction 14
- high harmonic cutoff 25
- high harmonic generation (HHG) 70
- high-intensity femtosecond laser interactions with gases and clusters 69–80
 - aerosol monitoring 77–78
 - atmospheric effects 78–79
 - clusters 74–75
 - high-pressure atomic physics 73
 - laser–atom interactions 69–71
 - laser–cluster interaction 76–77
 - laser–cluster production 75–76
 - laser–molecule interactions 72–73
 - strongly coupled plasmas 74
- high-order harmonic generation (HHG) 704–714
 - in silver-nanoparticle-contained plasma 704–714
 - Al powder medium 707–710
 - coherence length and the length of the medium 712
 - colloidal silver 707
 - experimental arrangements 705–706
 - harmonic efficiency determination 713
 - low-order harmonic generation, comparison 711
 - structural changes during 713

- high-pressure atomic physics 73
 - high-resolution transmission electron microscope (HRTEM) 56, 174, 442–454
 - high-resolution X-ray diffraction (HRXRD) 505
 - high temperature, high pressure, and high density (HTHPHD) 318
 - higher harmonic generation (HHG), EUV/VUV lasers through 25–26
 - highest occupied molecular orbital (HOMO) 39
 - historical development of nanoscale materials 35–36
 - hole traps 47
 - Holonyak, Nick 1
 - homodyne correlation function 540
 - homodyne detection method 538
 - homojunction 14
 - horseradish peroxidase (HRP) 275
 - hydrodynamic phenomenon 92
- i**
- idler photons 603
 - imperfections 44–47
 - indirect PA cells 633
 - indium–tin oxide (ITO)-coated glass substrate 272
 - induced assembly of nanoparticles 58–59
 - inductive, capacitive, and resistive (LCR) circuit 10
 - infrared (IR) characterization (1000–200 000 nm) 55
 - inkjet technology 258
 - inorganic materials as absorbing release layers 285–286
 - instrument response function (IRF) 603
 - insulator nanomaterials 53
 - intermetallic nanoparticles 182–185
 - FeAl intermetallic nanoparticles 183–185
 - NiAl intermetallic nanoparticles 183–185
 - internal conversion 597
 - intersystem crossing 597
 - intrinsic stacking fault (ISF) 46
 - ion laser 17–18
 - iron oxide nanostructures 135–142, *See also* *under* thermal-assisted pulsed laser deposition (TAPLD)
 - isovalent substitution 45
 - I–V curves 57
- k**
- Kastler, Alfred 1
 - Kerr effect
 - optical Kerr gate (OKG) 658–659
 - time-resolved fluorescence based on 659
 - Kerr gate technique 606–607
 - Kerr lens mode-locked (KLM) 1064 nm laser 284
 - Kramers–Kronig relationship 701
 - Kröger Vink notation 609
- l**
- Ladenburg, R.W. 1
 - Lamb, W.C. 1
 - laser ablation in liquid (LAL) 439–454, 457–468, *See also* fourth group (C, Si, and Ge) NPs synthesis by LAL; metal compound nanoparticles synthesis by LAL
 - dynamic process 459–462
 - experimental setup 458
 - laser plasma plume formation induced by 459
 - laser wavelength used for 461
 - liquid layer thickness role in 461
 - nanoparticle control 466–468
 - NPs growth mechanism 462–464
 - – audible acoustic waves generation 465
 - – bubble formation 462
 - – *in situ* monitoring of 466
 - – liquid splashing, reduction 464–465
 - – reactive quenching process 463
 - – solid target in liquid 462
 - – time-resolved evolution of transmission during 463
 - – ‘water hammer’ effect 464
 - physical and chemical aspects of 344–345
 - safety matters 468
 - laser-ablated inductively coupled plasma mass spectroscopy (LA-ICPMS) 64
 - laser ablation of metals in vacuum 105–114
 - nanostructured thin films prepared by, synthesis and analysis 105–114
 - – experimental details 106
 - laser ablation transfer (LAT) 249, 280
 - mechanism of 282
 - with a metallic release layer 282–285
 - laser ablation under liquid confinement 321–322
 - basic characteristics of 321–322
 - laser alloying of nanoparticles in vapor phase 174–182
 - gold–palladium alloy nanoparticles 181–182
 - gold–silver nanostructures 176
 - in solutions, size control by laser irradiation 179–181

- laser-atom interactions 69–71
- laser-based processing in liquid media 317–491, *See also under* liquid media
- laser-based thermal techniques 729–754
 - experimental techniques 743–748
 - basic principle 744–745
 - thermal pulses 746–747
 - three-dimensional mapping 747–748
 - one-dimensional heat conduction 733–736
 - Bauer and Ploss regimes 735
 - one-dimensional LImm equation and its solutions 736–741
 - Monte Carlo technique 740–741
 - scale transformation 737–738
 - Tikhonov regularization 737, 739–740
 - polarization and space-charge profiling with 729–754
 - polymer-dispersed liquid crystals (PDLCs) 752–753
 - polyvinylidene fluoride and its copolymers films 748–749
 - PVDF–TrFE coaxial sensor cables 749–752
 - space-charge electrets 752
 - theoretical foundations and data analysis 733–743
 - thermal polarization probing 733
 - frequency-domain approach 733
 - time-domain approach 733
 - two-and three-dimensional analysis 741–743
- laser chemical vapor deposition (LCVD) 59, 241
 - pyrolytic LCVD 61
- laser decal transfer 270
- laser direct-write (LDW) 241
- laser-excited X-ray spectroscopy (LEXS) 77
- laser heating effect on nanoparticles 524–531
 - NiFe₂O₄ nanostructures 525–531
 - ZnO nanostructures 524–525
- laser-induced breakdown spectroscopy (LIBS) 64, 77
- laser-induced chemical vapor deposition (LCVD) 265
- laser-induced electron diffraction (LIED) 71
- laser-induced forward transfer (LIFT) 219–237, *See also* micro-nanomaterials transfer on substrate
 - antigen and DNA 235
 - applications 235–237
 - for devices fabrication 255–306, *See also* devices fabrication, LIFT for; modified LIFT methods
 - for direct write of patterns in film form 219–237
 - principle and method 219–221
 - of materials 221–235
 - aluminum 224
 - chromium 226–228
 - copper 221–222
 - diamond 229
 - gold 222–224
 - metals and single element 221–229
 - palladium 228–229
 - titanium 225–226
 - tungsten 224–225
 - oxides 229–234, *See also* oxides, LIFT of
 - photopolymers 234–235
 - laser-induced local transfer (LILT) 292
 - laser-induced melting/vaporization of nanoparticles 389–402
 - improved two temperature model (Werner and Hashimoto) 398
 - Insawa *et al.* model 391–395
 - modified two temperature model (Giammanco *et al.*) 397–398
 - Takami *et al.* model 389–391
 - two step size reduction model (Singh *et al.*) 395
 - two temperature model (Hodak *et al.*) 395
 - laser-induced
 - melting/vaporization/fragmentation in alloy and core/shell NPs preparation 409–411
- laser-induced molecular implantation technique (LIMIT) 280
- laser-induced nano/microfabrications 203–306
 - arrays of nanoholes 209–210
 - FLIPSS, on metals 207–208
 - nanostructures 205–207
 - cavitation nanopallation 206
 - femtosecond laser-induced melt dynamics 206
 - mechanisms 206
 - redeposition of ablated species 206
 - nanostructure-textured microstructures 208–209
 - columnar microstructures 208–209
 - microgroove structures 208
 - single nanoholes 209–210
 - surface nanostructuring by direct femtosecond laser ablation 204–205

- laser-induced periodic surface structures (LIPSSs) 203
- laser-induced solid etching (LISE) 304
- laser-induced thermal imaging (LITI) 292–295
- laser-induced thermal spray printing (LITSP) 289
- laser-induced ultrasonics 647
- laser intensity modulation method (LIMM) 731, 745–746
 - one-dimensional LIMM equation and its solutions 736–741
 - Monte Carlo technique 740–741
 - scale transformation 737–738
 - Tikhonov regularization 737, 739–740
- laser irradiation of metal salts or liquid precursors 411–422
- laser–matter interaction 85–103, *See also under high-intensity femtosecond laser interactions*
 - plasma and nanomaterials processing 85–103, *See also individual entry*
- laser molecular implantation (LMI) 268, 279–280
- laser–molecule interactions 72–73
- laser nanosurgery of defects 62
- laser plasma channeling 88
- laser polarization effect 101–102
- laser propulsion transfer 285
- laser radiation properties 26–30
 - brightness 29
 - coherence 28–29
 - coherence length (L_c) 29
 - coherence time (t_c) 29
 - directionality 28
 - focusing of laser beam 29–30
 - monochromaticity 26–28
 - spatially coherent beam 29
 - wavelength range and active media 27
- laser Raman spectroscopy 62
- laser structure, modification in 30–34
 - mode locking 30–32
 - active mode locking 31
 - passive mode locking 32
 - principle of 30–31
 - techniques 31–32
 - optical design 33
 - pulse shaping 33–34
 - Q-switching 32–33
- laser thermal transfer 284
- laser-vaporization-controlled condensation (LVCC) 59, 167–198, 317, *See also intermetallic nanoparticles; laser alloying of nanoparticles in vapor phase*
 - filaments growth and treelike assembly by electric field 186–190
 - metallic, and bimetallic nanocrystals synthesis 167–198
 - nanoparticle catalysts synthesis 167–198
 - nucleation and growth from vapor phase 168–170
 - for semiconductor synthesis 167–198
- laser vaporization with controlled condensation (LVCC) 168, 170–173
 - doped nanocrystals upconversion by 190–194
 - experimental setup for 171
 - supported nanoparticle catalysts by 194–197
- lasers
 - application
 - in nanomaterial synthesis, modification, and characterization 59–64
 - basic construction 2
 - Einstein relations and gain coefficient 2–3
 - fundamentals 1–34
 - geometry of laser cavity 5
 - historical development 1
 - modes 7–8
 - operations 1–34
 - optical resonator 5–7
 - principle of lasing 2
 - threshold gain coefficient for lasing 4
 - types and their operations 8–22, *See also gas laser; liquid laser; semiconductor laser; solid laser*
- layered donor systems with intermediate absorbing films 280–305
 - absorbing polymer release layer systems 296–304
 - DRL LIFT approach 304
 - femtosecond lasers, special applications using 303
 - gadolinium gallium oxide 301
 - shadowgraphy 301
 - triazene photopolymers functionality as DRL 302
 - ytterbium-doped yttrium aluminium oxide 301
 - blistering lift-off methods 304–305
 - inorganic materials as absorbing release layers 285–286
 - laser propulsion transfer 285
 - laser thermal transfer 284
 - metal films as absorbing release layers 286–292

- – absorbing film-assisted laser-induced forward transfer (AFA-LIFT) 290
- – biological laser printing (BioLPTM) 289
- – laser-induced local transfer (LILT) 292
- – light-hydraulic effect (LHE) 289
- – two-photon polymerization (2PP) technique 290
- metal nanoparticle absorbers 295–296
- light beam characterization techniques (200–1000 nm) 54–55
- light detection and ranging (LIDAR) 79
- light dynamic scattering (LDS) 64
- light-emitting diode (LED) device 13, 53, 131, 268, 439
- light-emitting polymers (LEPs) 295
- light-hydraulic effect (LHE) 289
- light isolation, in fluorescence correlation spectroscopy 588
- light scattering intensity autocorrelation function 540
- light-to-heat conversion (LTHC) 262
- line defects 45
- liquid-assisted pulsed laser ablation (LA-PLA)/irradiation for generation of nanoparticles 317–438
 - advantages over gas phase 319
 - classification, on the basis of target characteristics 319–422
 - – liquid-phase laser ablation of metal salts/organic precursors 320
 - – liquid-phase laser ablation of solid bulk target materials 320
 - – liquid-phase laser ablation of solid bulk target materials 320–387
 - – liquid-phase laser ablation of suspended nano/microparticles 320
 - liquid-suspended particles, laser-induced melting and fragmentation of 387–422, *See also individual entry*
- liquid laser 21–22
- liquid media, laser-based processing in 317–491
 - liquid-assisted pulsed laser ablation (LA-PLA)/irradiation for generation of nanoparticles 317–438, *See also individual entry*
- liquid-phase laser ablation of metal salts/organic precursors 320
- liquid-phase laser ablation of solid bulk target materials 320–387
 - advancements in 345–347
 - basics 345–347
 - cavitations bubble formation and related effects 339–343
 - shock laser processing and additional pressure in plasma, analytical models for 324–333, *See also individual entry*
 - solid–liquid interface kinetics, laser ablation at 333–339, *See also individual entry*
 - thermodynamics of plasma, confinement influences on 322–324
- liquid-phase LPA of solid targets
 - recent advancements in 380–387
 - – dual beam PLA in liquids 386
 - – electric-field-assisted LP-PLA of solid target 380
 - – multiple laser beams, liquid-PLA of solid with 386–387
 - – solid with circulating liquid 385–386
 - – solid with fast scanning optics 382–385
- liquid-phase PLA/irradiation
 - nanomaterials produced by, applications of 422–429
 - – *in situ* functionalization for biological applications 423–425
 - – nanofertilizer for seed germination and growth stimulation 426–429
 - – PV solar cells 422–423
 - – semiconductor NPs as fluorescent markers 425
 - – surface-enhanced Raman scattering (SERS) active substrates 425–426
- liquid-phase pulsed laser ablation (LP-PLA) 319
 - of suspended nano/microparticles 320
- liquid-suspended particles, laser-induced melting and fragmentation of 387–422
 - alloy and core/shell NPs preparation 409–411
 - – laser-induced melting/vaporization/fragmentation in 409–411
 - coulombic explosion of nanoparticles, laser-induced 402–407
 - field enhancement near curved surfaces 407–409
 - laser-induced melting/vaporization 389–398
 - laser irradiation of metal salts or liquid precursors 411–422
 - – photocatalytic deposition 421–422
 - – photochemical synthesis 411–421
 - mechanisms 388
 - ‘liquid transfer vehicle’ 278
- local oxidation of silicon (LOCOS) 501–502
- longitudinal optical (LO) phonon 669

- longitudinal–transverse splitting frequency 601
- low-energy electron diffraction (LEED) 57
- low-frequency phonons 514
- low-pressure differential mobility analyzer (LP-DMA) 172
- low-voltage electron microscope (LVEM) 56
- lowest unoccupied molecular orbital (LUMO) 39
- luminescence quenching 654

- m**
- magnetite, electron microscope characterization of 138–140
- Maiman, Theodore 1
- ‘Marquardt/Contin’ or multimodal analytical procedure 549
- materials at nanoscale 35–65
 - band theory of solids 37–41
 - historical development 35–36
 - origin 35–36
- materials characterization techniques 54–58
 - electron-beam-based characterization methods 56–57
 - elemental spectroscopy for chemical analysis (ESCA) 56
 - extended X-ray absorption fine structure (EXAFS) 55
 - infrared (IR) characterization (1000–2000 nm) 55
 - light beam characterization techniques (200–1000 nm) 54–55
 - near-edge X-ray absorption fine structure (NEXAFS) 55
 - nuclear radiation and particle-based spectroscopy 57–58
 - X-ray absorption near-edge structure (XANES) 55
 - X-ray photoelectron spectroscopy (XPS) 55
 - X-ray-beam-based characterization methods 55–56
- matrix-assisted pulsed laser evaporation (MAPLE) 251, 259
- matrix-assisted pulsed laser evaporation direct-write (MAPLE-DW) study 236–237, 270–271, 277–279
 - working principle of 277
- Maxwell–Boltzmann distribution 614
- mean free path 404
- mechanically sensitive materials, transfer of 248–251
- melting, laser irradiance influence on 85–90
- metal compound nanoparticles synthesis by LAL 439–454
 - active metal oxides and hydroxides 440
 - carbide NPs 447–451
 - nitride nanoparticles 451–453
 - oxide nanoparticles 441–447
 - FeO NPs characterizations 446
 - mechanism 443
 - TiO₂ NPs 446–447
 - ZnO–Zn composite NPs formation 444
 - ZnO–Zn NPs 440
- metal compound nanostructures
 - preparation of, LP-PLA of active metals for 370–379
 - PLA of Al in liquids 377–379
 - PLA of Zn and Cd in liquids 373–377
- metal films as absorbing release layers 286–292
- metal nanomaterials 48–53
 - absorbers 295–296
 - electron relaxation dynamics in 683–684
 - inks, LIFT of 269
 - size-/shape-dependent properties 48–52
- metal oxide semiconductor field-effect transistor (MOSFET) 497
 - linear region for I_{DS}–V_{DS} operation 497–498
- metal patterns, LIFT of 263–271
 - gold fringe patterns 266–267
 - laser decal transfer 270
 - metal nanoparticle inks 269
 - silver nanoparticle (Ag NP) links 270
- metal/elemental and metal/compound nanomaterials by LP-PLA of solid targets 347–380
 - compound nanostructures of active metals, preparation 365–369
 - elemental nanomaterials, LP-PLA of noble metals in liquids for preparation of 351–364
 - elemental NPs of active metals, preparation of 350–365
 - elemental NPs of noble metals, preparation 348–350
 - metal/elemental NPs by nonreactive LP-PLA of solids 347–348
 - noble metals, reactive PLA for 369–380
- metallic and bimetallic nanocrystals
 - synthesis, laser-vaporization-controlled condensation for 167–198

- metallic release layer, laser ablation transfer (LAT) with 282–285
- metals, LIFT of 221–229
 - aluminum 224
 - chromium 226–228
 - copper 221–222
 - diamond 229
 - gold 222–224
 - palladium 228–229
 - titanium 225–226
 - tungsten 224–225
- metal-to-ligand charge transfer (MLCT) 669
- 2-[2-(2-methoxyethoxy)ethoxy]acetic acid (MEEAA) 425
- Michaelis–Menten model 276
- microchannel plate (MCP) detectors 73
- microcontact printing (μ CP) 257
- microelectromechanical systems (MEMS) 241, 305
- microgroove structures, nanostructure-textured 208
- micro-nanomaterials transfer on substrate 241–251
 - blister-based laser-induced forward transfer (BB-LIFT) 251
 - donor substrate 241
 - femtosecond laser pulses (fs-LIFT) 242
 - mechanically sensitive materials, transfer of 248–251
 - metallic materials transfer 242
 - prepatterned donor substrate, LIFT process with 249
 - spatial resolution of LIFT process 243–248, *See also individual entry*
 - thermally sensitive materials, transfer of 248–251
 - ultrashort picosecond laser pulses (ps-LIFT) 242
- microPL spectroscopy 567–571
 - applications on single nanomaterial 567–571
 - – cathodoluminescence (CL) 567–568
- micro-Raman spectroscopy 501–502
 - microscale applications 501–502
 - under bump metallization (UBM) 502
- mode locking 30–32
- modes of laser 7–8, 28
 - axial 7
 - transverse electromagnetic (TEM) modes 8
 - uniphase mode 8
 - transverse 7–8
- modification of nanomaterials, lasers application in 59–64
- modified LIFT methods 277–305
 - laser molecular implantation (LMI) 279–280
 - layered donor systems with intermediate absorbing films 280–305, *See also individual entry*
 - MAPLE-DW 277–279
- modified metal-film-assisted LIFT technique 272
- modulated continuous wave source spectrometer 630–639
 - incoherent sources of 630
 - low-cost, design of 634–639
 - – accessories 634
 - – conventional photoacoustic cell for wavelength versus PA intensity spectra 635–636
 - – for frequency versus PA intensity spectra 637–639
 - – open photoacoustic cell (OPC) configuration 636–637
 - – performance studies 639
 - – thermal diffusivity measurements 638
 - modulation techniques 633–634
 - radiation sources 630–631
 - signal detectors 634
- molecular laser 18–21
- molecule detection function (MDF) 579
- molten globules 321
- monoatomic materials 41
- monochromaticity 26–28
- monodisperse dilute particle suspension 540
- monomodal disperse particle solution 541
- Monte Carlo technique 740–741
- Moore’s law 22
- Mössbauer (γ -ray) spectroscopy 57
- multilevel systems for attaining population inversion condition 3–4
- multimodal-size-distributed particle dispersion 541
- multiphoton ionization, electron ejection through 402
- multiple laser beams, liquid-PLA of solid with 386–387
- multiple wave ultrafast spectroscopic techniques 673–679
 - four-wave mixing 678–679
 - photon echoes 673–678
- multiwall carbon nanotubes (MWCNTs) 272

n

nanobelts with TAPLD 135–142, *See also*
under thermal-assisted pulsed laser
 deposition (TAPLD)

nanocrystal quantum dots (NCQDs) 299

nanocrystal quantum dots (NQDs) 250

nanodroplet LIFT 246

nanofertilizers 426–429

nanomaterial-enabled laser transfer (NELT)
 295

nanoparticle-assisted pulsed laser deposition
 (NAPLD) 59, 85, 145–164, 317, *See also*
under zinc oxide (ZnO) nanowires

nanoparticle catalysts, synthesis,
 laser-vaporization-controlled condensation
 for 167–198

Nd:YAG laser construction and operation
 11–13

– assembly of various components in 13

near-edge X-ray absorption fine structure
 (NEXAFS) 55

near-field nanomachining techniques 203

neuron beam scattering spectroscopy 57

NiAl intermetallic nanoparticles 183–185

nitride NPs synthesis by LAL 451–453

nitrogen laser 20

noble metals, reactive PLA for 369–380

nonlinear absorption measurements
 702–704

nonlinear optical characterization of
 nanomaterials 693–727, *See also*
 high-order harmonic generation (HHG)

– experimental setup 694–696

– n_2 measurements of semiconductor
 solutions 696–699

– – intensity-dependent variation of
 nonlinear refractive index 698

– nonlinear absorption measurements
 702–704

– nonlinear refraction of semiconductor
 nanoparticles 700–702

– self-interaction processes in semiconductor
 solutions, analysis 699–700

nonlinear optical techniques 566, 606–607

nonlinear refraction of semiconductor
 nanoparticles 700–702

nonradiative recombination 600

nonsequential double ionization
 (NSDI) 71

nonsequential ionization (NSI) 70

normalized autocorrelation function 578

nuclear magnetic resonance (NMR) 57

nuclear radiation and particle-based
 spectroscopy 57–58

o

open photoacoustic cell (OPC) configuration
 636–637

optical band gap determination 641–644

optical dephasing 674

optical Kerr gate (OKG) 658–659

optical oscillator 5

optical phonon confinement 515–519

– basic model of 515

– dispersion curve estimation 518–519

– limitations of 519

– longitudinal optical (LO) phonons 516

– particle size distribution effect 518

– theoretical considerations of 515–519

– transverse optical (TO) phonons 516

optical resonator 5–7

optical vapor breakdown 88

optoacoustic spectroscopy, *See* photoacoustic
 spectroscopy (PAS)

organic field-effect transistors (OFETs) 257

organic light-emitting diodes (OLEDs) 250,
 258

organic materials, LIFT of 271–276

– biogenic materials 274

– carbon nanotubes 272

– modified metal-film-assisted LIFT
 technique 272

– polymer films 273

– single-pulse ablation processes 273

– small organic molecules 271–272

origin of nanoscale materials 35–36

oxide nanoparticles synthesis by LAL
 441–447

oxides, LIFT of 229–234

– BiSrCaCuO 229–231

– In_2O_3 231

– Nd:YAG laser 230

– TiO_2 –Au 233–234

– V_2O_5 231–233

– YBCO 229–231

p

particle size standards applied to DLS
 542–546

passive mode locking 32

peak-fitting technique 503

periodic nanogrooves 207–208

phase shift 602

phase-locked laser 30

phonon confinement 512–515, *See also*
 optical phonon confinement

– phonon confinement model (PCM) 515

phonons 500

photo ablation therapy (PAT) 62, 422

- photoacoustic spectroscopy (PAS) 621–648
 - applications to nanomaterials 641–648
 - absolute quantum efficiency determination 644–645
 - optical band gap determination 641–644
 - phase transition with temperature determination 648
 - thermal diffusivity/conductivity determination 645–646
 - in biology 646–648
 - indirect PA cells 633
 - instrumentation 629–641
 - data acquisition system 629
 - means of detecting the acoustic signal 629
 - periodic (modulated or pulsed) source of illumination 629
 - sample chamber 629
 - modulated continuous wave source spectrometer 630–639, *See also individual entry*
 - in nanomaterials characterization 621–648
 - pulsed photoacoustic spectroscopy 639–541
 - sample cell, criteria 631–632
 - saturation effect in 628
 - signal generation theory 622–625, *See also* Rosencwaig and Gersho (R–G) theories
 - suitable lasers for PAS 631
 - thermal diffusivity 627–628
 - three-dimensional heat flow model 627
 - versus absorption spectroscopy 628–629
- photoactive yellow protein (PYP) 654
- photocatalytic deposition 421–422
- photochemical synthesis 411–421
- photoelectric effect, electron ejection through 403–405
- photoexcitation 597
- photolithography 59
- photoluminescence (PL) spectroscopy in NPs
 - characterization 173, 269, 555–571, *See also* microPL spectroscopy
 - applications on nanomaterial ensembles 559–567
 - excitation-dependent PL spectroscopy 565–567
 - room-temperature PL and PLE spectroscopy 559–561
 - temperature-dependent PL spectroscopy 561–563
 - time-resolved PL spectroscopy 564–565
 - direct bandgap and an indirect bandgap, differences between 556
 - experimental techniques 557–559
 - measurements with a cryostat station 558
 - possible emission process in semiconductors 556
- photoluminescence excitation (PLE) 557
- photon correlation spectroscopy 537–542
 - light scattering intensity autocorrelation function 540
 - monodisperse dilute particle suspension 540
 - monomodal disperse particle solution 541
 - multimodal-size-distributed particle dispersion 541
 - polydisperse particle suspension 541
 - polydispersity index (PI) 541
- photon cross-correlation spectroscopy (PCCS) 547
- photon echoes 673–678
 - dephasing 677
 - phase relaxation 677
 - three-pulse photon echo 677
 - two-pulse photon echo 675
- photopolymers, LIFT of 234–235
- photosensitization 411
- photothermal correlation spectroscopy (PhCS) 575
- photothermal methods 622
- picosecond dynamics 682–683
- planar defects 45–47
- plasma and nanomaterials processing 85–103
 - background gas pressure influence on plasma characteristic and morphology 94–99
 - double pulse laser ablation 99
 - electric-field-assisted laser ablation 99–101
 - laser irradiance influence on melting and vaporization processes 85–90
 - laser polarization effect 101–102
 - laser pulse width and pulse shape influence 90–94
 - magnetic-field-assisted laser ablation 99–101
- plasma-induced plasma 344, 380
- plasma-induced pressure 322
- plasma parameters, laser wavelength influences on 94
- plume length (L) 96
- point defect 45
- point spread function (PSF) 578

- polarization 729–754. *See also under*
 - laser-based thermal techniques
 - poling dynamics 749
 - poly(3,4-ethylenedioxythiophene)-polystyrene sulfonate (PEDOT:PSS) 259
 - poly(ethyl methacrylate) (PEMA) 279
 - polyatomic materials 41
 - polydimethylsiloxane (PDMS) chip 276
 - polydisperse particle suspension 541
 - polydispersity index (PI) 541
 - polyepichlorhydrin (PECH) 278
 - polyethyleneimine (PEI) pixels 298
 - polymer films, LIFT of 273
 - polymer-dispersed liquid crystals (PDLcs) 752–753
 - polymethacrylonitrile (PMAN) 223
 - polymethyl methacrylate (PMMA) 386
 - polyvinylidene fluoride and its copolymers films 748–749
 - focused LIMM and TPT, comparison 748–749
 - poling dynamics 749
 - population inversion condition, multilevel systems for attaining 3–4
 - population inversion 3
 - positron annihilation lifetime spectroscopy (PALS) 57
 - positron annihilation spectroscopy (PAS) 57
 - potassium dihydrogen phosphate (KDP) 633
 - prepatterned donor substrate, LIFT process with 249
 - printed circuit boards (PCBs) 278
 - prism-based fluorescence cross-correlation spectrometer (FCCS) 585–586
 - single-wavelength (SW) FCCSs 585
 - prism spectrometer 586–587
 - proton-induced X-ray emission (PIXE) 57
 - pulse shaping 33–34
 - pulsed laser ablation (PLA) 85, 123
 - in a furnace, nanostructures synthesis with 117–142. *See also* pulsed laser deposition (PLD); thermal-assisted pulsed laser deposition (TAPLD)
 - one-dimensional nanostructure 117–120
 - pulsed laser ablation in aqueous media (PLAAM) 319
 - pulsed laser ablation in liquid media (PLAM) 59
 - pulsed laser ablation in liquids (PLALs) 319
 - pulsed laser deposition (PLD) 85, 98, 113, 117–120, 259, 317
 - iron oxideNWs 117–120
 - one-dimensional nanostructure 117–120
 - ZnO NWs 118–120
 - pulsed photoacoustic spectroscopy 639–641
 - pumping techniques in solid state lasers 9–11
 - pump-probe interferometry 89
 - pump-probe method 604
 - pump-probe Raman spectroscopy 664
 - pyrene-doped polymethyl methacrylate (PMMA) films 297
 - pyrolytic LCVD 61
- q**
- Q-particles 167
 - Q-switching 12, 32–33
 - quality factor 5
 - quantum confinement 41–44
 - density of states (DOSs) 42
 - effect on NiFe₂O₄ nanostructures 525–531
 - quantum dots (QDs) 41
 - quantum size confinement 679
 - quantum well lasers 13
 - quantum wire (QW_r) 41
- r**
- radiative recombination 600
 - radiofrequency identification (RFID) 260
 - Raman shift 500
 - Raman spectra, particle size reduction effect on 511–532
 - CeO₂ nanostructures 522–523
 - confocal micro-Raman spectroscopy, experimental setup for 520
 - low-frequency eigenmodes 514
 - spheroidal mode 514
 - torsional mode 514
 - nanoparticles and phonon confinement 512–515
 - ZnO nanostructures 524
 - Raman spectroscopy of nanomaterials 520–524
 - application in semiconductor devices characterization 497–508
 - approaches in nanoscale 502–504
 - confocal Raman spectroscopy 504–508. *See also individual entry*
 - mechanical strain or stress effect 500

- Raman scattering in semiconductors 499–501
- surface-enhanced Raman scattering (SERS) 504
- CdS NPs, resonant Raman spectroscopy of 520–522
- CdSe NPs, resonant Raman spectroscopy of 520–522
- Rayleigh light scattering 537
- Rayleigh–Taylor instability 96
- reflection electron microscope (REM) 56
- reflection high-energy electron diffraction (RHEED) 57
- reflection high-energy loss spectrum (RHES) 57
- regularization parameter (λ) 739
- resonant infrared laser vapor deposition (RIR-LVD) 259
- resonant infrared pulsed laser deposition (RIR-PLD) 259
- resonant Raman spectroscopy
 - of CdS NPs 520–522
 - of CdSe NPs 520–522
- room-temperature photoluminescence (RT-PL) 557, 559–561
- Rosenzweig and Gersho (R–G) theories 622–625
 - experimental configuration 623
 - optically opaque solids ($l_\beta \ll l$) 626–627
 - thermally thick solids ($\mu \ll l$; $\mu < l_\beta$) 626
 - thermally thick solids ($\mu < l$; $\mu > l_\beta$) 626
 - thermally thin solids ($\mu \gg l$; $\mu \gg l_\beta$) 626
 - optically transparent solids ($l_\beta > l$) 625
 - thermally thick solids ($\mu < l$; $\mu \ll l_\beta$) 625
 - thermally thin solids ($\mu \gg l$; $\mu > l_\beta$) 625
 - thermally thin solids ($\mu > l$; $\mu < l_\beta$) 625
 - parameters used 623
- Rutherford, R.C. 1
- S**
- scale transformation method 737–738
- scanning electron microscope (SEM) 56, 109–111, 127–133, 138–139, 149–160, 173, 183, 188–189, 205, 208, 223–237, 265, 567–571, 706–709
- scanning transmission electron microscope (STEM) 56
- screen printing (serigraphy) 257
- sealed tube laser 20
- secondary ion mass spectrometry (SIMS) analyses 283
- secondary NPs size uncertainty, identifying and analyzing 549–551
 - change during a time period 550
 - combined uncertainty calculation 551
 - size difference determination 550
- selected area electron diffraction (SAED) 129
- self-amplified stimulated emission (SASE) 23
- self-assembly of nanoparticles 58–59
- self-focusing 336
- self-interaction processes in semiconductor solutions, analysis 699–700
- self-terminating laser 20
- semiconductor laser 13–15
 - geometry of 15
- semiconductor nanomaterials 48–53
 - as fluorescent markers 425
 - nonlinear refraction of 700–702
 - size-dependent properties 52–53
- semiconductor synthesis, laser-vaporization-controlled condensation for 167–198
- semiconductors characterization 497–508, *See also under* Raman spectroscopy of nanomaterials
- shadowgraphy 301
- shallow trench isolation (STI) formation 497
- shock laser processing and additional pressure in plasma, analytical models for 324–333
 - Etina model 330
 - assumptions 330
 - early stage 331
 - intermediate stage 331
 - later stage 332
 - Fabbro and coworkers model 324
 - assumptions of 324–326
 - shortcoming of 326
 - Sollier *et al.* model 326–327
 - Wu and Shin model 328–330
 - assumptions 329
 - Zhang *et al.* model 327–328
 - water-plasma-target system 327
- shock-wave-affected zone 321
- shock wave relation 329
- signal photons 603
- silicon nanocrystals 173–174
 - electron diffraction (ED) pattern 173
 - photoluminescence (PL) properties 173

- silicon NPs synthesis by LAL 482–489
 - experimental conditions influence on 487
 - laser parameters effect on NPs growth 488–489
 - liquid effect on 486
 - silver-nanoparticles 704–714, *See also under*
 - high-order harmonic generation (HHG)
 - single-active-electron (SAE) approximation 71
 - single element, LIFT of 221–229
 - single-mode fiber-optic dynamic light scattering 546–547
 - single nanoholes 209–210
 - single-photon counting technique 604–605
 - single-pulse ablation processes 273
 - single-walled nanotube (SWNTs) 655, 657
 - single-wavelength fluorescence
 - cross-correlation spectrometers (SW-FCCSs) 585
 - sodium dodecyl sulfate (SDS) 441–445, 590
 - soft lithography 257
 - sol–gel auto-combustion method 525
 - solid laser 8–15
 - dopant energy levels in host matrices 9
 - doped insulator laser 8–9
 - flash lamp and laser rod in, arrangement of 12
 - Nd:YAG laser construction and operation 11–13
 - pumping techniques in 9–11
 - transition of Nd:YAG laser, energy level diagram for 14
 - solid–liquid interface kinetics, laser ablation at 333–339
 - laser and liquid media parameters effects on 333–339
 - – focal length of convex lens 335
 - – pulse duration of laser 337
 - rate of ablation 333–339
 - solutions, nanoparticles in, size control by laser irradiation 179–181
 - space-charge electrets 752
 - space-charge profiling 729–754, *See also under* laser-based thermal techniques
 - spatial resolution of LIFT process 243–248
 - Gaussian spatial profile 243–244
 - morphology of LIFT spots 245
 - nanodroplet LIFT 246
 - submicrometer-sized LIFT spots 247
 - spatially coherent beam 29
 - spin polarized low-energy electron microscope (SPLEEM) 56
 - spontaneous emission 2
 - SrTiO₃ nanoparticles 714–717
 - high-order harmonic generation from 723–725
 - low- and high-order nonlinear optical properties study of 714–717
 - – experimental arrangements 715–717
 - – structural characterization 717–719
 - nonlinear refraction and nonlinear absorption of SrTiO₃-contained suspensions 719–723
 - stable resonators 5–6
 - static quenching 598
 - static secondary ion mass spectroscopy (SSIMS) 223
 - Stefan–Boltzmann constant 390
 - stimulated emission 2
 - Stokes–Einstein equation 536, 541
 - strained silicon on insulator (SSOI) materials 498
 - strongly coupled plasmas 74
 - substitutional defect 45
 - superconducting quantum interference device (SQUID) measurements 135
 - supercontinuum generation 79
 - supported nanoparticle catalysts by LVCC method 194–197
 - surface acoustic wave (SAW) mass 278
 - surface-enhanced Raman scattering (SERS) 319, 425–426, 504
 - surface nanostructuring by direct femtosecond laser ablation 204–205
 - surface plasmon resonance (SPR) 48, 50, 107, 175, 388
 - surface plasmons 504
 - synthesis methods of nanoscale materials 53–54
 - bottom-up technology 53
 - top-down technology 53
 - synthesis of nanomaterials, lasers application in 59–64
- t**
- ‘taping effect’ 268
 - temperature-assisted pulsed laser deposition (TAPLD) 85, 317
 - temperature-dependent PL spectroscopy 561–563
 - tetrahydrofuran (THF) 478
 - tetramethylrhodamine isothiocyanate (TRITC) dye 591–592
 - thenoyltrifluoroacetone (TTA) 386

- theory of quantum confinement 42
- thermal-assisted pulsed laser deposition (TAPLD) 120–125
 - aligned ferrite nanorods, NWs, and nanobelts with with 135–142
 - experimental method 136–137
 - systematic synthesis study 138
 - experimental procedure 124–125
 - furnace system 122–123
 - hematite, electron microscope characterization of 138–140
 - laser ablation setup 123–124
 - magnetite, electron microscope characterization of 138–140
 - with Zn_3P_2 nanostructures, single-crystalline branched 125–135
 - device design and fabrication techniques 131–134
 - fabrication through TAPLD process 126–127
 - optical properties 130–131
 - properties and devices fabrication 130–134
 - structural characterization 127–130
 - Zn_3P_2 properties 125–126
- thermal diffusivity 627–628
 - thermal diffusivity/conductivity determination 645–646
- thermal-pulse tomography (TPT) 747–748
- thermal techniques 730–732, *See also* laser-based thermal techniques
 - nondestructive thermal techniques 730
 - for polarization and space-charge depth-profiling 730–732
 - thermal wave technique 731–732
 - time- and frequency-domain approaches 731
- thermally sensitive materials, transfer of 248–251
- thermionic emission, electron ejection through 405–407
- thermocapillarity 92
- thermodynamics of plasma, confinement influences on 322–324
- thin-film transistors (TFTs) 260
- third harmonic generation (THG) 234
- three-dimensional heat flow model 627
- three level laser systems 4
- threshold current 14
- threshold gain coefficient for lasing 4
- tight focusing 106
- Tikhonov regularization 737, 739–740
- time-correlated single-photon counting (TCSPC) 604–605
 - imaging technique 605–606
- time-correlated single-photon-counting technique (TCSPT) 559
- time-resolved fluorescence (TRF) 654
- time-resolved photoluminescence (TRPL) spectroscopy of nanomaterials 557–558, 597–617, 680
 - dynamic quenching 598
 - experimental methods of 602–607
 - Kerr gate technique 606–607
 - nonlinear optical techniques 606–607
 - pump-probe method 604
 - single-photon counting technique 604–605, *See also* time-correlated single-photon counting (TCSPC)
 - time-resolved measurements in picosecond resolution 603
 - upconversion technique 607
 - longitudinal–transverse splitting frequency 601
 - nonradiative recombination 600
 - radiative recombination 600
 - size-dependent radiative decay 601
 - static quenching 598
 - ZnO case study 607–617, *See also* time-resolved spectroscopy of ZnO
 - optical properties of ZnO 612
 - ZnO photoluminescence, origin 608–611
- time-resolved PL spectroscopy 564–565
- time-resolved spectroscopic techniques 680
- time-resolved spectroscopy of ZnO 612–617
 - annealing effect on 615
 - emission lifetime 614
 - superradiance 612
 - ultrafast carrier dynamics 615
- time-resolved ultrafast Faraday rotation (TRFR) spectroscopy 672–673
- time-resolved ultrafast fluorescence (TRUF) spectroscopy 656–660
 - optical Kerr gate (OKG) 658–659
 - photoactive yellow protein (PYP) 657
 - time-resolved fluorescence upconversion 656
- time-resolved ultrafast IR spectroscopy 660–663
 - broadband IP pump probe 661
 - experimental arrangement 661
 - in semiconductor nanostructure materials 663

time-resolved ultrafast optical temperature measurements 283

time-resolved ultrafast Raman spectroscopy 663–671

- experimental arrangement 665
- femtosecond stimulated Raman spectroscopy 668
- pump-probe Raman spectroscopy 664

tip-enhanced Raman spectroscopy (TERS) 507

top-down technology 53

total detected fluorescence $F(t)$ 578

total reflection X-ray fluorescence (TXRF) 106

traditional LIFT 261–276

transient absorption spectroscopy (TAS) 653–655

- experimental setup for 653
- luminescence quenching 654

transient-bleaching spectroscopy 680

transistor-transistor logic (TTL) 583

translational diffusion (τ_D) 580

transmission electron microscope (TEM) 56, 128, 156, 442–454, 695

transversally excited atmospheric (TEA) laser 20

transverse electromagnetic (TEM) modes 8

transverse mode of laser 7–8

traps 47

triazene polymer (TP) 250

two-dimensional electron gas (2DEG) 498

two-photon polymerization (2PP) technique 59, 290

u

ultrafast laser spectroscopy of nanomaterials 55, 64, 651–685

- charge carrier dynamics, measurement of 679–684

ultrafast time-resolved spectroscopy (UTRS) 652–673

- transient absorption spectroscopy (TAS) 653–655

ultrashort picosecond laser pulses (ps-LIFT) 242

under bump metallization (UBM) 502

uniphase mode 8

unstable resonator 6

- with annular beam shape 6

upconversion technique 607, 656, 658

upconverting doped nanocrystals by LVCC method 190–194

v

vacuum ultraviolet/extreme ultraviolet (VUV/EUV lasers) 59

valence band (V_B) 39

vaporization processes, laser irradiance influence on 85–90

vapor–liquid–solid (VLS) mechanism 146

velocity interferometer system for any reflector (VISAR) 321

vertical pulsed laser deposition (VPLD) 264

vibration isolation, in fluorescence correlation spectroscopy 588–589

void 47

volume or bulk defects 47

w

‘water hammer’ effect 464

water-plasma-target system 327

Watson–Crick base pairing 54

weak focusing 106

x

X-ray absorption near-edge structure (XANES) 55

X-ray-beam-based characterization methods 55–56

X-ray diffraction (XRD) 55, 129

X-ray dispersive energy analyses (EDAX) 291

X-ray laser beams 24

- producing methods 22–26

X-ray photoelectron spectroscopy (XPS) 55, 223

X-ray spectroscopy (EDX) 695

z

zinc hydroxide/surfactant composite (ZnDS) 369

zinc oxide (ZnO) nanowires 145–164

- controlled nanowire growth with NAPLD 152–159
- – laser energy influence 153–154
- – substrate annealing influence 154–156
- – substrate–target distance influence 152–153
- – wetting layer influence 156–159
- nanoparticle-assisted pulsed laser deposition (NAPLD) growth of 145–164
- – from 2D nanowall to 1D nanowire with PLD 147–148
- – vapor–liquid–solid (VLS) mechanism 146

- nanowire heterostructures growth, based on low-density nanowires 159–162
- NAPLD nanowire growth mechanism 148–152
- zinc phosphide (Zn_3P_2) nanostructures, single-crystalline branched 125–135, *See also under* thermal-assisted pulsed laser deposition (TAPLD)
- zone-center G-phonons 670
- Z-scan technique 695–702
 - closed-aperture Z-scan scheme 702
 - open-aperture Z-scan scheme 702

