

INDEX

A

- AAR package, Android Library module, 165
 - generating, 167
- `actionPerformed` method, 353–354
- actions, IntelliJ, 332–333
 - implementing, 336–340
 - plugin creation, 333–336
- activities, 50
 - associations, 133–134
 - blank, 59–62
 - customization, 51
 - Empty Activity, 169
 - fragments, 63
 - Glass module, 180–181
 - Java and, 310
 - lifecycle, 56–57
 - methods, 57
 - `NextActivityClass`, 58
 - Tabbed Activity, 64–69
 - template
 - adding to projects, 58
 - Android TV, 174
 - user-defined, 58
 - Wear Activities, 53
- `Activity` super class, 58
- ADB (Android Debug Bridge), 40–41, 196–197
 - ADB Idea plugins, 366
 - ADB WIFI, 366
 - ADB WIFI plugin, 366
- ADK (Android Developer Tools), 45
- Adreno GPU, 388–389
- Adreno Profile for GPU, 399–400
- AllPlay Click SDK, 397–399
- `AnAction` class, 338
- Analyze menu, 82, 88–89
- Android Auto, 182–184
- Android Device Monitor, 216
 - devices, 217
- Emulator Control, 218–219
- File Explorer, 219
- Heap, 217–218
- Hierarchy View, 220–221
- logcat, 217
- Network Statistics, 218
- System Information, 220
- threads, 217
- UI XML Dump, 219
- Android Drawable Importer, 366–367
- Android Emulator Plugin, 299, 300–302
- Android Holo Colors, 368
- Android Library module, 164–165
 - AAR package, 165
 - generating, 167
 - Gradle, module dependencies, 165
 - Java classes, 166
 - XML resources, 166–167
- Android Lint Plugin, 299
- Android Model view, 97–98
- Android Monitor tool, 96–97
 - Capture System Information, 208

- CPU monitor, 213–214
- GPU monitor, 214–215
- Java Garbage Collector, 213
- Java Heap, 211
- logcat, 209–210
- Memory monitor, 210–213
- Network monitor, 215
- Screen Recording, 208
- Screenshot, 207–208
- tabs, 206
- Android NDK, 309–310
 - applications, samples, 321–322
 - C/C++ and, 310
 - directory declaration, 327
 - jniLibs folder, 328–329
 - license agreement, 311
 - Linux installation, 311–312
 - Mac OS X installation, 313–315
 - modules, declaration, 325
 - packages, 310
 - product flavors, 326–327
 - projects, 315–316
 - building, 326–328
 - development, 328–330
 - Hello JNI, 319
 - importing sample, 316–322
 - list, 317
 - migrating, 322–325
 - release, 328–330
 - SDK Manager, 311–312
 - Windows 10 installation, 312–313
- Android Parcelable Code Generator, 368
- Android Platform/API Version Distribution
 - window, 49
- Android Plugin for Gradle, 145–146
 - build configuration, 151
 - build tasks, 151
 - configuration, 150
 - extending, 156–157
 - flavors, 152–153
 - ProGuard, 153–155
- Android SDK, 47
 - Default Preferences window, 25
 - installation, standalone, 18–19
 - Manager installation window, 25
 - SDK Manager button, 24
- Android Studio
 - Analyze menu, 82, 88–89
 - Android NDK integration, 310–315
 - Android Studio menu, 82
 - Build menu, 82, 89
 - Code menu, 82, 88
 - Commit Changes wizard, 264–266
 - Complete Installation dialog box, 18
 - Edit menu, 82
 - Copy as Plain Text, 85
 - Copy Path, 84
 - Copy Reference, 85
 - Macros, 86
 - Paste from History, 85
 - Paste Simple, 85
 - File menu, 82, 83–84
 - Project Structure window, 84, 85
 - Git, 259–260
 - project creation, 260–266
 - repository items, 262–263
 - version control, 261–262
 - HAXM configuration, 12
 - Help menu, 82, 90
 - installation, 9–10
 - Linux, 16–18
 - Mac OS X, 12–15
 - Windows 10, 10–12
 - launching, 18
 - Navigate menu, 82, 86–88
 - Refactor menu, 82, 89
 - Run menu, 82, 90
 - SDK Manager, Android NDK, 311–312
 - SDK Manager button, 24
 - Setup window, 11

- Setup Wizard (Linux), 16
- Setup Wizard (Mac OS X), 14
- shortcuts, Keymap page (Preferences window), 91–92
- themes
 - Linux, 17
 - Windows, 13
- tool views, available tools, 93
- Tool Windows option, 92–93
 - Android Model, 92, 97–98
 - Android Monitor, 92, 96–97
 - Build Variants, 92
 - Capture Analysis, 92
 - Capture Tool, 92
 - Captures, 92
 - Debug, 92
 - Debug window, 99–100
 - Designer, 92
 - Event Log, 92
 - Event Logs, 100
 - Favorites, 92, 96
 - Gradle, 92, 98
 - Gradle Console, 92, 98
 - Maven Projects, 92
 - Messages, 92, 93–94
 - Palette, 92
 - Project, 92, 94–95
 - Run, 92
 - Run window, 98–99
 - Structure, 92
 - Structure window, 97
 - Terminal, 92, 100
 - TODO, 92
 - Version Control, 92
- Tools menu, 82, 90
- VCS menu, 82, 90
- View menu, 82, 86
 - Tool Windows option, 92–100
- Welcome window, 47
- Window menu, 82, 90
- Android Studio menu, 82
 - Preferences, 83
- Android TV module, 173–174
 - APKs, 179
 - debugging, 176–179
 - manifest file, 174, 176
 - running, 176–179
- Android Wear module
 - APKs, 173
 - AVD (Android Virtual Device), 172
 - debugging, 170–173
 - Empty Activity, 169
 - running, 170–173
- `AndroidManifest.xml` file, 32–33
- `android-studio-ide-141.2178183-linux.zip`, 16
- APIs (application programming interfaces), Java and, 310
- APKs
 - Android TV module, 179
 - Android Wear module, 173
 - building, 114
 - Generate APK option, 163
 - modules, 161–162
- `AppCompatActivity` class, 58
- applications
 - Android NDK, samples, 321–322
 - launching, 54–56
 - tutorial, 162
- ARR packages, importing, 191–192
- asset management, 134–141
 - Vector Asset Studio, 140–141
- Asset Studio window, 135
 - Additional Padding, 137
 - Asset Type, 136
 - Background Color, 138
 - Foreground, 136
 - Foreground Scaling, 138
 - Image File, 137
 - Resource Name, 139

- Shape, 138
- assets, 72
 - images, 73–74
 - sound, 74–75
 - video, 75–76
- associations, activities, 133–134
- Audio-Echo NDK sample application, 321–322
- AVD (Android Virtual Device) Manager, 36–37
- Battery, 223
- Cellular, 223
- device configuration, 38, 39
- devices, list, 40
- Directional Pad, 223
- emulator call, 224
- Fingerprint, 223
- hardware, 38
- Help, 223
- keyboard, 224
- Location, 222–223
- Phone, 223
- System Image, 39
- TV emulator, 177
- Wear module, 172

B

- Bamboo CI server, 282
- BinaryFragment class, 229
- Bitmap Plasma NDK sample application, 322
- blank activities, 59–62
- breakpoints, 200
- BroadcastReceiver superclass, 87
- Browse Samples window, 23
- build folder, 30
- build jobs, in Jenkins, 291–298
- Build menu, 82, 89
 - Generate APK option, 163

- Make Project option, 163
- build system
 - Gradle, build.gradle files, 144–145
 - NDK and, 143
- Build Variant window, 163
- build.gradle app module, 166
- build.gradle file, 30, 144–145

C

- Calculator class, 229–230
- CalculatorFragment class, 228
- C/C++, Android NDK and, 310
- CI (continuous integration), 281
 - overview, 281–282
- servers
 - Bamboo, 282
 - Hudson, 282
 - Jenkins, 282, 283–290
 - project integration, 282–283
- classpath, 145
- ClearCase, 245
- code
 - blocks
 - commenting, 101
 - moving, 101
 - completion, 101
 - debugging
 - adb (Android Debug Bridge), 196–197
 - wireless, 197–198
 - Lint and, 225
 - refactoring, 107–111
 - samples
 - Browse Samples window, 23
 - importing, 22–23, 24
 - testing, 226–230
 - integration tests, 232–235

- performance testing, 241–242, 241–244
- UI tests, 235–240
- unit tests, 230–232
- code base, Android Library module and, 164
- Code menu, 82, 88
- color resources, 130
- commenting code, 101
- Commit Changes wizard, 264–266
- Commit window (Git)
 - Collapse All, 272
 - Details, 272
 - Expand All, 272
 - Group by Directory, 272
 - Jump to Source, 272
 - Merge Changes, 272
 - Move to Another Changelist, 270
 - Refresh Changes, 272
 - Revert, 272
 - Show Diff, 269, 271
- constants, extracting, 111
- CPU monitor, 213–214
- Create New Module wizard, 167–168
- Create New Project window, 48
- CVS, 245

D

- Debian, Jenkins and, 283–284
- Debug option, 199
- Debug window, 99–100
 - Close, 201
 - Drop Frame, 202
 - Evaluate Expression, 202–204
 - Force Step Into, 202
 - Frames, 204
 - Help, 201
 - Mute Breakpoints, 200
 - Pause, 200
 - Pin Tab, 201
 - Restore Layout, 201
 - Resume, 200
 - Run to Cursor, 202
 - Settings, 201
 - Show Execution Point, 201
 - Step Into, 202
 - Step Out, 202
 - Step Over, 201
 - Stop, 200
 - Variables, 204
 - View Breakpoints, 200
 - Watches, 204–205
- debugging, 195–196
 - adb (Android Debug Bridge), 196–197
 - breakpoints, 200
 - modules
 - Android TV, 176–179
 - Android Wear, 170–173
 - Glass, 181–182
 - Google Cloud, 187–188
 - thread dump data, 201
 - Universal Music Player sample, 198–206
 - Watches window, 205
 - wireless, 197–198
- DecimalFragment class, 228
- Default Preferences window, 25
- dependencies
 - adding, 166
 - configuration, Project Structure window, 165
 - Gradle
 - external, 147–148
 - local, 149
 - Java libraries, 168
 - Maven references, 149–150
- Desktop Client (GitHub), 252–253

- file changes, 256
- importing projects, 256
- project path, 257
- repositories, 255
- devices. *See also* virtual devices
 - Android Device Monitor, 217
 - target devices, 48
 - multiple, 52–54
- dimen resources, 129
- distributed version control, 246
- Documents (IntelliJ), 342
- drawables, 130

E

- Eclipse-based ADT, 21
 - project migration, 41–43
 - projects, importing, 190–191
- Edit menu, 82, 84–86
 - Macros, 86
- editors
 - code completion, 101
 - IntelliJ, plugin creation, 351, 352–354
 - navigating, 101–102
 - refactoring, 102
 - Smart Type Completion, 101
 - Translation Editor, 131–133
- Empty Activity option, 50, 169
- Empty Activity template, 58
- emulators
 - ADB and, 40–41
 - HAXM, installation, 35–36
- Endless Tunnel NDK sample application, 322
- environment paths, Windows 10, 6–7
- Evaluation Expression, 202–204
- event handlers, *Intent*, 58
- Event Logs, 100

- executeOnPooledThread* method, 341
- expertlibrary module, 166

F

- FastCV Computer Vision SDK, 389–393
- Favorites tool, 96
- File menu, 82, 83–84
 - Project Structure window, 84, 85
- files
 - AndroidManifest.xml*, 32–33
 - IntelliJ, 342
 - Documents, 342
 - PSI (Program Structure Interface) files, 342
 - VFS (Virtual File System), 342
- fingerprint sensor (AVD), 222
- folders, projects, 31
 - build, 30
 - build.gradle file, 30
 - hidden folders, 29
 - java, 30, 31
 - local.properties file, 30
 - res, 32
 - settings.gradle file, 30
 - src/main, 30
 - src/test and src/androidTest, 30
- fori Live Template, 103–104
- Fragment class, 66
- fragments
 - activities, 63
 - lifecycle, 63–64
 - onActivityCreated* method, 64
 - onAttach* method, 63
 - onCreateView* method, 63
 - onDestroyView* method, 64
 - onDetach* method, 64
- Frame layouts, 116–117

G

- Generate APK, 163
- Genymotion, 371–373
- Genymotion plugin, 371–373
- Git, 245
 - Android projects, 259–260
 - branches, 246–247, 267
 - from master, 269–273
 - master branch, 246
 - Merge Branches window, 272–273
 - names, 267–268
 - Commit window
 - Collapse All, 272
 - Details, 272
 - Expand All, 272
 - Group by Directory, 272
 - Jump to Source, 272
 - Merge Changes, 272
 - Move to Another Changelist, 270
 - Refresh Changes, 272
 - Revert, 272
 - Show Diff, 269, 271
 - commits, 246, 268–269
 - conflicts, 274
 - distributed version control, 246
 - flow, 266–279
 - installation
 - Linux, 247
 - MacOsX, 247
 - Windows, 247–248
 - Jenkins plugin, 289
 - manual merge, 276
 - Merge Revisions window, 275
 - projects, creating, 248–249, 260–266
 - repository, adding items, 262–263
- Git Branches window, 267–268
- GitHub, 248, 249
 - connecting, 252
 - Desktop Application Install, Security Warning, 250
- Desktop Client, 252–253
 - file changes, 256
 - importing projects, 256
 - project path, 257
 - repositories, 255
- Desktop installation process, 250
- Desktop start screen, 251
- files, changes, 255
- Jenkins build jobs, 292–293
- Mac OS X, 250
- read.me file, 255
- repositories
 - creating, 253
 - Desktop Client and, 255
 - list, 253
 - path selection, 254
 - remote, 257–258
- sample projects, 22
- setup, skipping, 252
- sign-in screen, 258
- sign-in warning, 257
- Welcome window, 250–251
- Windows, 250
- GitUp, 276–278
- Glass Explorers, 179
- Glass module, 179–180
 - activities, 180
 - debugging, 181–182
 - naming, 180
 - running, 181–182
- Google Cloud Messaging Notification Plugin, 299
- Google Cloud module, 184–185
 - debugging, 187–188
 - messaging, 186–187
 - running, 187–188

- types, 185
 - App Engine Backend with Google Cloud Messaging, 186
 - App Engine Java Endpoints Module, 186
 - App Engine Java Servlet Module, 186
- Google Developer Console, 302
 - JSON key, 303
- .google folder, 29
- Google Play account, 302
 - JSON key, 302, 303
- Google Play Android Publisher Plugin, 299
- Google Service Account, 303
- Google TV, 173
- GPS data, AVD and, 222
- GPU monitor, 214–215
- GPU support, 2
- Gradle build system
 - Android Library module and, 164
 - Android NDK project migration, 322–325
 - Android Plugin for Gradle, 145–146
 - extending, 156–157
 - build configurations, 163
 - build.gradle file, 144–145
 - dependencies
 - external, 147–148
 - local, 149
 - Maven references, 149–150
 - Gradle plugins, writing, 155–156
 - Jenkins plugin, 289
 - model file, 145–146
 - modules, dependencies, 162, 165
 - projects, importing modules, 189
- Gradle Console tool, 98
- .gradle folder, 29
- Gradle tool, 98
- Graphics Frame Analyzer of OpenGL (Intel GPA), 381–382
- Grid layout, 117

H

- HAXM
 - configuration, 12
 - Mac OS X, 15
 - installation, 35–36
- Hello GL2 NDK sample application, 322
- Hello JNI project, 319
- Hello Third Party NDK sample application, 322
- Help menu, 82, 90
- Hudson CI server, 282

I

- .idea folder, 29
- images, assets, 73–74
- Import Gradle Project option, 189
- importing
 - ARR packages, 191–192
 - code samples, 22–23
 - Browse Samples window, 23
 - Sample Setup window, 24
 - JAR packages, 191–192
 - modules
 - Eclipse ADT projects, 190–191
 - Gradle projects, 189
- installation
 - Android Studio
 - Mac OS X, 12–15
 - Windows 10, 10–12
 - Git
 - Linux, 247
 - MacOsX, 247
 - Windows, 247–248
 - HAXM, 35–36
 - plugins, 364
 - integration tests, 232–235

- Calculator class, 233–234
- History class, 233
- History mock implementation, 234–235
- Intel System Studio, 375
 - Eclipse integration, 376
 - Intel IPP (Integrated Performance Primitives), 378–379
 - VTune Amplifier, 379–381
- Intel third-party tools
 - C++ Compiler (ICC), 377–378
 - Context Sensing SDK, 384–387
 - GPA, 381–382
 - INDE (Integrated Native Developer Experience), 382
 - Integrated Performance Primitives (Intel IPP), 378–379
 - Multi-OS Engine, 382–384
 - System Studio, 374–377
 - Tamper Protection Toolkit, 382
 - Thread Building Blocks (Intel TBB), 379
 - VTune Amplifier, 379–381
- IntelliJ, 331
 - actions, 332–333
 - implementing, 336–340
 - plugin creation, 333–336
 - read, 348–351
 - write, 348–351
 - AnAction class, 338
 - Documents, 342
 - editors, 351–354
 - executeOnPooledThread method, 341
 - file system, 342
 - plugin declaration, 348
 - plugins
 - distribution, 360–362
 - packaging, 360–362
 - ProjectComponent interface
 - ProjectComponent () method, 343
 - String get ComponentName () method, 343
 - void disposeComponent () method, 343
 - void initComponents () method, 343
 - void projectClosed () method, 343
 - void projectOpened () method, 343
 - projects, 342–343
 - PSI (Program Structure Interface) files, 342
 - runReadAction method, 341
 - runWriteAction method, 341
 - SDK, 334–335
 - Start screen, 333
 - threading, 341
 - Unicode replacement, 344–345
 - VFS (Virtual File System), 342
 - VirtualFileListener interface
 - implementation, 345–346
 - registering/unregistering, 347
 - void beforeContentsChange event, 343
 - void beforeFileDeletion event, 344
 - void beforeFileMovement event, 344
 - void beforePropertyChange event, 343
 - void contentsChanged event, 343
 - void fileCopied event, 344
 - void fileCreated event, 343
 - void fileDeleted event, 344
 - void fileMoved event, 344
 - void propertyChanged event, 343
 - welcome wizard, 336
 - wizards
 - CustomWizard, 357–360
 - extension declaration, 354–356
 - module type, 356
 - ModuleWizardSteps, 356–357

Intent event handler, 58
 IntentService class, 71–72
 interfaces, extracting, 111

J

JAR packages, importing, 191–192
 Java
 activities and, 310
 APIs and, 310
 Linux installation, 8–9
 Mac OS X installation, 7–8
 modules, 166
 Android Library module, 166
 UI widgets and, 310
 Windows installation, 3–4
 environment paths, 6–7
 installation setup window, 5
 setup wizard, 5
 java folder, 30, 31
 Java Garbage Collector, 213
 Java Heap, 211
 Java Library module, 167–168
 Create New Module wizard, 167–168
 Java SE Development Kit, 3
 JDK 7, 2–4
 jdk-7u79-windows-x64.exe, 4
 Jenkins CI server, 282
 access from browser, 287
 Android Emulator, 300–302, 305–306
 Android SDK installation, 305
 builds
 frequency, 294
 job configuration, 300
 job creation, 291–298
 process output, 297
 progress, 305
 properties by number, 296
 schedule, 296
 dashboard, 297
 Google Play account, 302
 installation, 283

MIT license, 284
 WAR file, 283
 plugins, 286–287, 287–288, 290
 download progress, 290
 downloading, 299–300
 Git, 289
 Gradle, 289
 search, 298
 repositories, 292–293
 JetBrains
 IntelliJ download, 333
 plugins, 364, 365
 jimu Mirror, 370–371
 JNI, 310
 Hello JNI project, 319
 JRE (Java Runtime Environment), 2, 3

K

Key Prompter, 370
 Keymap page, 91–92

L

layout
 themes, 122–123
 translations, 131–133
 Layout XML File option, 116–118
 layouts
 Design mode, 118–120
 Frame, 116–117
 Grid, 117
 Linear, 116
 new file, 116–118
 Palette tool, 123
 Containers group, 124
 Custom group, 124
 Date Time group, 124
 Expert group, 124
 Text Fields group, 124
 Widgets group, 124
 Palette view, 120

- Preview window, 120
- previewing, SDK versions, 121–122
- Relative, 116
- rendering options, 120–121
- Table, 117
- Text mode, 118–119
- views and, 115
- widgets, 115, 116
 - Plain TextView, 124–126
- XML and, 116
- lifecycle of activities, 56–57
 - methods
 - `onCreate`, 57
 - `onDestroy`, 57
 - `onPause`, 57
 - `onResume`, 57
 - `onStart`, 57
 - `onStop`, 57
- lifecycle of fragments, 63–64
- Linear layouts, 116
- Lint, 225
- Linux
 - Android NDK installation, 311–312
 - Android SDK configuration, 17–18
 - Android Studio installation, 16–18
 - Git, installation, 247
 - Java installation, 8–9
 - system requirements, 2
- `ListActivity` class, 58
- Live Templates, 102–103
 - creating, 104–106
 - surrounding templates, 106–107
 - `fori`, 103–104
 - inserting, 103–104
 - surrounding templates, 106–107
- local.properties file, 30
- logcat, 209–210
 - Android Device Monitor, 217

M

- Mac OS X
 - Android NDK installation, 313–315
 - Android Studio installation, 12–15
 - Android Studio Setup Wizard, 14
 - HAXM, configuration, 15
 - Java installation, 7–8
 - menus, 82
 - system requirements, 2
 - Macros submenu, 86
 - manifest file, 76–78
 - Android TV, 174, 176
 - Maven references, dependencies and, 149–150
 - `mavenCentral` repository, 145
 - Memory monitor, 210–213
 - menus
 - Analyze, 82, 88–89
 - Android Studio, 82
 - Build, 82, 89
 - Code, 82, 88
 - Edit, 82, 84–86
 - File, 82, 83–84
 - Help, 82, 90
 - Navigate, 82, 86–88
 - Refactor, 82, 89
 - Run, 82, 90
 - Tools, 82, 90
 - VCS, 82, 90
 - View, 82, 86
 - Window, 82, 90
 - Mercurial, 245
 - Messages tool, 93–94
 - messaging, Google Cloud module, 186–187
 - migration
 - Android NDK projects, 322–325
 - projects, from Eclipse, 41–43
 - modules, 78–79
 - adding, 160–161
 - Android Auto, 182–184
 - Android Library, 164–165
 - Android TV, 173–174
 - debugging, 176–179
 - manifest file, 174, 176
 - running, 176–179
 - templates, 174

- Android Wear
 - debugging, 170–173
 - Empty Activity, 169
 - running, 170–173
- APKs, 161–162
- Build Variants window, 163
- build.gradle app, 166
- Create New Module wizard, 167–168
- dependencies
 - adding, 166
 - Gradle, 162, 165
 - Java libraries, 168
- expertlibrary, 166
- Glass, 179–180
 - activities, 180–181
 - debugging, 181–182
 - naming, 180
 - running, 181–182
- Google Cloud, 184–185
 - debugging, 187–188
 - messaging, 186–187
 - running, 187–188
 - types, 185–186
- importing
 - Eclipse ADT projects, 190–191
 - Gradle projects, 189
- Java classes, 166
- Java Library, 167–168
- multiple, 162
- NDK, declaration, 325
- Phone & Tablet, 161–164
- removing, 192–193
- shared resources, 166
- More Teapots NDK sample application, 321

N

- naming, packages, 47
- Native Activity NDK sample application, 322
- Native Plasma NDK sample application, 322

- Navigate menu, 82, 86–88
- NDK (Native Development Kit), 143
- Network monitor, 215
- NextActivityClass activity, 58
- Nexus 5X, 37–38
- Nexus Q, 173
- NVIDIA CodeWorks, 401–404

O

- onActivityCreated method, 64
- onAttach method, 63
- onCreate function, breakpoint for debugging, 198
- onCreate method, 57, 66
- onCreateView() function, 66
- onCreateView method, 63
- onDestroy method, 57
- onDestroyView method, 64
- onDetach method, 64
- onPause method, 57
- onResume method, 57
- onStart method, 57
- onStop method, 57
- Open Module settings, 165

P

- packages, names, 47
- performance testing, 241–242
 - task, 242–244
- Phone & Tablet module, 161–164
 - Project view, 163
- Platform Analyzer (Intel GPA), 381
- Plugin Manager, search, 298–299
- plugins, 363–364
 - ADB Idea, 366
 - ADB WIFI, 366
 - Android Drawable Importer, 366–367
 - Android Emulator Plugin, 299, 300–302

- Android Holo Colors, 368
- Android Lint Plugin, 299
- Android Parcelable Code Generator, 368
 - creating, editors and, 352–354
- Genymotion, 371–373
- Google Cloud Messaging Notification Plugin, 299
- Google Play Android Publisher Plugin, 299
 - installation, 364
 - installed list, 364, 366
- IntelliJ, 331
 - creating, 333–336
 - distribution, 360–362
 - packaging, 360–362
- JetBrains, 364, 365
- jimu Mirror, 370–371
- Key Prompter, 370
 - strings.xml tools, 368
- third-party
 - ADB WIFI, 366
 - Android Drawable Importer, 366–367
 - Android Holo Colors, 368
 - Android Parcelable Code Generator, 368
 - Genymotion, 371–373
 - jimu Mirror, 370–371
 - Key Prompter, 370
 - strings.xml tools, 368
 - Unicode conversion, 332
- Preferences window, Keymap page, 91–92
- Preview window, layouts, 120
- profilers (Qualcomm), 399–401
- ProGuard, 153–155
- Project Structure window, 84, 85
 - Android NDK installation, 312–313
 - build configurations, 163
 - removing modules, 192–193
- Project tool, 94–95
 - Android Instrumentation Tests option, 95
 - Android option, 95
 - Packages option, 95
 - Problems option, 95
 - Production option, 95
 - Project Files option, 95
 - Project option, 94
 - Scratches option, 95
 - Tests option, 95
- Project view, 28–29
 - Phone & Tablet module, 163
- ProjectComponent interface, 343
- ProjectComponent interface (IntelliJ)
 - ProjectComponent() method, 343
 - String get ComponentName() method, 343
 - void disposeComponent() method, 343
 - void projectClosed() method, 343
 - void projectOpened() method, 343
- projects
 - activities, 50
 - blank, 59–62
 - customization, 51
 - templates, 58
 - Wear Activities, 53
 - Android NDK, 315–316
 - building, 326–328
 - development, 328–330
 - Hello JNI, 319
 - importing sample, 316–322
 - migrating, 322–325
 - release, 328–330
 - assets, 72
 - building, 33–35
 - CI and, 282–283
 - Create New Project window, 48
 - creating, 46–51
 - folders, 31
 - build, 30
 - build.gradle file, 30
 - hidden, 29
 - java, 30

- local.properties file, 30
- res, 32
- settings.gradle file, 30
- src/main, 30
- src/test and src/androidTest, 30
- Git, creating, 248–249, 260–266
- GitHub
 - importing, 256
 - path, 257
- Gradle, modules, importing, 189
- IntelliJ, 342–343
- launching application, 54–56
- migrating, from Eclipse, 41–43
- modules, 78–79
 - adding, 160–161
 - Android Auto, 182–184
 - Android Library, 164–165
 - Android TV, 173–179
 - Android Wear, 169–173
 - APKs, 161–162
 - Build Variants window, 163
 - build.gradle app, 166
 - dependencies, 162, 165, 166
 - expertlibrary, 166
 - Glass, 179–182
 - Google Cloud, 184–188
 - Java classes, 166
 - Java Library, 167–168
 - multiple, 162
 - Phone & Tablet, 161–164
 - removing, 192–193
 - shared resources, 166
- package names, 47
- Project View, 51
- running, 33–35
- sample project, 22
- structure, 27–33
- target device, 48
 - multiple, 52–54
- PSI (Program Structure Interface) files,
 - IntelliJ, 342

Q

- Qualcomm third-party tools, 387
 - Adreno GPU, 388–389
 - Adreno Profile for GPU, 399–400
 - AllPlay Click SDK, 397–399
 - FastCV Computer Vision SDK, 389–393
 - profilers, 399–401
 - Snapdragon LLVM Compiler for Android, 388
 - Snapdragon Profile for CPU, 399–401, 400–401
 - Snapdragon SDK for Android, 393–396

R

- RAM, system requirements, 2
- Refactor menu, 82, 89
- refactoring, 102
- refactoring code
 - change signature, 109–110
 - encapsulation, 109–110
 - Pull Members Up, 108–109
 - Push Members Down, 108–109
 - renaming, 107–108
 - resource extraction, 111
- Relative layouts, 116
- repositories
 - Git, adding items, 262–263
 - GitHub
 - creating, 253
 - Desktop Client, 255
 - list, 253
 - path selection, 254
 - remote, 257–258
- res folder, 32
- resources
 - Android Library module, 166–167
 - extracting, 111
 - shared, modules, 166
- Run menu, 82, 90
 - Debug option, 199

Run window, 98–99
 running, modules, Android Wear, 170–173
 runReadAction method, 341
 runWriteAction method, 341

S

sample project
 GitHub, 22
 Welcome screen, 22
 Sample Setup window, 24
 San Angeles NDK sample application, 322
 SDK Manager, Android NDK, 311–312
 SDKs, 27
 layout previewing, 121–122
 Sensor Graph NDK sample application, 322
 services, templates, 69–72
 settings.gradle file, 30
 shared resources, modules, 166
 shortcuts
 adding, 92
 deleting, 92
 editing, 92
 Preferences window, Keymap page, 91–92
 signing key, creating, 112–113
 Smart Type Completion, 101
 SMS (short messaging service), AVD and, 222
 Snapdragon LLVM Compiler for Android, 388
 Snapdragon Profile for CPU, 399–401, 400–401
 Snapdragon SDK for Android, 393–396
 software tools
 Intel
 C++ Compiler (ICC), 377–378
 Context Sensing SDK, 384–387
 GPA, 381–382
 INDE (Integrated Native Developer Experience), 382
 Integrated Performance Primitives (Intel IPP), 378–379
 Multi-OS Engine, 382–384
 System Studio, 374–377
 Tamper Protection Toolkit, 382
 Thread Building Blocks (Intel TBB), 379
 VTune Amplifier, 379–381
 Qualcomm, 387
 Adreno GPU, 388–389
 Adreno Profile for GPU, 399–400
 AllPlay Click SDK, 397–399
 FastCV Computer Vision SDK, 389–393
 profilers, 399–401
 Snapdragon LLVM Compiler for Android, 388
 Snapdragon Profile for CPU, 399–401, 400–401
 Snapdragon SDK for Android, 393–396
 sound assets, 74–75
 source control systems
 ClearCase, 245
 CVS, 245
 Git, 245
 branches, 246–247
 commits, 246
 installation, 247–248
 Mercurial, 245
 SourceSafe, 245
 SVN source control, 245
 SourceSafe, 245
 src/main folder, 30
 src/test and scr/androidTest folder, 30
 strings.xml tools, 368
 strings.xml tools plugin, 368
 Structure window, 97
 superclasses
 BroadcastReceiver, 87
 extracting, 111
 surrounding templates, 106–107
 SVN source control, 245

System Analyzer (Intel GPA), 381

system requirements

- GPU support, 2

- Linux, 2

- Mac OS X, 2

- RAM, 2

- Windows, 1–2

T

Tabbed Activity, 64–69

Table layout, 117

Teapot NDK sample application, 321

templates. *See also* Live Templates

- activities

 - adding to projects, 58

 - blank activities, 59–62

- Android TV, 174

- Code menu, 88

- Empty Activity, 50, 58

- services, 69–72

- surrounding, 106–107

Terminal tool, 100

testing

- binary calculator example, 226–227

- BinaryFragment class, 229

- Calculator class, 229–230

- CalculatorFragment class, 228

- DecimalFragment class, 228

- integration tests, 232–233

 - Calculator class, 233–234

 - History class, 233

 - History mock implementation, 234–235

- performance testing, 241–242

 - task, 242–244

- UI tests, 235–240

- unit tests

 - Calculator class, 230

 - CalculatorTest class, 230–232

themes, layouts, 122–123

third-party tools

- Intel

 - C++ Compiler (ICC), 377–378

 - Context Sensing SDK, 384–387

 - GPA, 381–382

 - INDE (Integrated Native Developer Experience), 382

 - Integrated Performance Primitives (Intel IPP), 378–379

 - Multi-OS Engine, 382–384

 - System Studio, 374–377

 - Tamper Protection Toolkit, 382

 - Thread Building Blocks (Intel TBB), 379

 - VTune Amplifier, 379–381

- NVIDIA CodeWorks, 401–404

- plugins

 - ADB WIFI, 366

 - Android Drawable Importer, 366–367

 - Android Holo Colors, 368

 - Android Parcelable Code Generator, 368

 - Genymotion, 371–373

 - jimu Mirror, 370–371

 - Key Prompter, 370

 - strings.xml tools, 368

- Qualcomm, 387

 - Adreno GPU, 388–389

 - Adreno Profile for GPU, 399–400

 - AllPlay Click SDK, 397–399

 - FastCV Computer Vision SDK, 389–393

 - profilers, 399–401

 - Snapdragon LLVM Compiler for Android, 388

 - Snapdragon Profile for CPU, 399–401

 - Snapdragon SDK for Android, 393–396

threading, IntelliJ, 341

Tool Windows option

- Android Model, 92
- Android Monitor, 92
- Build Variants, 92
- Capture Analysis, 92
- Capture Tool, 92
- Captures, 92
- Debug, 92
- Designer, 92
- Event Log, 92
- Favorites, 92
- Gradle, 92
- Gradle Console, 92
- Maven Projects, 92
- Messages, 92
- Palette, 92
- Project, 92
- Run, 92
- Structure, 92
- Terminal, 92
- TODO, 92
- Version Control, 92
- tools, 92–93
 - Android Model view, 97–98
 - Android Monitor, 96–97
 - available, 93
 - Debug window, 99–100
 - Event Logs, 100
 - Favorites, 96
 - Gradle, 98
 - Gradle Console, 98
 - Messages, 93–94
 - Project, 94–95
 - Run window, 98–99
 - Structure window, 97
 - Terminal, 100
- Tools menu, 82
- Translation Editor, 131–133
- tutorial applications, 162

U

- Ubuntu, Jenkins and, 283–284
- UI (user interface), 115
 - activities, associations, 133–134
 - asset management, 134–141
 - color resources, 130
 - dimen resources, 129
 - drawables, 130
 - layouts, 115
 - Design mode, 118–120
 - Frame, 116–117
 - Grid, 117
 - Linear, 116
 - new file, 116–118
 - Palette tool, 123
 - Palette view, 120
 - previewing, 120, 121–122
 - Relative, 116
 - rendering options, 120–121
 - Table, 117
 - Text mode, 118–119
 - themes, 122–123
 - views and, 115
 - widgets, 124–126
 - widgets and, 115, 116
 - XML and, 116
- strings, 127
- styles, 127–129
- tests, 235–240
 - `ApplicationTest`, 237
- Translation Editor, 131–133
- `view` class, 115
- views, 115
- widgets, 115
 - Java and, 310
- XML files, 115
- Unicode conversion plugin, 332, 352–353
 - IntelliJ, 344–345

unit tests, 230–232

Universal Music Player, debugging, 198–206

user-defined activities, 58

V

variables, extracting, 111

VCS (Version Control System), 90

VCS menu, 82, 90

Vector Asset Studio, 140–141

version control, 245, 261

- distributed version control, 246

- listing systems, 261–262

VFS (Virtual File System), IntelliJ, 342

video, assets, 75–76

View class, 115

View menu, 82, 86

views

- Hierarchy View (Device Monitor), 220–221

- virtual devices, previewing, 121, 122

virtual devices

- configuration, 38, 39

- creating, 36–40

- list, 40

- TV, 174

- views, previewing, 121, 122

- Wear, 170–173

VirtualFileListener interface (IntelliJ)

- implementation, 345–346

- void beforeContentsChange event, 343

- void beforeFileDeletion event, 344

- void beforeFileMovement event, 344

- void beforePropertyChange event, 343

- void contentsChanged event, 343

- void fileCopied event, 344

- void fileCreated event, 343

- void fileDeleted event, 344

- void fileMoved event, 344

- void propertyChanged event, 343

W

WAR files, Jenkins, 283

Watches window, 205

Wear Activities, 53

Welcome screen, sample project, 22

widgets, 116

- Java and, 310

- View class and, 115

Window menu, 82, 90

Windows

- Git, installation, 247

- Java installation, 3–4

 - environment paths, 6–7

 - installation setup window, 5

 - setup wizard, 5

- system requirements, 1–2

windows

- Asset Studio, 135

 - Additional Padding, 137

 - Asset Type, 136

 - Background Color, 138

 - Foreground, 136

 - Foreground Scaling, 138

 - Image File, 137

 - Resource Name, 139

 - Shape, 138

- Debug, 99–100

 - Close, 201

 - Drop Frame, 202

 - Evaluate Expression, 202–204

 - Force Step Into, 202

 - Frames, 204

 - Help, 201

 - Mute Breakpoints, 200

 - Pause, 200

 - Pin Tab, 201

 - Restore Layout, 201

 - Resume, 200

- Run to Cursor, 202
- Settings, 201
- Show Execution Point, 201
- Step Into, 202
- Step Out, 202
- Step Over, 201
- Stop, 200
- Variables, 204
- View Breakpoints, 200
- Watches, 204–205
- Project Structure, 84, 85
 - Android NDK installation, 312–313
 - build configurations, 163
 - removing modules, 192–193

- Windows 10
 - Android NDK installation, 312–313
 - Android Studio installation, 10–12
 - environment paths, 6–7
- wireless debugging, 197–198

X-Y-Z

- XML (eXtensible Markup Language)
 - Android Library module and, 164, 166–167
 - files, 76
 - user interfaces and, 115
 - layouts, 116

