

Praxis der medizinischen Trainingstherapie

Band 2 Halswirbelsäule und obere Extremität

Bearbeitet von
Frank Diemer, Volker Sutor

1. Auflage 2010. Taschenbuch. 448 S. Paperback

ISBN 978 3 13 147461 2

Format (B x L): 17 x 24 cm

[Weitere Fachgebiete > Medizin > Physiotherapie, Physikalische Therapie](#)

Zu [Inhaltsverzeichnis](#)

schnell und portofrei erhältlich bei


beck-shop.de
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung beck-shop.de ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

Diemer F, Sutor V. Praxis der Medizinischen Trainingstherapie II. Stuttgart: Thieme; 2010

Literaturliste zu Kapitel 4:

Alpert SW, Pink MM, Jobe FW, McMahon PJ, Mathiyakom W. Electromyographic analysis of deltoid and rotator cuff function under varying loads and speeds. J Shoulder Elbow Surg. 2000 Jan-Feb;9(1):47.

Barnett C, Kippers V, Turner P. Effects of variations of the bench press exercise on the EMG activity of five shoulder muscles. J Strength Condition Res. 1995 9: 222.

Barnett C, Kippers V, Turner P. Effects of Variations of the Bench Press Exercise on the EMG Activity of Five Shoulder Muscles. Journal of Strength & Conditioning Research. 1995 9(4):222.

Bisset LM, Coppieters MW, Vicenco B. Sensimotor deficits remain despite resolution of symptoms using conservative treatment in patients with tennis elbow: a randomized controlled trial. Archives of Physical Medicine and Rehabilitation. 2009; 90: 1.

Boeckh-Behrens UW. Supertrainer Schultern, Arme, Brust: Die effektivsten Übungen. Die besten Programme. Wissenschaftlich getestet. rororo; 3.Auflage. 2005

Borstad JD, Ludewig PM. Comparison of three stretches for the pectoralis minor muscle. J Shoulder Elbow Surg. 2006 May-Jun;15(3):324.

Borstad JD. Measurement of pectoralis minor muscle length: validation and clinical application. J Orthop Sports Phys Ther. 2008 Apr;38(4):169.

Borstad JD. Measurement of pectoralis minor muscle length: validation and clinical application .J Orthop Sports Phys Ther. 2008 Apr;38(4):169.

Bradley JP, Tibone JE. Electromyographic analysis of muscle action about the shoulder. Clin Sports Med. 1991 Oct;10(4):789.

Cagnie B, Danneels L, Cools A et al. The influence of breathing type, expiration and cervical posture on the performance of the cranio-cervical flexion test in healthy subjects. Manual Therapy. 2008; 13: 232.

Clisby EF, Bitter NL, Sandow MJ, Jones MA, Magarey ME, Jaberzadeh S. Relative contributions of the infraspinatus and deltoid during external rotation in patients with symptomatic subacromial impingement. J Shoulder Elbow Surg. 2008 Jan-Feb;17(1 Suppl):87S.

Cogley RM, Archambault TA, Fibeger JF, Koverman MM, Youdas JW, Hollman JH. Comparison of muscle activation using various hand positions during the push-up exercise. J Strength Cond Res. 2005 Aug;19(3):628.

Cools AM, Dewitte V, Lanszweert F, Notebaert D, Roets A, Soetens B, Cagnie B, Witvrouw EE. Rehabilitation of scapular muscle balance: which exercises to prescribe? Am J Sports Med. 2007 Oct;35(10):1744.

De Souza Castelo Oliviera A, Goncalves M. Lumbar muscles recruitment during resistance exercise for upper limbs. *Journal of Electromyography and Kinesiology*. 2008; published online.

Decker MJ, Tokish JM, Ellis HB, Torry MR, Hawkins RJ. Subscapularis muscle activity during selected rehabilitation exercises. *Am J Sports Med*. 2003 Jan-Feb;31(1):126.

Demaille-Wlodyka S, Chiquet C, Lavaste JF et al. Cervical range of motion and cephalic kinesthesia. *Spine*. 2007 ; 32 : E254.

Ebaugh DD, McClure PW, Karduna AR. Scapulothoracic and glenohumeral kinematics following an external rotation fatigue protocol. *J Orthop Sports Phys Ther*. 2006 Aug;36(8):557.

Ekstrom RA, Donatelli RA, Soderberg GL. Surface electromyographic analysis of exercises for the trapezius and serratus anterior muscles. *J Orthop Sports Phys Ther*. 2003 May;33(5):247.

Ellenbecker TS. *Shoulder Rehabilitation*. Thieme. New York. 2006.

Falla D, O'Leary S, Fagan A et al. Recruitment of the deep cervical flexor muscles during a postural-correction exercise performed in sitting. *Manual Therapy*. 2007; 12: 139.

Falla D. Muskeln effektiv kontrollieren. *Physiopraxis*. 2006; 3: 18.

Gokeler A, van Paridon-Edauw GH, DeClercq S, Matthijs O, Dijkstra PU. Quantitative analysis of traction in the glenohumeral joint. In vivo radiographic measurements. *Man Ther*. 2003 May;8(2):97.

Graichen H, Bonel H, Stammberger T, Haubner M, Rohrer H, Englmeier KH, Reiser M, Eckstein F. Three-dimensional analysis of the width of the subacromial space in healthy subjects and patients with impingement syndrome. *AJR Am J Roentgenol*. 1999 Apr;172(4):1081.

Graichen H, Bonel H, Stammberger T, Heuck A, Englmeier KH, Reiser M, Eckstein F. An MR-based technique for determination of the subacromial space width in subjects with and without shoulder muscle activity. *Z Orthop Ihre Grenzgeb*. 1999 Jan-Feb;137(1):2.

Graichen H, Hinterwimmer S, von Eisenhart-Rothe R, Vogl T, Englmeier KH, Eckstein F. Effect of abducting and adducting muscle activity on glenohumeral translation, scapular kinematics and subacromial space width in vivo. *J Biomech*. 2005 Apr;38(4):755.

Hill R, Jensen P, Baardsen T et al. Head repositioning accuracy to neutral: a comparative study of error calculation. *Manual Therapy*. 2009; 14: 110.

Hintermeister RA, Lange GW, Schultheis JM, Bey MJ, Hawkins RJ. Electromyographic activity and applied load during shoulder rehabilitation exercises using elastic resistance. *Am J Sports Med*. 1998 Mar-Apr;26(2):210.

Hinterwimmer S, Von Eisenhart-Rothe R, Siebert M, Putz R, Eckstein F, Vogl T, Graichen H. Influence of adducting and abducting muscle forces on the subacromial space width. *Med Sci Sports Exerc*. 2003 Dec;35(12):2055.

Jull GA, O'Leary SP, Falla DL. Clinical assessment of the deep cervical flexor muscles: the craiocervical flexion test. *Journal of Manipulative and Physiological Therapeutics*. 2008; 31: 525.

Juul-Kristensen B, Lund H, Hansen K et al. Poorer elbow proprioception in patients with lateral epicondylitis than in healthy controls: a cross-sectional study. 2008; Journal of Elbow and Shoulder Surgery. 2008; 17: 72.

Kelly BT, Kadrmas WR, Speer KP. The manual muscle examination for rotator cuff strength. An electromyographic investigation. Am J Sports Med. 1996 Sep-Oct;24(5):581.

Kibler WB, Uhl TL, Maddux JW, Brooks PV, Zeller B, McMullen J. Qualitative clinical evaluation of scapular dysfunction: a reliability study. J Shoulder Elbow Surg. 2002 Nov-Dec;11(6):550.

Kibler WB. Scapular involvement in impingement: signs and symptoms. Instr Course Lect. 2006;55:35.

Koslow PA, Prosser LA, Strony GA, Suchecki SL, Mattingly GE. Specificity of the lateral scapular slide test in asymptomatic competitive athletes. J Orthop Sports Phys Ther. 2003 Jun;33(6):331.

Kramer M et al. Reliability of a new virtual reality test to measure cervicocephalic kinesthesia. Journal of Electromyography and Kinesiology. 2008. doi: 10.1016/j.jelekin. 2008.05.005.

Kristjansson E, Hardardottir L, Asmundardottir M et al. a new clinical test for cervicocephalic kinesthetic sensibility: the fly. Archives of Physical Medicine and Rehabilitation. 2004; 85: 490.

Lagally KM, McCaw ST, Young GT, Medema HC, Thomas DQ. Ratings of perceived exertion and muscle activity during the bench press exercise in recreational and novice lifters. J. Strength Cond. Res. 2004. 18:359.

Lee HY, Teng CC, Chai HM et al. Test-retest reliability of cervicocephalic kinesthetic sensibility in three cardinal planes. Manual Therapy. 2006; 11: 61.

Lehman GJ. The Influence of Grip Width and Forearm Pronation/Supination on Upper-Body Myoelectric Activity During the Flat Bench Press. Journal of Strength & Conditioning Research. 2005 19(3):587.

Lewis JS, Valentine RE. The pectoralis minor length test: a study of the intra-rater reliability and diagnostic accuracy in subjects with and without shoulder symptoms. BMC Musculoskelet Disord. 2007 Jul 9;8:64.

Magarey ME, Jones MA. Dynamic evaluation and early management of altered motor control around the shoulder complex. Man Ther. 2003 Nov;8(4):195.

Magarey ME, Jones MA. Specific evaluation of the function of force couples relevant for stabilization of the glenohumeral joint. Man Ther. 2003 Nov;8(4):247.

McClure P, Balaicuis J, Heiland D, Broersma ME, Thorndike CK, Wood A. A randomized controlled comparison of stretching procedures for posterior shoulder tightness. J Orthop Sports Phys Ther. 2007 Mar;37(3):108.

Myers JB, Pasquale MR, Laudner KG, Sell TC, Bradley JP, Lephart SM. On-the-Field Resistance-Tubing Exercises for Throwers: An Electromyographic Analysis. J Athl Train. 2005 Mar;40(1):15.

Nijs J, Roussel N, Vermeulen K, Souverein G. Scapular positioning in patients with shoulder pain: a study examining the reliability and clinical importance of 3 clinical tests. *Arch Phys Med Rehabil*. 2005;86(7):1349.

Odom CJ, Taylor AB, Hurd CE, Denegar CR. Measurement of scapular asymmetry and assessment of shoulder dysfunction using the Lateral Scapular Slide Test: a reliability and validity study. *Phys Ther*. 2001 Feb;81(2):799.

Pinsault N, Vuillerme N, Pavan P. Cervicocephalic reolocation test to the neutral head position : assessment in bilateral labyrinthine-defective and chronic, nontraumatic neck pain patients. *Archives of Physical Medicine and Rehabilitation*. 2008; 89: 2375.

Rabin A, Irrgang JJ, Fitzgerald GK, Eubanks A. The intertester reliability of the Scapular Assistance Test. *J Orthop Sports Phys Ther*. 2006 Sep;36(9):653.

Reddy AS, Mohr KJ, Pink MM, Jobe FW. Electromyographic analysis of the deltoid and rotator cuff muscles in persons with subacromial impingement. *J Shoulder Elbow Surg*. 2000 Nov-Dec;9(6):519.

Reinold MM, Macrina LC, Wilk KE, Fleisig GS, Dun S, Barrentine SW, Ellerbe MT, Andrews JR. Electromyographic analysis of the supraspinatus and deltoid muscles during 3 common rehabilitation exercises. *J Athl Train*. 2007 Oct-Dec;42(4):464.

Revel M, Andre-Deshays CA, Minguet M. Cervicocephalic kinesthetic sensibility in patients with cervical pain. *Archives of Physical Medicine and Rehabilitation*. 1991; 72: 288.

Revel M, Minguet M, Gergory P et al. Changes in Cervicocephalic kinesthesia after a proprioceptive rehabilitation program in patients with neck pain. *Archives of Physical Medicine and Rehabilitation*. 1994; 75: 895.

Rix GD, Bagust J. Cervicocephalic kinesthetic sensibility in patients with chronic, nontraumatic cervical spine pain. *Archives of Physical Medicine and Rehabilitation*. 2001; 82: 911.

Sahara W, Sugamoto K, Murai M, Tanaka H, Yoshikawa H. 3D kinematic analysis of the acromioclavicular joint during arm abduction using vertically open MRI. *J Orthop Res*. 2006 Sep;24(9):1823.

Sahrmann SA. Movement impairment syndromes of the shoulder girdle. In: *Diagnosis and treatment of movement impairment syndromes*. St Louis: Mosby; 2002. p. 193.

Santana JC, Vera-Garcia FJ, McGill SM. A kinetic and electromyographic comparison of the standing cable press and bench press. *J Strength Cond Res*. 2007 Nov;21(4):1271.

Schwellnus MP. The repeatability of clinical and laboratory tests to measure scapular position and movement during arm abduction. *Intl Sports Med J*. 2003;4:1.

Shadmehr A, Bagheri H, Ansari NN, Sarafraz H. The reliability measurements of lateral scapular slide test at three different degrees of shoulder joint abduction. *Br J Sports Med*. 2010 Mar;44(4):289.

Signorile JF, Zink AJ, Szwed SP. A comparative electromyographical investigation of muscle utilization patterns using various hand positions during the lat pull-down. J Strength Cond Res. 2002 Nov;16(4):539.

Treleaven J, Jull G, LowChoy N. The relationship of cervical joint position error to balance and eye movement disturbances in persistent whiplash. Manual Therapy. 2006; 11: 99.

Treleaven J. Sensimotor disturbances in neck disorders affecting postural stability, head and eye movement control. Manual Therapy. 2008a; 13: 2.

Treleaven J. Sensimotor disturbances in neck disorders affecting postural stability, head and eye movement control – part 2: case studies. Manual Therapy. 2008b; 13: 266.

Uhl TL, Carver TJ, Mattacola CG, Mair SD, Nitz AJ. Shoulder musculature activation during upper extremity weight-bearing exercise. J Orthop Sports Phys Ther. 2003 Mar;33(3):109.