

CHAPTER AND TOPIC INDEX, VOLUMES 1–75

Many chapters contain brief discussions of reactions and comparisons of alternative synthetic methods related to the reaction that is the subject of the chapter. These related reactions and alternative methods are not usually listed in this index. In this index, the volume number is in **boldface**, the chapter number is in ordinary type.

Acetoacetic ester condensation, **1**, 9

Acetylenes:

cotrimerizations of, **68**, 1

oxidation by dioxirane, **69**, 1

reactions with Fischer carbene complexes, phenol and quinone formation, **70**, 2

synthesis of, **5**, 1; **23**, 3; **32**, 2

Acid halides:

reactions with esters, **1**, 9

reactions with organometallic compounds, **8**, 2

α -Acylamino acid mixed anhydrides, **12**, 4

α -Acylamino acids, azlactonization of, **3**, 5

Acylation:

of esters with acid chlorides, **1**, 9
intramolecular, to form cyclic ketones, **2**, 4; **23**, 2

of ketones to form diketones, **8**, 3

Acyl fluorides, synthesis of, **21**, 1; **34**, 2; **35**, 3

Acyl hypohalites, reactions of, **9**, 5

Acyloins, **4**, 4; **15**, 1; **23**, 2

Alcohols:

conversion to fluorides, **21**, 1, 2; **34**, 2; **35**, 3

conversion to olefins, **12**, 2

oxidation of, **6**, 5; **39**, 3; **53**, 1; **74**, 2

replacement of hydroxy group by nucleophiles, **29**, 1; **42**, 2
resolution of, **2**, 9

Alcohols, synthesis:

by allylstannane addition to aldehydes, **64**, 1

by base-promoted isomerization of epoxides, **29**, 3

by hydroboration, **13**, 1

by hydroxylation of ethylenic compounds, **7**, 7

by organochromium reagents to carbonyl compounds, **64**, 3

by reduction, **6**, 10; **8**, 1; **71**, 1

from organoboranes, **33**, 1; **73**, 1

Aldehydes, additions of allyl, allenyl, propargyl stannanes, **64**, 1

addition of allylic boron compounds, **73**, 1

Aldehydes, catalyzed addition to double bonds, **40**, 4

Aldehydes, synthesis of, **4**, 7; **5**, 10; **8**, 4; **5**, 9; **2**; **33**, 1

Aldol condensation, **16**; **67**, 1

catalytic, enantioselective, **67**, 1

directed, **28**, 3

with boron enolates, **51**, 1

Aliphatic fluorides, **2**, 2; **21**, 1, 2; **34**, 2; **35**, 3

- Alkanes: by reduction
 of alkyl halides with organochromium reagents, **64**, 3
 of carbonyl groups with organosilanes, **71**, 1
 oxidation of, **69**, 1
- Alkenes:
 arylation of, **11**, 3; **24**, 3; **27**, 2
 asymmetric dihydroxylation, **66**, 2
 cyclopropanes from, **20**, 1
 cyclization in intramolecular Heck reactions **60**, 2
 from carbonyl compounds with organochromium reagents, **64**, 3
 dioxirane epoxidation of, **61**, 2
 epoxidation and hydroxylation of, **7**, 7
 epoxidation of electron-deficient, **74**, 3
 free-radical additions to, **13**, 3, 4
 hydroboration of, **13**, 1
 hydrocyanation of, **75**, 1
 hydrogenation with homogeneous catalysts, **24**, 1
 reactions with diazoacetic esters, **18**, 3
 reactions with nitrones, **36**, 1
 reduction by:
 alkoxyaluminum hydrides, **34**, 1
 diimides, **40**, 2
 organosilanes, **71**, 1
- Alkenes, synthesis:
 from amines, **11**, 5
 from aryl and vinyl halides, **27**, 2
 by Bamford-Stevens reaction, **23**, 3
 by Claisen and Cope rearrangements, **22**, 1
 by dehydrocyanation of nitriles, **31**
 by deoxygenation of vicinal diols, **30**, 2
 from α -halosulfones, **25**, 1; **62**, 2
 by palladium-catalyzed vinylation, **27**, 2
 from phosphoryl-stabilized anions, **25**, 2
 by pyrolysis of xanthates, **12**, 2
 from silicon-stabilized anions, **38**, 1
 from tosylhydrazones, **23**, 3; **39**, 1
 by Wittig reaction, **14**, 3
- Alkenyl- and alkynylaluminum reagents, **32**, 2
- Alkenyllithiums, formation of, **39**, 1
 silanes, **75**, 3
- Alkoxyaluminum hydride reductions, **34**, 1; **36**, 3
- Alkoxyphosphonium cations, nucleophilic displacements on, **29**, 1
- Alkoxysilanes, **75**, 3
- Alkylation:
 of allylic and benzylic carbanions, **27**, 1
 with amines and ammonium salts, **7**, 3
 of aromatic compounds, **3**, 1
 of esters and nitriles, **9**, 4
 γ -, of dianions of β -dicarbonyl compounds, **17**, 2
 of metallic acetylides, **5**, 1
 of nitrile-stabilized carbanions, **31**
 with organopalladium complexes, **27**, 2
- Alkylidenation by titanium-based reagents, **43**, 1
- Alkylidenesuccinic acids, synthesis and reactions of, **6**, 1
- Alkylidene triphenylphosphoranes, synthesis and reactions of, **14**, 3
- Alkynes, hydrocyanation of, **75**, 1
- Alkynylsilanes, **75**, 3
- Allenylsilanes, electrophilic substitution reactions of, **37**, 2
- Allylboration of carbonyl compounds, **73**, 1
- Allylsilanes, **75**, 3
- Allyl transfer reactions, **73**, 1
- Allylic alcohols, synthesis:
 from epoxides, **29**, 3
 by Wittig rearrangement, **46**, 2
- Allylic and benzylic carbanions, heteroatom-substituted, **27**, 1
- Allylic hydroperoxides, in photooxygenations, **20**, 2
- Allylic rearrangements, transformation of glycols into 2,3-unsaturated glycosyl derivatives, **62**, 4
- Allylic rearrangements, trihaloacetimide, **66**, 1
- π -Allylnickel complexes, **19**, 2
- Allylphenols, synthesis by Claisen rearrangement, **2**, 1; **22**, 1
- Allylsilanes, electrophilic substitution reactions of, **37**, 2

- Aluminum alkoxides:
 in Meerwein-Ponndorf-Verley reduction, **2**, **5**
 in Oppenauer oxidation, **6**, **5**
Amide formation by oxime rearrangement, **35**, **1**
 α -Amidoalkylations at carbon, **14**, **2**
Amination:
 electrophilic, of carbanions and enolates, **72**, **1**
 of heterocyclic bases by alkali amides, **1**, **4**
 of hydroxy compounds by Bucherer reaction, **1**, **5**
Amine oxides:
 Polonovski reaction of, **39**, **2**
 pyrolysis of, **11**, **5**
Amines:
 from allylstannane addition to imines, **64**, **1**
 oxidation of, **69**, **1**
 synthesis from organoboranes, **33**, **1**
 synthesis by reductive alkylation, **4**, **3**; **5**, **7**
 synthesis by Zinin reaction, **20**, **4**
 reactions with cyanogen bromide, **7**, **4**
 α -Aminoacid synthesis, via Strecker Reaction, **70**, **1**
 α -Aminoalkylation of activated olefins, **51**, **2**
Aminophenols from anilines, **35**, **2**
Anhydrides of aliphatic dibasic acids, Friedel-Crafts reaction with, **5**, **5**
Anion-assisted sigmatropic rearrangements, **43**, **2**
Anthracene homologs, synthesis of, **1**, **6**
Anti-Markownikoff hydration of alkenes, **13**, **1**
 π -Arenechromium tricarbonyls, reaction with nitrile-stabilized carbanions, **31**
 η^6 -(Arene)chromium complexes, **67**, **2**
Arndt-Eistert reaction, **1**, **2**
Aromatic aldehydes, synthesis of, **5**, **6**; **28**, **1**
Aromatic compounds, chloromethylation of, **1**, **3**
Aromatic fluorides, synthesis of, **5**, **4**
Aromatic hydrocarbons, synthesis of, **1**, **6**; **30**, **1**
Aromatic substitution by the $S_{RN}1$ reaction, **54**, **1**
Arsinic acids, **2**, **10**
Arsonic acids, **2**, **10**
Arylacetic acids, synthesis of, **1**, **2**; **22**, **4**
 β -Arylacrylic acids, synthesis of, **1**, **8**
Arylamines, synthesis and reactions of, **1**, **5**
Arylation:
 by aryl halides, **27**, **2**
 by diazonium salts, **11**, **3**; **24**, **3**
 γ -, of dianions of β -dicarbonyl compounds, **17**, **2**
 of nitrile-stabilized carbanions, **31**
 of alkenes, **11**, **3**; **24**, **3**; **27**, **2**
Aryldiazoacetates, **75**, **2**
Arylglyoxals, condensation with aromatic hydrocarbons, **4**, **5**
Arylsilanes, **75**, **3**
Arylsulfonic acids, synthesis of, **3**, **4**
Aryl halides, homocoupling of, **63**, **3**
Aryl thiocyanates, **3**, **6**
Asymmetric aldol reactions using boron enolates, **51**, **1**
Asymmetric cyclopropanation, **57**, **1**
Asymmetric dihydroxylation, **66**, **2**
Asymmetric epoxidation, **48**, **1**; **61**, **2**; **74**, **3**
Asymmetric hydrocyanation, **75**, **1**
Asymmetric hydrogenation of $C=N$, **74**, **1**
Asymmetric reduction, **71**, **1**
Asymmetric Strecker reaction, **70**, **1**
Atom transfer preparation of radicals, **48**, **2**
Aza-Cope/Mannich reaction, **75**, **4**
Aza-Payne rearrangements, **60**, **1**
Azaphenanthrenes, synthesis by photocyclization, **30**, **1**
Azides, synthesis and rearrangement of, **3**, **9**
Azlactones, **3**, **5**
Baeyer-Villiger reaction, **9**, **3**; **43**, **3**
Bamford-Stevens reaction, **23**, **3**
Barbier Reaction, **58**, **2**
Bart reaction, **2**, **10**
Barton fragmentation reaction, **48**, **2**
Béchamp reaction, **2**, **10**
Beckmann rearrangement, **11**, **1**; **35**, **1**

- Benzils, reduction of, **4**, **5**
Benzoin condensation, **4**, **5**
Benzoquinones:
 acetoxylation of, **19**, **3**
 in Nenitzescu reaction, **20**, **3**
 synthesis of, **4**, **6**
Benzylic carbanions, **27**, **1**; **67**, **2**
Benzylsilanes, **75**, **3**
Biaryls, synthesis of, **2**, **6**; **63**, **3**
Bicyclobutanes, from cyclopropenes, **18**, **3**
Biginelli dihydropyrimidine synthesis, **63**,
 1
Birch reaction, **23**, **1**; **42**, **1**
Bischler-Napieralski reaction, **6**, **2**
Bis(chloromethyl) ether, **1**, **3**; **19**, *warning*
Boron enolates, **51**, **1**
Borane reagents, for allylic transfer, **73**, **1**
Borohydride reduction, chiral, **52**, **2**
 in reductive amination, **59**, **1**
Boyland-Sims oxidation, **35**, **2**
Bucherer reaction, **1**, **5**

Cannizzaro reaction, **2**, **3**
Carbanion, electrophilic amination, **72**, **1**
Carbenes, **13**, **2**; **26**, **2**; **28**, **1**
Carbene complexes in phenol and quinone
 synthesis, **70**, **2**
Carbenoids,
 in cyclopropanation, **57**, **1**; **58**, **1**
 intermolecular C-H insertions of, **75**, **2**
Carbohydrates, deoxy, synthesis of, **30**, **2**
Carbo/metallocupration, **41**, **2**
Carbon-carbon bond formation:
 by acetoacetic ester condensation, **1**, **9**
 by acyloin condensation, **23**, **2**
 by aldol condensation, **16**; **28**, **3**; **46**, **1**;
 67, **1**
 by alkylation with amines and
 ammonium salts, **7**, **3**
 by γ -alkylation and arylation, **17**, **2**
 by allylic and benzylic carbanions, **27**,
 1
 by amidoalkylation, **14**, **2**
 by Cannizzaro reaction, **2**, **3**
 by Claisen rearrangement, **2**, **1**; **22**, **1**
 by Cope rearrangement, **22**, **1**
 by cyclopropanation reaction, **13**, **2**;
 20, **1**
 by Darzens condensation, **5**, **10**
 by diazonium salt coupling, **10**, **1**; **11**,
 3; **24**, **3**
 by Dieckmann condensation, **15**, **1**
 by Diels-Alder reaction, **4**, **1**, **2**; **5**, **3**;
 32, **1**
 by free-radical additions to alkenes, **13**,
 3
 by Friedel-Crafts reaction, **3**, **1**; **5**, **5**
 by Knoevenagel condensation, **15**, **2**
 by Mannich reaction, **1**, **10**; **7**, **3**
 by Michael addition, **10**, **3**
 by nitrile-stabilized carbanions, **31**
 by organoboranes and organoborates,
 33, **1**
 by organocopper reagents, **19**, **1**; **38**, **2**;
 41, **2**
 by organopalladium complexes, **27**, **2**
 by organozinc reagents, **20**, **1**
 by rearrangement of α -halosulfones,
 25, **1**; **62**, **2**
 by Reformatsky reaction, **1**, **1**; **28**, **3**
 by trivalent manganese, **49**, **3**
 by Vilsmeier reaction, **49**, **1**; **56**, **2**
 by vinylcyclopropane-cyclopentene
 rearrangement, **33**, **2**
Carbon-fluorine bond formation, **21**, **1**; **34**,
 2; **35**, **3**; **69**, **2**
Carbon-halogen bond formation,
 by replacement of hydroxy groups, **29**,
 1
Carbon-heteroatom bond formation:
 by free-radical chain additions to
 carbon-carbon multiple bonds, **13**,
 4
 by organoboranes and organoborates,
 33, **1**
Carbon-nitrogen bond formation,
 by reductive amination, **59**, **1**
Carbon-phosphorus bond formation, **36**, **2**
Carbonyl compounds, addition of
 organochromium reagents, **64**, **3**
Carbonyl compounds, α,β -unsaturated:
 formation by selenoxide elimination,
 44, **1**
 vicinal difunctionalization of, **38**, **2**
Carbonyl compounds, from nitro
 compounds, **38**, **3**
 in the Passerini Reaction, **65**, **1**

- oxidation with hypervalent iodine reagents, **54**, 2
- reactions with allylic boron compounds, **73**, 1
- reductive amination of, **59**, 1
- Carbonylation as part of intramolecular Heck reaction, **60**, 2
- Carboxylic acid derivatives, conversion to fluorides, **21**, 1, 2; **34**, 2; **35**, 3
- Carboxylic acids:
 - synthesis from organoboranes, **33**, 1
 - reaction with organolithium reagents, **18**, 1
- Catalytic asymmetric hydrogenation of C=N functions, **74**, 1
- Catalytic enantioselective aldol addition, **67**, 1
- C–H functionalization, **75**, 2
- C–H insertions, intermolecular, with carbenoids, **75**, 2
- Chapman rearrangement, **14**, 1; **18**, 2
- Chloromethylation of aromatic compounds, **2**, 3; **9**, *warning*
- Cholanthrenes, synthesis of, **1**, 6
- Chromium reagents, **64**, 3; **67**, 2
- Chugaev reaction, **12**, 2
- Claisen condensation, **1**, 8
- Claisen rearrangement, **2**, 1; **22**, 1
- Cleavage:
 - of benzyl-oxygen, benzyl-nitrogen, and benzyl-sulfur bonds, **7**, 5
 - of carbon-carbon bonds by periodic acid, **2**, 8
 - of esters via S_N2-type dealkylation, **24**, 2
 - of non-enolizable ketones with sodium amide, **9**, 1
 - in sensitized photooxidation, **20**, 2
- Clemmensen reduction, **1**, 7; **22**, 3
- Collins reagent, **53**, 1
- Condensation:
 - acetoacetic ester, **1**, 9
 - acyloin, **4**, 4; **23**, 2
 - aldol, **16**
 - benzoin, **4**, 5
 - Biginelli, **63**, 1
 - Claisen, **1**, 8
 - Darzens, **5**, 10; **31**
 - Dieckmann, **1**, 9; **6**, 9; **15**, 1
 - directed aldol, **28**, 3
 - Knoevenagel, **1**, 8; **15**, 2
 - Stobbe, **6**, 1
 - Thorpe-Ziegler, **15**, 1; **31**
- Conjugate addition:
 - of hydrogen cyanide, **25**, 3; **75**, 1
 - of organocopper reagents, **19**, 1; **41**, 2
- Cope rearrangement, **22**, 1; **41**, 1; **43**, 2
- Copper-Grignard complexes, conjugate additions of, **19**, 1; **41**, 2
- Corey-Winter reaction, **30**, 2
- Coumarins, synthesis of, **7**, 1; **20**, 3
- Coupling reaction of organostannanes, **50**, 1
- Cross-coupling of organosilicon compounds, **75**, 3
- Cuprate reagents, **19**, 1; **38**, 2; **41**, 2
- Curtius rearrangement, **3**, 7, 9
- Cyanation, of *N*-heteroaromatic compounds, **70**, 1
- Cyanoborohydride, in reductive aminations, **59**, 1
- Cyanoethylation, **5**, 2
- Cyanogen bromide, reactions with tertiary amines, **7**, 4
- Cyclic ketones, formation by intramolecular acylation, **2**, 4; **23**, 2
- Cyclization:
 - of alkyl dihalides, **19**, 2
 - of aryl-substituted aliphatic acids, acid chlorides, and anhydrides, **2**, 4; **23**, 2
 - of α -carbonyl carbenes and carbenoids, **26**, 2
 - cycloheptenones from α -bromoketones, **29**, 2
 - of diesters and dinitriles, **15**, 1
 - Fischer indole, **10**, 2
 - intramolecular by acylation, **2**, 4
 - intramolecular by acyloin condensation, **4**, 4
 - intramolecular by Diels-Alder reaction, **32**, 1
 - intramolecular by Heck reaction, **60**, 2
 - intramolecular by Michael reaction, **47**, 2
 - Nazarov, **45**, 1
 - by radical reactions, **48**, 2
 - of stilbenes, **30**, 1

Cyclization: (*Continued*)

tandem cyclization by Heck reaction,
60, **2**

Cycloaddition reactions,

of cyclenones and quinones, **5**, **3**

cyclobutanes, synthesis of, **12**, **1**; **44**, **2**

cyclotrimerization of acetylenes, **68**, **1**

Diels-Alder, acetylenes and alkenes, **4**,
2

Diels-Alder, imino dienophiles, **65**, **2**

Diels-Alder, intramolecular, **32**, **1**

Diels-Alder, maleic anhydride, **4**, **1**

[**4** + **3**], **51**, **3**

of enones, **44**, **2**

of ketenes, **45**, **2**

of nitrones and alkenes, **36**, **1**

Pauson-Khand, **40**, **1**

photochemical, **44**, **2**

retro-Diels-Alder reaction, **52**, **1**; **53**, **2**

[**6** + **4**], **49**, **2**

[**3** + **2**], **61**, **1**

Cyclobutanes, synthesis:

from nitrile-stabilized carbanions, **31**

by thermal cycloaddition reactions, **12**,
1

Cycloheptadienes, from

divinylcyclopropanes, **41**, **1**

polyhalo ketones, **29**, **2**

 π -Cyclopentadienyl transition metal

carbonyls, **17**, **1**

Cyclopentenones:

annulation, **45**, **1**

synthesis, **40**, **1**; **45**, **1**

Cyclopropane carboxylates, from

diazoacetic esters, **18**, **3**

Cyclopropanes:

from α -diazocarbonyl compounds, **26**,
2

from metal-catalyzed decomposition of
diazo compounds, **57**, **1**

from nitrile-stabilized carbanions, **31**

from tosylhydrazones, **23**, **3**

from unsaturated compounds,
methylene iodide, and zinc-copper
couple, **20**, **1**; **58**, **1**; **58**, **2**

Cyclopropenes, synthesis of, **18**, **3**

Darzens glycidic ester condensation, **5**, **10**;
31

DAST, **34**, **2**; **35**, **3**

Deamination of aromatic primary amines,
2, **7**

Debenzylation, **7**, **5**; **18**, **4**

Decarboxylation of acids, **9**, **5**; **19**, **4**

Dehalogenation of α -haloacyl halides, **3**, **3**

Dehydrogenation:

in synthesis of ketenes, **3**, **3**

in synthesis of acetylenes, **5**, **1**

Demjanov reaction, **11**, **2**

Deoxygenation of vicinal diols, **30**, **2**

Desoxybenzoins, conversion to benzoins,
4, **5**

Dess-Martin Oxidation, **53**, **1**

Desulfonylation reactions, **72**, **2**

Desulfurization:

of α -(alkylthio)nitriles, **31**

in alkene synthesis, **30**, **2**

with Raney nickel, **12**, **5**

Diazo compounds, carbenoids derived
from, **57**, **1**; **75**, **2**

Diazoacetic esters, reactions with alkenes,
alkynes, heterocyclic and aromatic
compounds, **18**, **3**; **26**, **2**

α -Diazocarbonyl compounds, insertion
and addition reactions, **26**, **2**

Diazomethane:

in Arndt-Eistert reaction, **1**, **2**

reactions with aldehydes and ketones,
8, **8**

Diazonium fluoroborates, synthesis and
decomposition, **5**, **4**

Diazonium salts:

coupling with aliphatic compounds, **10**,
1, **2**

in deamination of aromatic primary
amines, **2**, **7**

in Meerwein arylation reaction, **11**, **3**;
24, **3**

in ring closure reactions, **9**, **7**

in synthesis of biaryls and aryl
quinones, **2**, **6**

Dieckmann condensation, **1**, **9**; **15**, **1**

for synthesis of tetrahydrothiophenes,
6, **9**

Diels-Alder reaction:

intramolecular, **32**, **1**

retro-Diels-Alder reaction, **52**, **1**; **53**, **2**

- with alkynyl and alkenyl dienophiles, **4**, **2**
with cyclenones and quinones, **5**, **3**
with imines, **65**, **2**
with maleic anhydride, **4**, **1**
Dihydrodiols, **63**, **2**
Dihydropyrimidine synthesis, **63**, **1**
Dihydroxylation of alkenes, asymmetric, **66**, **2**
Diimide, **40**, **2**
Diketones:
 pyrolysis of diaryl, **1**, **6**
 reduction by acid in organic solvents, **22**, **3**
 synthesis by acylation of ketones, **8**, **3**
 synthesis by alkylation of β -diketone anions, **17**, **2**
Dimethyl sulfide, in oxidation reactions, **39**, **3**
Dimethyl sulfoxide, in oxidation reactions, **39**, **3**
Diols:
 deoxygenation of, **30**, **2**
 oxidation of, **2**, **8**
Dioxetanes, **20**, **2**
Dioxiranes, **61**, **2**; **69**, **1**
Dioxygenases, **63**, **2**
Dirhodium catalysts, **75**, **2**
Divinyl-aziridines, -cyclopropanes, -oxiranes, and -thiiranes, rearrangements of, **41**, **1**
Doebner reaction, **1**, **8**

Eastwood reaction, **30**, **2**
Elbs reaction, **1**, **6**; **35**, **2**
Electrophilic
 amination, **72**, **1**
 fluorination, **69**, **2**
Enamines, reaction with quinones, **20**, **3**
Enantioselective: aldol reactions, **67**, **1**
 allylation and crotylation, **73**, **1**
Ene reaction, in photosensitized oxygenation, **20**, **2**
Enolates:
 Fluorination of, **69**, **2**
 α -Hydroxylation of, **62**, **1**
 in directed aldol reactions, **28**, **3**; **46**, **1**; **51**, **1**
Enone cycloadditions, **44**, **2**

Enzymatic reduction, **52**, **2**
Enzymatic resolution, **37**, **1**
Epoxidation:
 of alkenes, **61**, **2**; **74**, **3**
 of allylic alcohols, **48**, **1**
 with organic peracids, **7**, **7**
Epoxide isomerizations, **29**, **3**
Epoxide
 formation, **48**, **1**; **61**, **2**; **74**, **3**
 migration, **60**, **1**
Esters:
 acylation with acid chlorides, **1**, **9**
 alkylation of, **9**, **4**
 alkylidenation of, **43**, **1**
 cleavage via S_N2 -type dealkylation, **24**, **2**
 dimerization, **23**, **2**
 glycidic, synthesis of, **5**, **10**
 hydrolysis, catalyzed by pig liver esterase, **37**, **1**
 β -hydroxy, synthesis of, **1**, **1**; **22**, **4**
 β -keto, synthesis of, **15**, **1**
 reaction with organolithium reagents, **18**, **1**
 reduction of, **8**, **1**; **71**, **1**
 synthesis from diazoacetic esters, **18**, **3**
 synthesis by Mitsunobu reaction, **42**, **2**
Ethers, synthesis by Mitsunobu reaction, **42**, **2**
Exhaustive methylation, Hofmann, **11**, **5**

Favorskii rearrangement, **11**, **4**
Ferrocenes, **17**, **1**
Fischer carbene complexes, **70**, **2**
Fischer indole cyclization, **10**, **2**
Fluorinating agents, electrophilic, **69**, **2**
Fluorination of aliphatic compounds, **2**, **2**;
 21, **1**, **2**; **34**, **2**; **35**, **3**; **69**, **2**
 of carbonyl compounds, **69**, **2**
 of heterocycles, **69**, **2**
Fluorination:
 by DAST, **35**, **3**
 by N-F reagents, **69**, **2**
 by sulfur tetrafluoride, **21**, **1**; **34**, **2**
Formylation:
 by hydroformylation, **56**, **1**
 of alkylphenols, **28**, **1**
 of aromatic hydrocarbons, **5**, **6**
 of aromatic compounds, **49**, **1**

- Formylation: (*Continued*)
 of non-aromatic compounds, **56, 2**
Free radical additions:
 to alkenes and alkynes to form
 carbon-heteroatom bonds, **13, 4**
 to alkenes to form carbon-carbon
 bonds, **13, 3**
Freidel-Crafts catalysts, in nucleoside
 synthesis, **55, 1**
Friedel-Crafts reaction, **2, 4; 3, 1; 5, 5; 18, 1**
Friedländer synthesis of quinolines, **28, 2**
Fries reaction, **1, 11**
- Gattermann aldehyde synthesis, **9, 2**
Gattermann-Koch reaction, **5, 6**
Germanes, addition to alkenes and
 alkynes, **13, 4**
Glycals,
 fluorination of, **69, 2**
 transformation in glycosyl derivatives,
 62, 4
Glycosides, synthesis of, **64, 2**
Glycosylating agents, **68, 2**
Glycosylation on polymer supports, **68, 2**
Glycosylation, with sulfoxides and
 sulfinates, **64, 2**
Glycidic esters, synthesis and reactions of,
 5, 10
Gomberg-Bachmann reaction, **2, 6; 9, 7**
Grundmann synthesis of aldehydes, **8, 5**
- Halides, displacement reactions of, **22, 2; 27, 2**
Halide-metal exchange, **58, 2**
Halides, synthesis:
 from alcohols, **34, 2**
 by chloromethylation, **1, 3**
 from organoboranes, **33, 1**
 from primary and secondary alcohols,
 29, 1
Haller-Bauer reaction, **9, 1**
Halocarbenes, synthesis and reactions of,
 13, 2
Halocyclopropanes, reactions of, **13, 2**
Halogen-metal interconversion reactions,
 6, 7
 α -Haloketones, rearrangement of, **11, 4**
- Halosilanes, **75, 3**
 α -Halosulfones, synthesis and reactions of,
 25, 1; 62, 2
Heck reaction, intramolecular, **60, 2**
Helicenes, synthesis by photocyclization,
 30, 1
Heteroarylsilanes, **75, 3**
Heterocyclic aromatic systems, lithiation
 of, **26, 1**
Heterocyclic bases, amination of, **1, 4**
 in nucleosides, **55, 1**
Heterodienophiles, **53, 2**
Hilbert-Johnson method, **55, 1**
Hoesch reaction, **5, 9**
Hofmann elimination reaction, **11, 5; 18, 4**
Hofmann reaction of amides, **3, 7, 9**
Homocouplings mediated by Cu, Ni, and
 Pd, **63, 3**
Homogeneous hydrogenation catalysts, **24, 1**
Hunsdiecker reaction, **9, 5; 19, 4**
Hydration of alkenes, dienes, and alkynes,
 13, 1
Hydrazoic acid, reactions and generation
 of, **3, 8**
Hydroboration, **13, 1**
Hydrocyanation of:
 alkenes and alkynes, **75, 1**
 conjugated carbonyl compounds, **25, 3**
Hydroformylation, **56, 1**
Hydrogen cyanide, **25, 3; 75, 1**
Hydrogenation catalysts, homogeneous,
 24, 1
Hydrogenation of C=N functions, **74, 1**
Hydrogenation of esters, with copper
 chromite and Raney nickel, **8, 1**
Hydrohalogenation, **13, 4**
Hydrosilylation, **75, 3**
Hydroxyaldehydes, aromatic, **28, 1**
 α -Hydroxyalkylation of activated olefins,
 51, 2
 α -Hydroxyketones:
 rearrangement, **62, 3**
 synthesis of, **23, 2**
Hydroxylation:
 of enolates, **62, 1**
 of ethylenic compounds with organic
 peracids, **7, 7**
Hypervalent iodine reagents, **54, 2; 57, 2**

- Imidates, rearrangement of, **14**, 1
Imines, additions of allyl, allenyl,
 propargyl stannanes, **64**, 1
 additions of cyanide, **70**, 1
 as dienophiles, **65**, 2
 catalytic asymmetric hydrogenation,
 74, 1
 synthesis, **70**, 1
Iminium ions, **39**, 2; **65**, 2; **75**, 4
Imino Diels-Alder reactions, **65**, 2
Indoles, by Nenitzescu reaction, **20**, 3
 by reaction with TosMIC, **57**, 3
Ionic hydrogenation, **71**, 1
Isocyanides, in the Passerini reaction, **65**,
 1
 sulfonylmethyl, reactions of, **57**, 3
Isoquinolines, synthesis of, **6**, 2, 3, 4; **20**,
 3

Jacobsen reaction, **1**, 12
Japp-Klingemann reaction, **10**, 2

Katsuki-Sharpless epoxidation, **48**, 1
Ketene cycloadditions, **45**, 2
Ketenes and ketene dimers, synthesis of,
 3, 3; **45**, 2
 α -Ketol rearrangement, **62**, 3
Ketones:
 acylation of, **8**, 3
 alkyldienation of, **43**, 1
 Baeyer-Villiger oxidation of, **9**, 3; **43**, 3
 cleavage of non-enolizable, **9**, 1
 comparison of synthetic methods, **18**, 1
 conversion to amides, **3**, 8; **11**, 1
 conversion to fluorides, **34**, 2; **35**, 3
 cyclic, synthesis of, **2**, 4; **23**, 2
 cyclization of divinyl ketones, **45**, 1
 reaction with diazomethane, **8**, 8
 reduction to aliphatic compounds, **4**, 8
 reduction by:
 alkoxyaluminum hydrides, **34**, 1
 organosilanes, **71**, 1
 reduction in anhydrous organic
 solvents, **22**, 3
 synthesis by oxidation of alcohols, **6**,
 5; **39**, 3
 synthesis from acid chlorides and
 organo-metallic compounds, **8**, 2;
 18, 1
 synthesis from organoboranes, **33**, 1
 synthesis from organolithium reagents
 and carboxylic acids, **18**, 1
 synthesis from α,β -unsaturated
 carbonyl compounds and metals
 in liquid ammonia, **23**, 1
Kindler modification of Willgerodt
 reaction, **3**, 2
Knoevenagel condensation, **1**, 8; **15**, 2; **57**,
 3
Koch-Haaf reaction, **17**, 3
Kornblum oxidation, **39**, 3
Kostaneki synthesis of chromanes,
 flavones, and isoflavones, **8**, 3

 β -Lactams, synthesis of, **9**, 6; **26**, 2
 β -Lactones, synthesis and reactions of, **8**,
 7
Leuckart reaction, **5**, 7
Lithiation:
 of allylic and benzylic systems, **27**, 1
 by halogen-metal exchange, **6**, 7
 heteroatom facilitated, **26**, 1; **47**, 1
 of heterocyclic and olefinic
 compounds, **26**, 1
Lithioorganocuprates, **19**, 1; **22**, 2; **41**, 2
Lithium aluminum hydride reductions, **6**, 2
 chirally modified, **52**, 2
Lossen rearrangement, **3**, 7, 9

Mannich reaction, **1**, 10; **7**, 3; **75**, 4
Meerwein arylation reaction, **11**, 3; **24**, 3
Meerwein-Ponndorf-Verley reduction, **2**, 5
Mercury hydride method to prepare
 radicals, **48**, 2
Metal-catalyzed hydrocyanation, **75**, 1
Metalations with organolithium
 compounds, **8**, 6; **26**, 1; **27**, 1
Methylenation of carbonyl groups, **43**, 1
Methylenecyclopropane, in cycloaddition
 reactions, **61**, 1
Methylene-transfer reactions, **18**, 3; **20**, 1;
 58, 1
Michael reaction, **10**, 3; **15**, 1, 2; **19**, 1;
 20, 3; **46**, 1; **47**, 2
Microbiological oxygenations, **63**, 2
Mitsunobu reaction, **42**, 2

- Moffatt oxidation, **39**, 3; **53**, 1
Morita-Baylis-Hillman reaction, **51**, 2
- Nagata reaction, **25**, 3
Nazarov cyclization, **45**, 1
Nef reaction, **38**, 3
Nenitzescu reaction, **20**, 3
Nitriles:
 formation from:
 alkenes and alkynes, **75**, 1
 oximes, **35**, 2
 synthesis from organoboranes, **33**, 1
 α,β -unsaturated:
 by elimination of selenoxides, **44**, 1
Nitrile-stabilized carbanions:
 alkylation and arylation of, **31**
Nitroamines, **20**, 4
Nitro compounds, conversion to carbonyl compounds, **38**, 3
Nitro compounds, synthesis of, **12**, 3
Nitrone-olefin cycloadditions, **36**, 1
Nitrosation, **2**, 6; **7**, 6
Nitroxide-catalyzed oxidations, **74**, 2
Nucleosides, synthesis of, **55**, 1
- Olefin formation, by reductive elimination of β -hydroxysulfones, **72**, 2
Olefins,
 hydrocyanation of, **75**, 1
 hydroformylation of, **56**, 1
Oligomerization of 1,3-dienes, **19**, 2
Oligosaccharide synthesis on polymer support, **68**, 2
Oppenauer oxidation, **6**, 5
Organoboranes:
 formation of carbon-carbon and carbon-heteroatom bonds from, **33**, 1
 in allylation of carbonyl compounds, **73**, 1
 isomerization and oxidation of, **13**, 1
 reaction with anions of α -chloronitriles, **31**, 1
Organochromium reagents:
 addition to carbonyl compounds, **64**, 3; **67**, 2
 addition to imines, **67**, 2
Organohypervalent iodine reagents, **54**, 2; **57**, 2
Organometallic compounds:
 of aluminum, **25**, 3
 of chromium, **64**, 3; **67**, 2
 of copper, **19**, 1; **22**, 2; **38**, 2; **41**, 2
 of lithium, **6**, 7; **8**, 6; **18**, 1; **27**, 1
 of magnesium, zinc, and cadmium, **8**, 2;
 of palladium, **27**, 2
 of silicon, **37**, 2
 of tin, **50**, 1; **64**, 1
 of zinc, **1**, 1; **20**, 1; **22**, 4; **58**, 2
Organonitriles, **75**, 1
Organosilanols, **75**, 3
Organosilicon hydride reductions, **71**, 1
Osmium tetroxide asymmetric dihydroxylation, **66**, 2
Overman rearrangement of allylic imidates, **66**, 1
Oxidation:
 by dioxiranes, **61**, 2; **69**, 1
 by oxoammonium and nitroxide catalysts, **74**, 2
 of alcohols and polyhydroxy compounds, **6**, 5; **39**, 3; **53**, 1
 of aldehydes and ketones,
 Baeyer-Villiger reaction, **9**, 3; **43**, 3
 of amines, phenols, aminophenols, diamines, hydroquinones, and halophenols, **4**, 6; **35**, 2
 of enolates and silyl enol ethers, **62**, 1
 of α -glycols, α -amino alcohols, and polyhydroxy compounds by periodic acid, **2**, 8
 with hypervalent iodine reagents, **54**, 2
 of organoboranes, **13**, 1
 of phenolic compounds, **57**, 2
 with peracids, **7**, 7
 by photooxygenation, **20**, 2
 with selenium dioxide, **5**, 8; **24**, 4
Oxidative decarboxylation, **19**, 4
Oximes, formation by nitrosation, **7**, 6
Oxoammonium-catalyzed oxidation, **74**, 2
Oxochromium(VI)-amine complexes, **53**, 1
Oxo process, **56**, 1
Oxygenation of arenes by dioxygenases, **63**, 2

- Palladium-catalyzed vinylic substitution, **27**, **2**
Palladium-catalyzed coupling of organostannanes, **50**, **1**
Palladium intermediates in Heck reactions, **60**, **2**
Passerini Reaction, **65**, **1**
Pauson-Khand reaction to prepare cyclopentenones, **40**, **1**
Payne rearrangement, **60**, **1**
Pechmann reaction, **7**, **1**
Peptides, synthesis of, **3**, **5**; **12**, **4**
Peracids, epoxidation and hydroxylation with, **7**, **7**
 in Baeyer-Villiger oxidation, **9**, **3**; **43**, **3**
Periodic acid oxidation, **2**, **8**
Perkin reaction, **1**, **8**
Persulfate oxidation, **35**, **2**
Peterson olefination, **38**, **1**
Phenanthrenes, synthesis by photocyclization, **30**, **1**
Phenols, dihydric from phenols, **35**, **2**
 oxidation of, **57**, **2**
 synthesis from Fischer carbene complexes, **70**, **2**
Phosphinic acids, synthesis of, **6**, **6**
Phosphonic acids, synthesis of, **6**, **6**
Phosphonium salts:
 halide synthesis, use in, **29**, **1**
 synthesis and reactions of, **14**, **3**
Phosphorus compounds, addition to carbonyl group, **6**, **6**; **14**, **3**; **25**, **2**; **36**, **2**
 addition reactions at imine carbon, **36**, **2**
Phosphoryl-stabilized anions, **25**, **2**
Photochemical cycloadditions, **44**, **2**
Photocyclization of stilbenes, **30**, **1**
Photooxygenation of olefins, **20**, **2**
Photosensitizers, **20**, **2**
Pictet-Spengler reaction, **6**, **3**
Pig liver esterase, **37**, **1**
Polonovski reaction, **39**, **2**
Polyalkylbenzenes, in Jacobsen reaction, **1**, **12**
Polycyclic aromatic compounds, synthesis by photocyclization of stilbenes, **30**, **1**
Polyhalo ketones, reductive dehalogenation of, **29**, **2**
Pomeranz-Fritsch reaction, **6**, **4**
Prévost reaction, **9**, **5**
Pschorr synthesis, **2**, **6**; **9**, **7**
Pummerer reaction, **40**, **3**
Pyrazolines, intermediates in diazoacetic ester reactions, **18**, **3**
Pyridinium chlorochromate, **53**, **1**
Pyrolysis:
 of amine oxides, phosphates, and acyl derivatives, **11**, **5**
 of ketones and diketones, **1**, **6**
 for synthesis of ketenes, **3**, **3**
 of xanthates, **12**, **2**
Pyrrolidines, by aza-Cope/Mannich reaction, **75**, **4**

Quaternary ammonium:
 N-F reagents, **69**, **2**
 salts, rearrangements of, **18**, **4**
Quinolines, synthesis of,
 by Friedländer synthesis, **28**, **2**
 by Skraup synthesis, **7**, **2**
Quinones:
 acetoxylation of, **19**, **3**
 diene additions to, **5**, **3**
 synthesis of, **4**, **6**
 synthesis from Fischer carbene complexes, **70**, **2**
 in synthesis of 5-hydroxyindoles, **20**, **3**

Ramberg-Bäcklund rearrangement, **25**, **1**; **62**, **2**
Radical formation and cyclization, **48**, **2**
Rearrangements:
 allylic trihaloacetamidate, **66**, **1**
 anion-assisted sigmatropic, **43**, **2**
 Beckmann, **11**, **1**; **35**, **1**
 Chapman, **14**, **1**; **18**, **2**
 Claisen, **2**, **1**; **22**, **1**
 Cope, **22**, **1**; **41**, **1**, **43**, **2**
 Curtius, **3**, **7**, **9**
 divinylcyclopropane, **41**, **1**
 Favorskii, **11**, **4**
 Lossen, **3**, **7**, **9**
 Ramberg-Bäcklund, **25**, **1**; **62**, **2**

Rearrangements: (*Continued*)

- Smiles, **18**, 2
 - Sommelet-Hauser, **18**, 4
 - Stevens, **18**, 4
 - [2,3] Wittig, **46**, 2
 - vinylcyclopropane-cyclopentene, **33**, 2
- Reduction:
- of acid chlorides to aldehydes, **4**, 7; **8**, 5
 - of aromatic compounds, **42**, 1
 - of benzils, **4**, 5
 - Clemmensen, **1**, 7; **22**, 3
 - of ketones, enantioselective, **52**, 2
 - desulfurization, **12**, 5
 - with diimide, **40**, 2
 - by dissolving metal, **42**, 1
 - by homogeneous hydrogenation catalysts, **24**, 1
 - by hydrogenation of esters with copper chromite and Raney nickel, **8**, 1
 - hydrogenolysis of benzyl groups, **7**, 5
 - by lithium aluminum hydride, **6**, 10
 - by Meerwein-Ponndorf-Verley reaction, **2**, 5
 - chiral, **52**, 2
 - by metal alkoxyaluminum hydrides, **34**, 1; **36**, 3
 - by organosilanes, **71**, 1
 - of mono- and polynitroarenes, **20**, 4
 - of olefins by diimide, **40**, 2
 - of α,β -unsaturated carbonyl compounds, **23**, 1
 - by samarium(II) iodide, **46**, 3
 - by Wolff-Kishner reaction, **4**, 8
- Reductive alkylation, synthesis of amines, **4**, 3; **5**, 7
- Reductive amination of carbonyl compounds, **59**, 1; **71**, 1
- Reductive cyanation, **57**, 3
- Redutive desulfonylation, **72**, 2
- Reductive desulfurization of thiol esters, **8**, 5
- Reformatsky reaction, **1**, 1; **22**, 4
- Reimer-Tiemann reaction, **13**, 2; **28**, 1
- Reissert reaction, **70**, 1
- Resolution of alcohols, **2**, 9
- Retro-Diels-Alder reaction, **52**, 1; **53**, 2
- Ritter reaction, **17**, 3
- Rosenmund reaction for synthesis of arsonic acids, **2**, 10
- Rosenmund reduction, **4**, 7
- Samarium(II) iodide, **46**, 3
- Sandmeyer reaction, **2**, 7
- Schiemann reaction, **5**, 4
- Schmidt reaction, **3**, 8; 9
- Selenium dioxide oxidation, **5**, 8; **24**, 4
- Seleno-Pummerer reaction, **40**, 3
- Selenoxide elimination, **44**, 1
- Shapiro reaction, **23**, 3; **39**, 1
- Silanes:
- addition to olefins and acetylenes, **13**, 4
 - electrophilic substitution reactions, **37**, 2
 - oxidation of, **69**, 1
 - reduction with, **71**, 1
- Silanolate salts, **75**, 3
- Sila-Pummerer reaction, **40**, 3
- Siliconates, **75**, 3
- Silicon-based cross-coupling, **75**, 3
- Silyl carbanions, **38**, 1
- Silyl enol ether, α -hydroxylation, **62**, 1
- Silyl compounds, cross-coupling of, **75**, 3
- Simmons-Smith reaction, **20**, 1; **58**, 1
- Simonini reaction, **9**, 5
- Singlet oxygen, **20**, 2
- Skraup synthesis, **7**, 2; **28**, 2
- Smiles rearrangement, **18**, 2
- Sommelet-Hauser rearrangement, **18**, 4
- $S_{RN}1$ reactions of aromatic systems, **54**, 1
- Sommelet reaction, **8**, 4
- Stevens rearrangement, **18**, 4
- Stetter reaction of aldehydes with olefins, **40**, 4
- Strecker reaction, catalytic asymmetric, **70**, 1
- Stilbenes, photocyclization of, **30**, 1
- Stille reaction, **50**, 1
- Stobbe condensation, **6**, 1
- Substitution reactions using organocopper reagents, **22**, 2; **41**, 2
- Sugars, synthesis by glycosylation with sulfoxides and sulfonates, **64**, 2
- Sulfide reduction of nitroarenes, **20**, 4
- Sulfonation of aromatic hydrocarbons and aryl halides, **3**, 4
- Swern oxidation, **39**, 3; **53**, 1

- Tetrahydroisoquinolines, synthesis of, **6**, 3
Tetrahydrothiophenes, synthesis of, **6**, 9
Thia-Payne rearrangement, **60**, 1
Thiazoles, synthesis of, **6**, 8
Thiele-Winter acetoxylation of quinones, **19**, 3
Thiocarbonates, synthesis of, **17**, 3
Thiocyanation of aromatic amines, phenols, and polynuclear hydrocarbons, **3**, 6
Thiophenes, synthesis of, **6**, 9
Thorpe-Ziegler condensation, **15**, 1; **31**
Tiemann reaction, **3**, 9
Tiffeneau-Demjanov reaction, **11**, 2
Tin(II) enolates, **46**, 1
Tin hydride method to prepare radicals, **48**, 2
Tipson-Cohen reaction, **30**, 2
Tosylhydrazones, **23**, 3; **39**, 1
Tosylmethyl isocyanide (TosMIC), **57**, 3
Transmetallation reactions, **58**, 2
Tricarbonyl(η^6 -arene)chromium complexes, **67**, 2
Trihaloacetimidate, allylic rearrangements, **66**, 1
Trimerization, co-, acetylenic compounds, **68**, 1
Trimethylenemethane, [3 + 2] cycloaddition of, **61**, 1
Trimethylsilyl cyanide, **75**, 1

Ullmann reaction:
 homocoupling mediated by Cu, Ni, and Pd, **63**, 3
 in synthesis of diphenylamines, **14**, 1
 in synthesis of unsymmetrical biaryls, **2**, 6

Unsaturated compounds, synthesis with alkenyl- and alkynylaluminum reagents, **32**, 2

Vilsmeier reaction, **49**, 1; **56**, 2
Vinylcyclopropanes, rearrangement to cyclopentenes, **33**, 2
Vinyl diazoacetates, **75**, 2
Vinylolithiums, from sulfonylhydrazones, **39**, 1
Vinylsilanes, electrophilic substitution reactions of, **37**, 2
Vinyl substitution, catalyzed by palladium complexes, **27**, 2
von Braun cyanogen bromide reaction, **7**, 4
Vorbrüggen reaction, **55**, 1

Willgerodt reaction, **3**, 2
Wittig reaction, **14**, 3; **31**
[2,3]-Wittig rearrangement, **46**, 2
Wolff-Kishner reaction, **4**, 8

Xanthates, synthesis and pyrolysis of, **12**, 2

Ylides:
 in Stevens rearrangement, **18**, 4
 in Wittig reaction, structure and properties, **14**, 3

Zinc-copper couple, **20**, 1; **58**, 1, 2
Zinin reduction of nitroarenes, **20**, 4

