

Yamabe-type Equations on Complete, Noncompact Manifolds

Bearbeitet von
Paolo Mastrolia, Marco Rigoli, Alberto G Setti

1. Auflage 2012. Buch. viii, 260 S. Hardcover
ISBN 978 3 0348 0375 5
Format (B x L): 15,5 x 23,5 cm
Gewicht: 567 g

[Weitere Fachgebiete > Mathematik > Mathematische Analysis > Differentialrechnungen und -gleichungen](#)

schnell und portofrei erhältlich bei


DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung beack-shop.de ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

Contents

Introduction	1
1 Some Riemannian Geometry	7
1.1 Preliminaries	7
1.1.1 Moving frames and the first structure equations	8
1.1.2 Covariant derivative of tensor fields	10
1.1.3 Meaning of the first structure equations	12
1.1.4 Curvature: the second structure equations	14
1.1.5 Einstein manifolds and Schur's Theorem	16
1.2 Comparison theorems	18
1.2.1 Ricci identities	18
1.2.2 Cut locus and regularity of the distance function	21
1.2.3 The Laplacian comparison theorem	22
1.2.4 The Bishop-Gromov comparison theorem	28
1.2.5 The Hessian comparison theorem	31
1.3 Some formulas for immersed submanifolds	32
2 Pointwise conformal metrics	37
2.1 The Yamabe equation	37
2.1.1 The derivation of the Yamabe equation	37
2.1.2 The Kazdan-Warner obstruction	40
2.1.3 The Weyl and Cotton tensors	43
2.2 Some applications in the compact case	49
2.2.1 A rigidity result of Obata	49
2.2.2 A result by M. F. Bidaut-Véron and L. Véron	57
2.2.3 A version of Theorem 2.12 on manifolds with boundary	62
2.2.4 A rigidity result of Escobar	67
3 General nonexistence results	73
3.1 Some spectral considerations	74
3.1.1 The main nonexistence result	78
3.2 The endpoint case $K = -1$ and the Poisson equation	93

3.3	A refined version of Theorem 3.2	98
4	A priori estimates	105
4.1	Estimates from below	105
4.2	Estimates from above	111
4.3	Sharpness of the previous results	115
4.4	Some further estimates	117
4.5	Nonexistence results for the Yamabe problem	121
5	Uniqueness	127
5.1	A sharp integral condition	127
5.2	A remark on the asymptotic behaviour of solutions: examples in $\mathbb{R}^m$ and $\mathbb{H}^m$	130
5.3	Uniqueness via the weak maximum principle	132
5.3.1	A useful form of the weak maximum principle	133
5.3.2	A comparison result	140
5.3.3	Uniqueness of ground states	143
5.4	Some geometric applications and further uniqueness	146
5.4.1	Conformal diffeomorphisms	146
5.4.2	Uniqueness for the Yamabe problem	148
5.4.3	An L^∞ a priori estimate	149
6	Existence	157
6.1	A general procedure	158
6.1.1	Another comparison result	158
6.1.2	More basic spectral theory and a result of Li, Tam and Yang	158
6.1.3	Two useful lemmas	162
6.1.4	Existence of a maximal solution	165
6.2	Subsolutions and existence	166
6.2.1	Existence with $\lambda_1^L(M) < 0$	166
6.2.2	$\lambda_1^L(M) < 0$: some sufficient conditions	170
6.2.3	A more general case	177
6.3	Global sub- and supersolutions	180
6.4	The case of the Yamabe problem	188
6.5	Appendix: the Monotone Iteration Scheme	191
7	Some special cases	197
7.1	A nonexistence result	197
7.1.1	A Rellich-Pohozaev formula	207
7.1.2	A nonexistence result for hyperbolic space	211
7.1.3	An integral obstruction	219
7.2	Special symmetries and existence	221
7.3	The case of Euclidean space and further results	227
7.3.1	A linear comparison result	227

<i>Contents</i>	vii
7.3.2 Back to Corollary 5.8	229
7.3.3 The Euclidean space	231
Bibliography	239
List of Symbols	247
Index	253