Patient Safety 4

In Vitro and In Vivo Hemolysis

An Unresolved Dispute in Laboratory Medicine

Bearbeitet von
Giuseppe Lippi, Gianfranco Cervellin, Emmanuel J. Favaloro, Mario Plebani

1. Auflage 2012. Taschenbuch. VIII, 102 S. Paperback
ISBN 978 3 11 024613 1
Format (B x L): 17 x 24 cm
Gewicht: 230 g

Weitere Fachgebiete > Medizin > Klinische und Innere Medizin > Hämatologie, Transfusionsmedizin

schnell und portofrei erhältlich bei

beck-shop.de
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung beck-shop.de ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

Contents

Preface vii

1 Structure and function of red blood cells 1

2 Red blood cell parameters 3
2.1 Hematocrit 3
2.2 Mean corpuscular volume 3
2.3 Mean corpuscular hemoglobin 3
2.4 Mean corpuscular hemoglobin concentration 4
2.5 Red blood cell distribution width 4

3 Definition of hemolysis 7

4 Prevalence of hemolyzed specimens in clinical laboratories 9

5 In vivo hemolysis 15
5.1 Causes 15
5.2 Clinical presentation 18
5.3 Diagnosis of hemolytic anemia 19

6 In vitro hemolysis 21
6.1 Unsuitable procedures during blood collection 21
6.2 Blood collection with various devices and needles 24
6.3 Sample transportation and storage 31
6.4 Centrifugation of the specimen 33

7 How to distinguish in vivo versus in vitro hemolysis 35

8 Effects of in vitro hemolysis on laboratory testing 39
8.1 Interference in clinical chemistry testing 39
8.2 Interference in hemostasis testing 47
8.3 Interference in immunoassays and electrophoresis 49
8.4 Interference in ABO type and antibody screen testing 52

9 Spurious hemolysis and veterinary medicine 55
9.1 Blood collection from small animals and pets 55
9.2 Interference of hemolysis in veterinary laboratory medicine 55

10 Detection of hemolyzed specimens 57

11 Management of hemolyzed specimens 63
11.1 Local evaluation of the bias 63
11.2 Surveys and recommendations 69
11.3 General indications for preventing hemolysis during blood collection 69
11.4 Preventing hemolysis from intravenous catheters 71
11.5 Reliable identification of hemolyzed specimens 72
11.6 Management of test results on hemolyzed specimens 73

12 The challenge of synthetic blood substitutes 81
12.1 Individual studies evaluating the interference of blood substitutes 81
12.2 Detection and quantification of blood substitutes 86
12.3 Final remarks on blood substitutes 88

References 89
Index 101