

Contents

1	The Cytokine System	1
1.1	Inducible Character of Cytokine Formation and Reception	1
1.2	Locality of Cytokine Action	2
1.3	Superfluity of Cytokine System	2
1.4	Interrelationship and Interdependency in the Cytokine System	6
1.5	Cytokines and Their Brain Receptors	7
1.6	Brain-Born Cytokines	8
1.7	Chemokine System	9
1.8	CXC-Chemokines	9
1.9	CC, C and CX3C-Chemokines	10
1.10	Chemokine Receptors	10
1.11	Chemokines in the Neurons	11
1.12	Antibody Production in the Brain	12
2	The Discovery of the Brain Immunomodulators	15
2.1	Isolation of a Fragment of MBP from Bovine Hypothalamus	16
2.2	Hypothalamic Immunophilin-Receptor of FK-506 Immunosuppressor: FK-506 Binding Protein (FKBP-12–Peptidyl-prolyl-cis-trans isomerase)	18
2.3	The Primary Structure of Hypothalamic Immunophilin	18
2.4	Iphs as Cytokines	19
2.5	Targets of the Iph-Immunosuppressant Complexes	20
2.6	Iphs in the Nervous System	20
2.7	Thymosin β 1 (Ubiquitin) Isolated from the Neurosecretory Granules of Neurohypophysis is Calmodulin Binding Endogenous Protein, a Calmodulin Antagonist	21
2.8	Isoforms of Macrophage Migration Inhibitory Factor in Bovine Brain	22

3 Brain Neuroendocrine Immune System: Neurosecretion of Interleukins and New Cytokines Produced by NSO and NPV of Hypothalamus	25
3.1 Identification of Interleukins 1 α and 1 β in the Lysates of Neurosecretory Granules of Bovine Neurohypophysis and Hypothalamus	25
3.2 Identification of IL-2 in the Neurosecretory Granules of Bovine Neurohypophysis and Hypothalamus	26
3.3 Identification of IL-6 in the Neurosecretory Granules of Bovine Neurohypophysis	27
3.4 Identification of Tumor Necrosis Factor α (TNF- α) in the Neurosecretory Granules of Bovine Hypothalamus and Neurohypophysis	28
3.5 The Neurosecretion of New Cytokines by NSO and NPV of Hypothalamus and Isolation of Proline-rich Peptides from the Neurosecretory Granules of Bovine Neurohypophysis: Primary Structures	33
3.5.1 Isolation and purification of secretory granules	33
3.5.2 Preparation of the Granule Extract	33
3.5.3 Chromatographic Purification	33
3.5.4 N-terminal sequence determination	34
3.6 Breakdown of Galarmin by DPPIV	38
3.7 Detection and Quantification of Galarmin in the Blood Serum of Intact Rats by using Anti-PRP-1 Polyclonal Antiserum	39
4 Antibacterial and Antiviral Activity of PRP-1 (Galarmin) and Some Immunological Mechanisms of its Action	41
4.1 Effects of PRP-1 on the Survival of Mice Infected with Different Strains of Gram-negative and Gram-positive Bacteria at Lethal Doses	45
4.2 Effects of PRP-1 on the Growth of Bacteria in the Internal Organs of Mice Infected with <i>S. typhimurium</i>	45
4.3 Effects of PRP-1 on anti-microbial antibody production in mice infected with <i>S. typhimurium</i> and <i>S. cholerae suis</i> in lethal doses	47
4.4 Effects of PRP-1 on Bactericidal Activity of Macrophages	47
4.5 Effects of PRP-1 on the Secretion of Interleukin-1 by Peritoneal Macrophages of Mice Infected with <i>S. typhimurium</i> in Sublethal Doses	48
4.6 Effects of PRP-1 on the Antigen-presenting Function of Macrophages in Mice Infected with <i>S. typhimurium</i>	48
4.7 Effects of PRP-1 on the Accumulation of Macrophages in Peritoneal Cavities of Mice Infected with <i>S. typhimurium</i>	49
4.8 Effects of PRP-1 on the Viability of Macrophages in Mice Infected with <i>S. typhimurium</i>	49
4.9 Effects of PRP-1 on Interferon- γ (IFN- γ) Biosynthesis in Human Mononuclear Cells and the Replication of Encephalomyocarditis Virus in Cell Culture	52

5 Treatment and Prophylaxis of Anthrax by Galarmin: Receptor Tyrosine Kinases is a Target of Galarmin	57
5.1 Treatment of Non-pathogen, Inbred White Mice Infected by Spores of Anti-anthrax Strain N55 vaccine by G_x -NH ₂ ; Growing the Anti-anthrax Strain N55 Vaccine Microorganisms in Solid and Liquid Nutrient Medium	62
5.2 Detection of Antimicrobial Effects of G_x -NH ₂ in Vitro	64
5.3 The Therapeutic Properties of G_x -NH ₂ Preparation in Mice Infected by Strain N55 Microorganisms	64
5.4 Changes after CPA and Galarmin Injection	70
5.5 The Activity of Tyrosine Kinase Inhibitor Genistein on Anthrax	71
5.6 Conclusion	73
6 Prophylaxis and Treatment of Methicillin-Resistant <i>Staphylococcus Aureus</i> (MRSA) Infection with Proline-Rich Polypeptides Galarmin and its Structural Analogues in an Experimental Murine Model	75
6.1 Methicillin-resistant <i>Staphylococcus aureus</i> : An Overview of the Problem	75
6.2 New brain cytokines: hypothalamic proline-rich polypeptides	77
6.3 Experimental Procedure and Design	78
6.3.1 Bacterial strains and growth conditions	78
6.3.2 Polypeptides	78
6.3.3 Animals and infection model	79
6.4 Evaluation of Antibacterial Activity of Galarmin and its Analogues in Vitro	79
6.4.1 Collection of blood for complete blood count	80
6.4.2 Determination of cytokine, immunoglobulins and complement components levels in serum	80
6.4.3 Statistical analysis	81
6.5 Experimental Results and Discussion	81
6.5.1 Antibacterial effect in vivo	81
6.5.2 Impact of PRPs on bacterial load in animal and MRSA virulence	84
6.6 Investigation of the Direct Antibacterial Activity of PRPs in Vitro	87
6.7 The activity of Galarmin and its structural analogues on immunocompetent cells redistribution and complete blood count	87
6.8 The Activity of Galarmin and its Analogues on Cytokines and Chemokines Level	98
6.9 Summary	101
7 Treatment of <i>Clostridium Perfringens</i>-induced Gas Gangrene by New Cytokines of Brain	103
7.1 Conclusion	112
7.2 Effect of Tyrosine Kinase Inhibitor on Infection Enterotoxemia	115
7.3 Study of Inhibitor in Vitro Activity on <i>C. perfringens</i>	118
7.4 Conclusions	119

8 Hypothalamic, Proline-Rich Polypeptide (Galarmin) has Protective and Immunogenic Activity on Experimental <i>Mycobacterium Tuberculosis</i> Infection	121
8.1 Immunity to Experimental Tuberculosis	125
8.2 Adaptive Th1-Mediated Immunity	127
8.3 The Relative Importance of CD8 and CD4 T Cells	127
8.4 Macrophages as the Effectors of Th1 Immunity	128
8.5 Etiotropic Action of PRP-1 (Galarmin)	131
8.6 Effects of PRPs on the Survival of Mice Infected with Highly Pathogenic Strains of <i>M. tuberculosis</i> in Lethal Doses	132
9 Brain–Bone Marrow Neurohumoral Axis: Galarmin Controls Differentiation, Proliferation and Mobilization of Bone Marrow Progenitor cells	137
9.1 Hypothalamic, Proline-rich Polypeptide Regulates Hematopoiesis	137
9.2 PRP-1 Influence on the Redistribution of Cell Populations Between Bone Marrow (BM) and Peripheral Blood (PB) In Vivo	138
9.3 Influence of PRP-1 on Cell Colony Formation In Vivo and In Vitro in Rat BM	139
9.4 PRP-1 Influence on Colony Formation of Human Cord Blood CD34 ⁺ Progenitor Cells	140
9.5 Galarmin (PRP-1) Has Opposite Effects on the Proliferation of Human Normal Bone Marrow Stromal Cells and Human Giant-cell Tumor Stromal Cells	143
10 Antioxidant-Antiradical and Electron Donating Function of Galarmin and Gx-NH₂	153
10.1 Oxygen Evolution Experiments	154
10.2 Free Radical Scavenging Method	155
10.3 Electrochemical Measurements	155
10.4 EPR Measurements	156
10.5 Determination of Oxygen Evolution at Hydrogen Peroxide Decomposition in the Absence or Presence of Copper (II) Dichloride and Antioxidants	156
10.6 Study of the Complex Formation Between Cu(II) and both Galarmin and Gx-NH ₂ using EPR Spectrometry	157
11 Discussion	163
12 Summary	171
References	173
Index	197