

Contents

<i>List of Contributors</i>	xv
<i>Preface</i>	xvii
1. Single-screw Extrusion: Principles	1
<i>Keith Luker</i>	
1.1 Introduction	1
1.2 Ideal Compounding	2
1.3 Basics of the Single-screw Extruder	3
1.3.1 Screw Feed Section	5
1.3.2 Screw Compressor Section	9
1.3.3 Screw Metering Section	11
1.3.4 Mixers	11
1.3.5 Limitations of Conventional Single-screw Mixers	13
1.4 SSE Elongational Mixers	13
1.5 Summary	20
References	21
2. Twin-screw Extruders for Pharmaceutical Hot-melt Extrusion: Technology, Techniques and Practices	23
<i>Dirk Leister, Tom Geilen and Thobias Geissler</i>	
2.1 Introduction	23
2.2 Extruder Types and Working Principle	24
2.3 Individual Parts of a TSE	25
2.3.1 Drive Unit	25
2.3.2 Screws	25
2.3.3 Screw Elements	27
2.3.4 Distributive Flow Elements	28
2.3.5 Discharge Feed Screw	28
2.3.6 Barrel	29
2.4 Downstreaming	30
2.5 Individual Processing Sections of the TSE	31
2.5.1 Feeding Section	32
2.5.2 Conveying/Melting Section	32
2.5.3 Mixing Section	33
2.5.4 Venting Section	33

viii Contents

2.5.5	Extrusion Section	33
2.6	Feeding of Solids	34
2.7	TSE Operating Parameters	34
2.7.1	Filling Level	36
2.7.2	Screw Speed	36
2.7.3	Feed Rate	37
2.7.4	Residence Time Distribution	37
2.7.5	Effect of Screw Speed and Feed Rate on Melt Temperature	39
2.8	Setting up an HME Process using QbD Principles	40
2.8.1	Understanding Knowledge Space	40
2.8.2	Defining Design Space	40
2.8.3	Determining Control Space	41
2.9	Summary	42
	References	42
3.	Hot-melt Extrusion Developments in the Pharmaceutical Industry	43
	<i>Ana Almeida, Bart Claeys, Jean Paul Remon and Chris Vervaet</i>	
3.1	Introduction	43
3.2	Advantages of HME as Drug Delivery Technology	44
3.3	Formulations used for HME Applications	45
3.3.1	Active Pharmaceutical Ingredient	46
3.3.2	Solid Dispersions	48
3.3.3	Bioavailability Improvement	49
3.3.4	Controlled Delivery Systems	51
3.3.5	Plasticizers	53
3.4	Characterization of Extrudates	55
3.4.1	Thermal Analysis	55
3.4.2	Atomic Force Microscopy	56
3.4.3	Residence Time	57
3.4.4	Spectroscopic Techniques	57
3.4.5	X-ray Diffraction (XRD)	58
3.4.6	Microscopy	58
3.4.7	Drug Release	58
3.5	Hot-melt Extruded Dosage Forms	58
3.5.1	Oral Drug Delivery	59
3.5.2	Films	61
3.5.3	Vaginal Rings and Implants	61
3.6	A View to the Future	63
	References	64
4.	Solubility Parameters for Prediction of Drug/Polymer Miscibility in Hot-melt Extruded Formulations	71
	<i>Andreas Gryczke</i>	
4.1	Introduction	71
4.2	Solid Dispersions	72

4.3	Basic Assumptions for the Drug–polymer Miscibility Prediction	77
4.4	Solubility and the Flory–Huggins Theory	78
4.5	Miscibility Estimation of Drug and Monomers	83
4.6	Summary	89
	References	90
5.	The Influence of Plasticizers in Hot-melt Extrusion	93
	<i>Geert Verreck</i>	
5.1	Introduction	93
5.2	Traditional Plasticizers	94
5.3	Non-traditional Plasticizers	95
5.4	Specialty Plasticizers	104
5.5	Conclusions	107
	References	108
6.	Applications of Poly(meth)acrylate Polymers in Melt Extrusion	113
	<i>Kathrin Nollenberger and Jessica Albers</i>	
6.1	Introduction	113
6.2	Polymer Characteristics	116
6.2.1	Chemical Structure and Molecular Weight	116
6.2.2	Glass Transition Temperature	119
6.2.3	Plasticizers	120
6.2.4	Thermostability	121
6.2.5	Viscosity	122
6.2.6	Specific Heat Capacity	124
6.2.7	Hygroscopicity	126
6.3	Melt Extrusion of Poly(methacrylates) to Design Pharmaceutical Oral Dosage Forms	128
6.4	Solubility Enhancement	128
6.5	Bioavailability Enhancement of BCS Class IV Drugs	132
6.5.1	Controlled Release	135
6.5.2	Time-controlled-release Dosage Forms	136
6.5.3	pH-dependent Release	138
6.5.4	Taste Masking	139
6.6	Summary	140
	References	140
7.	Hot-melt Extrusion of Ethylcellulose, Hypromellose and Polyethylene Oxide	145
	<i>Mark Hall and Michael Read</i>	
7.1	Introduction	145
7.2	Background	146

x Contents

7.3	Thermal Properties	147
7.4	Processing Aids/Additives	147
7.5	Unconventional Processing Aids: Drugs, Blends	149
7.6	Case Studies	151
7.6.1	Ethylcellulose	151
7.6.2	Combinations of Excipients	151
7.6.3	Solubilization	155
7.6.4	Film	159
7.6.5	Unique Dosage Forms	163
7.6.6	Abuse Resistance	163
7.6.7	Controlled Release	164
7.6.8	Solubility Parameters	166
7.7	Milling of EC, HPMC and PEO Extrudate	168
	References	170
8.	Bioadhesion Properties of Polymeric Films Produced by Hot-melt Extrusion	177
	<i>Joshua Boateng and Dennis Douroumis</i>	
8.1	Introduction	177
8.2	Anatomy of the Oral Cavity and Modes of Drug Transport	180
8.2.1	Structure	180
8.2.2	Modes of Drug Transport and Kinetics	180
8.2.3	Factors Affecting Drug Absorption	181
8.3	Mucoadhesive Mechanisms	182
8.4	Factors Affecting Mucoadhesion in the Oral Cavity	183
8.5	Determination of Mucoadhesion and Mechanical Properties of Films	183
8.6	Bioadhesive Films Prepared by HME	184
8.7	Summary	194
	References	194
9.	Taste Masking Using Hot-melt Extrusion	201
	<i>Dennis Douroumis, Marion Bonnefille and Attila Aranyos</i>	
9.1	The Need and Challenges for Masking Bitter APIs	201
9.2	Organization of the Taste System	203
9.2.1	Taste Perception in Humans and Organization of Peripheral System	203
9.2.2	Transduction of Taste Signals	205
9.3	Taste Sensing Systems (Electronic Tongues) for Pharmaceutical Dosage Forms	206
9.3.1	Alpha MOS Electronic Tongue: Instrumentation and Operational Principles	206
9.3.2	Taste Analysis	208
9.3.3	Taste Masking Efficiency Testing	209
9.3.4	Advantages of E-tongue Taste Analysis	211

9.4	Hot-melt Extrusion: An Effective Means of Taste Masking	212
9.4.1	Taste Masking via Polymer Extrusion	212
9.4.2	Taste Masking via Solid Lipid Extrusion	216
9.5	Summary	219
	References	219
10.	Clinical and Preclinical Studies, Bioavailability and Pharmacokinetics of Hot-melt Extruded Products	223
	<i>Sandra Guns and Guy Van den Mooter</i>	
10.1	Introduction to Oral Absorption	223
10.2	In Vivo Evaluation of Hot-melt Extruded Solid Dispersions	225
10.2.1	Oral Immediate Release	225
10.2.2	Oral Controlled Release	232
10.2.3	Implants	233
10.3	Conclusion	234
	References	234
11.	Injection Molding and Hot-melt Extrusion Processing for Pharmaceutical Materials	239
	<i>Pernille Høyrup Hemmingsen and Martin Rex Olsen</i>	
11.1	Introduction	239
11.2	Hot-melt Extrusion in Brief	240
11.3	Injection Molding	241
11.4	Critical Parameters	242
11.4.1	Melt Temperature	242
11.4.2	Barrel Temperature	243
11.4.3	Cooling Temperature	243
11.4.4	Holding Pressure	243
11.4.5	Holding Time	243
11.4.6	Back Pressure	244
11.4.7	Injection Speed	244
11.4.8	Cooling Time/Cycle Time	244
11.5	Example: Comparison of Extruded and Injection-molded Material	245
11.6	Development of Products for Injection Molding	246
11.6.1	Excipients	246
11.6.2	Stability	248
11.6.3	Process Development	248
11.7	Properties of Injection-molded Materials	251
11.7.1	Egalet® Technology	251
11.7.2	Controlling Physical State by Means of Hot-melt Extrusion and Injection Molding	253
11.7.3	Anti-tamper Properties of Injection-molded Tablets	254
11.8	Concluding Remarks	257
	References	257

xii Contents

12. Laminar Dispersive and Distributive Mixing with Dissolution and Applications to Hot-melt Extrusion	261
<i>Costas G. Gogos, Huiju Liu and Peng Wang</i>	
12.1 Introduction	261
12.2 Elementary Steps in HME	263
12.2.1 Particulate Solids Handling (PSH)	263
12.2.2 Melting	263
12.2.3 Devolatilization	264
12.2.4 Pumping and Pressurization	265
12.3 Dispersive and Distributive Mixing	265
12.4 HME Processes: Cases I and II	265
12.4.1 Case I	266
12.4.2 Case II	268
12.5 Dissolution of Drug Particulates in Polymeric Melt	270
12.5.1 Process Variables	270
12.5.2 Equipment Variables	273
12.5.3 Material Variables	275
12.6 Case Study: Acetaminophen and Poly(ethylene oxide)	278
12.7 Determination of Solubility of APAP in PEO	280
References	282
13. Technological Considerations Related to Scale-up of Hot-melt Extrusion Processes	285
<i>Adam Dreiblatt</i>	
13.1 Introduction	285
13.2 Scale-up Terminology	287
13.2.1 Scale-up: Batch Size	287
13.2.2 Scale-up: Feed Rate	288
13.2.3 Scale-up: Extruder Diameter	290
13.3 Volumetric Scale-up	290
13.3.1 Volumetric Scale-up: Length/Diameter (L/D)	292
13.3.2 Volumetric Scale-up: Diameter Ratio	292
13.3.3 Volumetric Scale-up: Screw Design	294
13.4 Power Scale-up	296
13.5 Heat Transfer Scale-up	298
13.6 Die Scale-up	299
13.7 Conclusion	299
References	300
14. Devices and Implant Systems by Hot-melt Extrusion	301
<i>Andrew Loxley</i>	
14.1 Introduction	301
14.2 HME in Device Development	302
14.3 Hot-melt Extruder Types	303

14.4	Comparison of HME Devices and Oral Dosage Forms	305
14.5	HME Processes for Device Fabrication	306
14.5.1	Issues with HME in preparing Drug-eluting Devices	308
14.6	Devices and Implants	310
14.6.1	Anatomical Device Locations	310
14.6.2	Simple Devices	310
14.6.3	Non-medicated Prolonged Tissue Contact Devices	312
14.6.4	Medicated (Drug-eluting) Prolonged Tissue Contact Devices	313
14.7	Release Kinetics	318
14.7.1	Mechanisms of API Release	318
14.7.2	Example In Vitro Drug Elution Profiles	319
14.8	Conclusions	321
	References	321
15.	Hot-melt Extrusion: An FDA Perspective on Product and Process Understanding	323
	<i>Abhay Gupta and Mansoor A. Khan</i>	
15.1	Introduction	323
15.2	Quality by Design	325
15.3	Utilizing QbD for HME Process Understanding	328
	References	331
16.	Improved Process Understanding and Control of a Hot-melt Extrusion Process with Near-Infrared Spectroscopy	333
	<i>Chris Heil and Jeffrey Hirsch</i>	
16.1	Vibrational Spectroscopy Introduction	333
16.2	Near-infrared Method Development	339
16.3	Near-infrared Probes and Fiber Optics	344
16.4	NIR for Monitoring the Start-up of a HME Process	347
16.5	NIR for Improved Process Understanding and Control	350
	References	353
	<i>Index</i>	355

P1: TIX/XYZ

P2: ABC

JWST166-fm

JWST166-Douroumis

March 6, 2012

14:11

Printer: Yet to come

Trim: 244mm × 168mm