

Contents

<i>Preface</i>	<i>page xi</i>
<i>List of Symbols</i>	<i>xiii</i>
1 Introduction	1
2 Displacements, Strains, and Stresses	3
2.1 Strain–Displacement Relations	4
2.2 Equilibrium Equations	6
2.3 Stress-Strain Relationships	8
2.3.1 Generally Anisotropic Material	8
2.3.2 Monoclinic Material	11
2.3.3 Orthotropic Material	14
2.3.4 Transversely Isotropic Material	19
2.3.5 Isotropic Material	20
2.4 Plane–Strain Condition	22
2.4.1 Free End – Generally Anisotropic Material	28
2.4.2 Free End – Monoclinic Material	30
2.4.3 Free End – Orthotropic, Transversely Isotropic, or Isotropic Material	34
2.4.4 Built-In Ends – Generally Anisotropic Material	35
2.4.5 Built-In Ends – Monoclinic Material	36
2.4.6 Built-In Ends – Orthotropic, Transversely Isotropic, or Isotropic Material	38
2.5 Plane-Stress Condition	38
2.6 Hygrothermal Strains and Stresses	44
2.6.1 Plane-Strain Condition	47
2.6.2 Plane-Stress Condition	47
2.7 Boundary Conditions	47
2.8 Continuity Conditions	48
2.9 Stress and Strain Transformations	49
2.9.1 Stress Transformation	50
2.9.2 Strain Transformation	52
2.9.3 Transformation of the Stiffness and Compliance Matrices	53

2.10 Strain Energy	55
2.10.1 The Ritz Method	55
2.11 Summary	56
2.11.1 Note on the Compliance and Stiffness Matrices	56
3 Laminated Composites	63
3.1 Laminate Code	63
3.2 Stiffness Matrices of Thin Laminates	65
3.2.1 The Significance of the $[A]$, $[B]$, and $[D]$ Stiffness Matrices	72
3.2.2 Stiffness Matrices for Selected Laminates	74
4 Thin Plates	89
4.1 Governing Equations	90
4.1.1 Boundary Conditions	92
4.1.2 Strain Energy	92
4.2 Deflection of Rectangular Plates	93
4.2.1 Pure Bending and In-Plane Loads	93
4.2.2 Long Plates	94
4.2.3 Simply Supported Plates – Symmetrical Layup	100
4.2.4 Plates with Built-In Edges – Orthotropic and Symmetrical Layup	107
4.3 Buckling of Rectangular Plates	112
4.3.1 Simply Supported Plates – Symmetrical Layup	112
4.3.2 Plates with Built-In and Simply Supported Edges – Orthotropic and Symmetrical Layup	118
4.3.3 Plates with One Free Edge – Orthotropic and Symmetrical Layup	124
4.3.4 Plates with Rotationally Restrained Edges – Orthotropic and Symmetrical Layup	127
4.3.5 Long Plates	132
4.4 Free Vibration of Rectangular Plates	141
4.4.1 Long Plates	141
4.4.2 Simply Supported Plates – Symmetrical Layup	144
4.4.3 Plates with Built-In and Simply Supported Edges – Orthotropic and Symmetrical Layup	149
4.5 Hygrothermal Effects	151
4.5.1 Change in Thickness Due to Hygrothermal Effects	161
4.6 Plates with a Circular or an Elliptical Hole	163
4.7 Interlaminar Stresses	166
5 Sandwich Plates	169
5.1 Governing Equations	170
5.1.1 Boundary Conditions	172
5.1.2 Strain Energy	173
5.1.3 Stiffness Matrices of Sandwich Plates	174
5.2 Deflection of Rectangular Sandwich Plates	178
5.2.1 Long Plates	178
5.2.2 Simply Supported Sandwich Plates – Orthotropic and Symmetrical Layup	182

CONTENTS

vii

5.3 Buckling of Rectangular Sandwich Plates	185
5.3.1 Long Plates	185
5.3.2 Simply Supported Plates – Orthotropic and Symmetrical Layup	187
5.3.3 Face Wrinkling	190
5.4 Free Vibration of Rectangular Sandwich Plates	196
5.4.1 Long Plates	196
5.4.2 Simply Supported Plates – Orthotropic and Symmetrical Layup	199
6 Beams	203
6.1 Governing Equations	203
6.1.1 Boundary Conditions	205
6.1.2 Stiffness Matrix	205
6.1.3 Compliance Matrix	209
6.1.4 Replacement Stiffnesses	210
6.2 Rectangular, Solid Beams Subjected to Axial Load and Bending	210
6.2.1 Displacements – Symmetrical Layup	211
6.2.2 Displacements – Unsymmetrical Layup	213
6.2.3 Stresses and Strains	214
6.3 Thin-Walled, Open-Section Orthotropic or Symmetrical Cross-Section Beams Subjected to Axial Load and Bending	217
6.3.1 Displacements of T-Beams	217
6.3.2 Displacements of L-Beams	221
6.3.3 Displacements of Arbitrary Cross-Section Beams	226
6.3.4 Stresses and Strains	233
6.4 Thin-Walled, Closed-Section Orthotropic Beams Subjected to Axial Load and Bending	243
6.5 Torsion of Thin-Walled Beams	248
6.5.1 Thin Rectangular Cross Section	248
6.5.2 Open-Section Orthotropic Beams	250
6.5.3 Closed-Section Orthotropic Beams – Single Cell	252
6.5.4 Closed-Section Orthotropic Beams – Multicell	260
6.5.5 Restrained Warping – Open-Section Orthotropic Beams	261
6.5.6 Restrained Warping – Closed-Section Orthotropic Beams	264
6.6 Thin-Walled Beams with Arbitrary Layup Subjected to Axial Load, Bending, and Torsion	265
6.6.1 Displacements of Open- and Closed-Section Beams	267
6.6.2 Stresses and Strains in Open- and Closed-Section Beams	268
6.6.3 Centroid	271
6.6.4 Restrained Warping	271
6.7 Transversely Loaded Thin-Walled Beams	274
6.7.1 Beams with Orthotropic Layup or with Symmetrical Cross Section	276
6.7.2 Beams with Arbitrary Layup	280
6.7.3 Shear Center	283
6.8 Stiffened Thin-Walled Beams	288

6.9 Buckling of Beams	290
6.9.1 Beams Subjected to Axial Load (Flexural–Torsional Buckling)	291
6.9.2 Lateral–Torsional Buckling of Orthotropic Beams with Symmetrical Cross Section	296
6.9.3 Local Buckling	300
6.10 Free Vibration of Beams (Flexural–Torsional Vibration)	306
6.10.1 Doubly Symmetrical Cross Sections	306
6.10.2 Beams with Symmetrical Cross Sections	309
6.10.3 Beams with Unsymmetrical Cross Sections	309
6.11 Summary	312
7 Beams with Shear Deformation	313
7.1 Governing Equations	314
7.1.1 Strain–Displacement Relationships	315
7.1.2 Force–Strain Relationships	315
7.1.3 Equilibrium Equations	320
7.1.4 Summary of Equations	320
7.1.5 Boundary Conditions	321
7.2 Stiffnesses and Compliances of Beams	321
7.2.1 Shear Stiffnesses and Compliances of Thin-Walled Open-Section Beams	322
7.2.2 Shear Stiffnesses and Compliances of Thin-Walled Closed-Section Beams	325
7.2.3 Stiffnesses of Sandwich Beams	326
7.3 Transversely Loaded Beams	329
7.4 Buckling of Beams	334
7.4.1 Axially Loaded Beams with Doubly Symmetrical Cross Sections (Flexural and Torsional Buckling)	335
7.4.2 Axially Loaded Beams with Symmetrical or Unsymmetrical Cross Sections (Flexural–Torsional Buckling)	341
7.4.3 Lateral–Torsional Buckling of Beams with Symmetrical Cross Section	345
7.4.4 Summary	346
7.5 Free Vibration of Beams	347
7.5.1 Beams with Doubly Symmetrical Cross Sections	347
7.5.2 Beams with Symmetrical or Unsymmetrical Cross Sections	356
7.5.3 Summary	359
7.6 Effect of Shear Deformation	359
8 Shells	365
8.1 Shells of Revolution with Axisymmetrical Loading	367
8.2 Cylindrical Shells	368
8.2.1 Membrane Theory	368
8.2.2 Built-In Ends	370
8.2.3 Temperature – Built-In Ends	379
8.3 Springback	380
8.3.1 Springback of Cylindrical Shells	380
8.3.2 Doubly Curved Shells	384

CONTENTS	ix
8.4 Buckling of Shells	384
8.4.1 Buckling of Cylinders	387
9 Finite Element Analysis	395
9.1 Three-Dimensional Element	396
9.2 Plate Element	397
9.3 Beam Element	397
9.4 Sublaminates	398
9.4.1 Step 1. Elements of $[J]$ due to In-Plane Stresses	400
9.4.2 Step 2. Elements of $[J]$ due to Out-of-Plane Normal Stresses	403
9.4.3 Step 3. Elements of $[J]$ due to Out-of-Plane Shear Stresses	405
9.4.4 Step 4. The Stiffness Matrix	407
10 Failure Criteria	411
10.1 Quadratic Failure Criterion	413
10.1.1 Orthotropic Material	414
10.1.2 Transversely Isotropic Material	420
10.1.3 Isotropic Material	421
10.1.4 Plane-Strain and Plane-Stress Conditions	422
10.1.5 Proportional Loading – Stress Ratio	423
10.2 “Maximum Stress” Failure Criterion	425
10.3 “Maximum Strain” Failure Criterion	426
10.4 Plate with a Hole or a Notch	430
10.4.1 Plate with a Circular Hole	431
10.4.2 Plate with a Notch	434
10.4.3 Characteristic Length	434
11 Micromechanics	436
11.1 Rule of Mixtures	436
11.1.1 Longitudinal Young Modulus E_1	438
11.1.2 Transverse Young Modulus E_2	439
11.1.3 Longitudinal Shear Modulus G_{12}	439
11.1.4 Transverse Shear Modulus G_{23}	440
11.1.5 Longitudinal Poisson Ratio ν_{12}	441
11.1.6 Transverse Poisson Ratio ν_{23}	442
11.1.7 Thermal Expansion Coefficients	443
11.1.8 Moisture Expansion Coefficients	445
11.1.9 Thermal Conductivity	446
11.1.10 Moisture Diffusivity	447
11.1.11 Specific Heat	448
11.2 Modified Rule of Mixtures	448
11.3 Note on the Micromechanics Models	449
Appendix A. Cross-Sectional Properties of Thin-Walled Composite Beams	453
Appendix B. Buckling Loads and Natural Frequencies of Orthotropic Beams with Shear Deformation	461
Appendix C. Typical Material Properties	464
<i>Index</i>	469