

# Trends in Automotive Research

von

Shahrum Abdullah, Rozli Zulkifli, Sallehuddin Mohamed Haris, Mohd Zaki Nuawi, Zulkifli Mohd Nopiah, Azli Arifin, Wan Mohd Faizal Wan Mahmood

1. Auflage

[Trends in Automotive Research – Abdullah / Zulkifli / Haris / et al.](#)

schnell und portofrei erhältlich bei [beck-shop.de](#) DIE FACHBUCHHANDLUNG

Thematische Gliederung:

[Triebwerkstechnik, Energieübertragung](#)

Trans Tech Publications 2012

Verlag C.H. Beck im Internet:

[www.beck.de](http://www.beck.de)

ISBN 978 3 03785 413 6

# Table of Contents

## **Preface, Acknowledgements and Committee**

### **Hydrogen Blended with Gasoline, Diesel, Natural Gas (NGV) as an Alternative Fuel for ICE in Malaysia**

H. Razali, K. Sopian, B. Ali and S. Mat 1

### **Effect of Retrogression Medium to the Mechanical Properties of Aluminum Alloy 7075**

N.G. Yao, B.A.R.M. Warikh, B. Zolkepli, N. Nadiah and S.C. Leng 6

### **Clean Automotive Technology: Hydraulic Hybrid Vehicles (HHVs)**

R.S. Bonab and S. Rahman 12

### **Prediction of Fatigue Crack Propagation of Rail Material Using 2D Finite Element Modeling**

N.A. Akeel, Z. Sajuri and A.K. Ariffin 16

### **Whole Body Vibrations Exposure to Malaysian Driver Using Novel IKaz Method**

A.R. Ismail, M.Z. Nuawi, N.F. Kamaruddin and M.N. Ab Rahman 21

### **Fatigue Life Assessment of Aluminium Alloy 6061 Specimen Using Signal Analysis Approach for Automotive Components**

N.A. Azmir, S. Abdullah and M.M. Padzi 26

### **Effect of Intake Manifold Angle of Port-Fuel Injection Retrofit-Kit to the Performances of an S.I. Engine**

M.F. Hushim, A.J. Alimin and M.F. Mansor 31

### **New In-Wheel Electric Motor Design for Small Electric Vehicle Using Opera2D**

M. Reza and D. Ishak 38

### **Experimental and Numerical Analysis of Lift and Drag Force of Sedan Car Spoiler**

A.R. Norwazan, A.J. Khalid, A.K. Zulkiffli, O. Nadia and M.N. Fuad 43

### **Power Analysis of Light Electric Vehicles Using Fundamental Calculations**

M. Sabri and M. Reza 48

### **Homogenous Charge Compression Ignition (HCCI) Technique: A Review for Application in Two-Stroke Gasoline Engines**

M.A. Amin and A.A. Azhar 53

### **Effects of Pad Surface Topography on Disc Brake Squeal**

A.R. Mat Lazim, M.K. Abdul Hamid and A.R. Abu Bakar 58

### **Automotive Noise Insulation Composite Panel Using Natural Fibres with Different Perforation Areas**

R. Zulkifli, T.K. Thye, M.F.M. Tahir, A.R. Ismail and M.J.M. Nor 63

### **Structural Modification of Disc Brake Judder Using Finite Element Analysis**

M.E. Bengsoon, A.R. Abu Bakar and M.K. Abdul Hamid 68

### **Design and Development of Simple Control System for Small Hybrid Electric Vehicle**

D.A. Sumarsono, D.W. Utama and G. Kiswanto 73

### **Corrosion Effect on Car Welded Jointed in Terms of Sea Environment Effect**

M.F. Abdullah, M.F. Idris, A.Z.A. Kamal, Z.A. Kadir, M. Gunasilan and M.F.M. Yusoff 78

### **Experimental and Analytical Durability Assessment of SAE 1045 Steel under Service Loadings**

N.A. Kadhim, S. Abdullah, A.K. Ariffin and N. Nikabdullah 83

### **Microstructural Characterization of ZrO<sub>2</sub> Layer Coating on Martensitic Stainless Steel**

S.H.M. Salleh, M.Z. Omar, M.N. Derman and S.S. Che Abdullah 88

### **Accurate Prediction of Springback in Forming of BIW Parts**

N.A.K. Bashah, A. Zakaria, K.Z. Kamarulzaman, A. Mobin, M.S.M.A. Lazat, N. Muhamad and B.M. Deros 93

### **New Concept for Reducing Wire-Harness and Implementing Advanced Facilities for Non-Luxury Vehicles via Application of POF**

M.S. Ab-Rahman, F.N. Khamene and H. Guna 98

### **MFI Zeolite Membrane from Rice Husk for Biofuels Production**

B. Jufriadi, H. Saputra and A.G.E. Sutjipto 104

### **Verification of 14DOF Full Vehicle Model Based on Steering Wheel Input**

Z.A. Kadir, K. Hudha, F. Ahmad, M.F. Abdullah, A.R. Norwazan, M.Y. Mohd Fazli, A.J. Khalid and M. Gunasilan 109

|                                                                                                                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Mathematical Model of Eco-Driving for Energy Optimization for Electric Vehicle</b><br>M.M. Ridzuan, A. Alias and N.N.I. Rumzi                                                                                                          | 114 |
| <b>Comparing the Effects of Hydrogen Addition on Performance and Exhaust Emission in a Spark Ignition Fueled with Gasoline and CNG</b><br>J. Zareei, H. Yusoff Ali, S. Abdullah and F.W. Mahmood                                          | 120 |
| <b>Development of 2D Image Capture Method Software for Recognizing Drivers' Postural Angles</b><br>D. Mohamad, B. Md Deros and D.A. Wahab                                                                                                 | 125 |
| <b>Impact Response of Thin-Walled Tubes: A Prospective Review</b><br>F. Mat, K.A. Ismail, S. Yaacob and O. Inayatullah                                                                                                                    | 130 |
| <b>Characterisation of the Sound and Vibration Signal of Impact Testing on Automotive Component Materials</b><br>A.R. Bahari, M.Z. Nuawi, S. Abdullah, A.K.A.M. Ihsan and M.B. Ali                                                        | 135 |
| <b>A Study on Validation of Fatigue Damage Clustering Analysis Technique Based on Clustering Validation Index</b><br>M.N. Baharin, Z.M. Nopiah, S. Abdullah and M.S.M. Noor                                                               | 140 |
| <b>Experimental Study of an Internal Heat Exchanger Influence on R134a Automobile Air Conditioning System</b><br>S. Bahrami, H.M. Beigi and M.H. Sabour                                                                                   | 145 |
| <b>Underhood Fluid Flow and Thermal Analysis for Passenger Vehicle</b><br>Y. Lukeman, F.Y. Lim, S. Abdullah, R. Zulkifli, A. Shamsudeen and M. Khatim Hasan                                                                               | 150 |
| <b>Nonlinear State Estimation of Tire-Road Contact Forces Using a 14 DoF Vehicle Model</b><br>L. Louis and D. Schramm                                                                                                                     | 155 |
| <b>Experimental Investigation on the Effect of Container Geometry Change to Liquid Sloshing</b><br>I.M.A. Mohd, M.N.A. Nordin, M.S. Mahmud, A. Putra, A.M. Fudhail, M.R.M. Zin, N. Razali, M.A. Shaharuzaman and N.R. Mat Nuri            | 160 |
| <b>Noise, Vibration and Harshness (NVH) Study on Malaysian Armed Forces (MAF) Tactical Vehicle</b><br>S.A. Ab Aziz, R. Mohd Sohaimi, M.H. Pu'ad and M.A. Mohd Yaman                                                                       | 165 |
| <b>Vehicle Speed Control Using Gain Scheduling PID Controller</b><br>F.A.A. Kadir, K. Hudha and M.Z.M. Nasir                                                                                                                              | 170 |
| <b>Wet Sump Design for a FSAE Racing Car</b><br>A. Sethi                                                                                                                                                                                  | 175 |
| <b>Investigation of Energy Absorbed from an Instrumented Charpy Impact on Automotive Specimens</b><br>M.B. Ali, S. Abdullah, M.Z. Nuawi and A.K. Ariffin                                                                                  | 182 |
| <b>Sensitivity of Modeling in Sheet Metal Three-Point Cyclic Bending</b><br>M.R. Jamli, A.K. Ariffin, D.A. Wahab, A.E. Ismail and I.A. Shah                                                                                               | 187 |
| <b>Modelling, Simulation and Validation of 9 DOF Vehicles Model for Automatic Steering System</b><br>M.Z.M. Nasir, K. Hudha, M.Z. Amir and F.A.A. Kadir                                                                                   | 192 |
| <b>Vibration Analysis of Blocked Circular Pipe Flow</b><br>L. Tajul, H. Hadi and M.R. Roslan                                                                                                                                              | 197 |
| <b>Design and Development of UTeM Perodua Eco-Challenge Vehicle</b><br>M.A.A. Alfaiz, M.H.M. Zahir, M.T. Musthafah, R. Herdy, M.A. Shaharuzaman and M.R. Mansor                                                                           | 202 |
| <b>Analysis on Impact Performance of Aluminum Automotive Side Member</b><br>M.S. Salwani, A. Ali, B.B. Sahari, A.A. Nuraini, A.A. Faieza, T.H. Tuan Ismail, J.M. Nursherida, A. Azizi, N.M. Safar, S.A. Satuan, S. Mohamad and N. Muhamed | 209 |
| <b>Modelling of a Twin-Track Vehicle Model with Modular Wheel Suspensions</b><br>M. Unterreiner and D. Schramm                                                                                                                            | 214 |
| <b>Elevated Temperature Fatigue Fracture Behaviour of Aluminium Alloy Subjected to Spectrum Loadings</b><br>K.A. Zakaria, S. Abdullah, M.J. Ghazali and C.H. Azhari                                                                       | 219 |
| <b>Automotive Ecosystem in Malaysia – A Conceptual Model to Explain Vehicle Ownership and Car Maintenance Issues</b><br>Z.M. Jawi, F. Lamin, A.R.A. Manap, F. Abbas, K.A. Abu Kassim and S.V. Wong                                        | 224 |
| <b>Feature Selection for Fatigue Segment Classification System Using Elitist Non-Dominated Sorting in Genetic Algorithm</b><br>M.H. Osman, Z.M. Nopiah and S. Abdullah                                                                    | 232 |

|                                                                                                                                                                                                                                                                             |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Novel Design of Impact Attenuator for an 'Eco Challenge' Car</b><br>A.R.A. Ghani, R. Kasiran, M.S. Adenan, M.H. Mat, R.E.M. Nasir, M.F. Mohamad and W.A.N. Wan Mohamed                                                                                                   | 237 |
| <b>A Comparative Study on the Effect of Air Gap on Sound Transmission Loss Provided by Double Glazed Panels</b><br>Z. Harun, E. Awad, M.J.M. Nor and M. Razi                                                                                                                | 242 |
| <b>Impact Performance of Low Carbon Steel Safety Beams for Car Doors</b><br>A.A. Lashlem, D. Abd Wahab, S. Abdullah and C.H. Che Haron                                                                                                                                      | 247 |
| <b>Review on the Application of Driving Simulators for Research and Training Activities in Malaysia</b><br>M.Q.M. Ariffin, R. Ilyas, M.M.S. Firdaus, N. Borhan and M.H.M. Saad                                                                                              | 252 |
| <b>Car Body and Chassis Development of UKM CAREvo for Perodua Eco-Challenge 2011</b><br>W.M.W.M. Faizal, M.S. Mohd Anas, M.F.M. Tahir, A. Ariffin, R. Zulkifli, N. Jamaludin, M.H. Sallehuddin, R. Ramli, S. Abdullah, S. Abdullah and A. Shamsudeen                        | 260 |
| <b>Determination of Leg Injury Criteria Subjected to Frontal Impacts</b><br>J.M. Nursherida, A.A. Nuraini, B.B. Sahari, A. Ali, A.A. Faieza, T.H.T. Ismail, A. Azim, M.S. Salwani, M.S. Nabilah, S.S. Aini, M. Shahril and M.H. Norhidayah                                  | 265 |
| <b>Performance of Hood System and Head Injury Criteria Subjected to Frontal Impacts</b><br>J.M. Nursherida, B.B. Sahari, A.A. Nuraini, A. Ali, A.A. Faieza, T.H. Tuan Ismail, A. Azizi, M.S. Salwani, M.S. Nabilah, S.S. Aini, M. Shahril and M.H. Norhidayah               | 270 |
| <b>Introducing Fatigue Contour Plot in LS-Pre Post LSDYNA Finite Element Crash Simulation Software</b><br>S.S. Aini, B.B. Sahari, A. Ali, A.A. Nuraini, A.A. Faieza, T.H. Tuan Ismail, M. Shahril, M.S. Nabilah, M.S. Salwani, J.M. Nursherida, A. Azim and M.H. Norhidayah | 275 |
| <b>Performance of Aluminium Alloy Side Door Subjected to Pole Impact Test</b><br>A. Azim, A. Ali, B.B. Sahari, A.A. Nuraini, A.A. Faieza, T.H.T. Ismail, M.S. Salwani, J.M. Nursherida, M.S. Nabilah, S.S. Aini, M. Shahril and M.H. Norhidayah                             | 280 |
| <b>Ductile Failure Prediction of Spot Welded Lap Joint</b><br>A.A. Borhana, A.T. Mohamad, A. Abdul-Latif, Z. Ahmad, A. Ayob and M.N. Tamin                                                                                                                                  | 285 |
| <b>Quality Improvement in Three-Way Catalytic Converter (TWC) System Using Failure Mode and Effect Analysis (FMEA) Methodology</b><br>S.N. Syed Bahari and W.A. Wan Yusoff                                                                                                  | 290 |
| <b>Effect of Load Carriage on the Backpack Vibration System</b><br>S.A.A. Rahman, A.S. Rambely and R.R. Ahmad                                                                                                                                                               | 295 |
| <b>Effects of Rim and Web Thicknesses on Root Stresses of Thin-Rimmed Helical Gear</b><br>W.N.I. Helmi, D.M.N.D. Idris, S.M. Hafis, S.S. Che Abdullah, K. Ando, K. Miyachika and T. Koide                                                                                   | 300 |
| <b>A Study on Alternative Fuel Blending for Homogeneous Charge Compression Ignition (HCCI) Engine Using Palm Oil Methyl Ester and RON 97</b><br>A. Awaludin, M.Z. Nuawi, A. Yusoff, F.W.M. Wan Mohd and T.I. Mohamad                                                        | 305 |
| <b>Evaluation of Different Control Policies of Semi-Active MR Fluid Damper of a Quarter-Car Model</b><br>M. Rahman, M. Mahbubur Rashid, A.G.A. Muthalif and B. Kasemi                                                                                                       | 310 |
| <b>Evaluation of Driver's Pre-Driving Skill on a Driving Simulator Using the Intelligent Dynamic Event Classifier (IDEA) Approach</b><br>M.H.M. Saad, A. Hussain, M.F.M. Shukri, M.J.M. Nor and M.R. Rosli                                                                  | 316 |
| <b>Design of Special Purpose off Road Vehicle (SPORV) for Unmanned Ground Vehicle Application</b><br>A.F. Suhaimi, M.H.M. Saad, M.F.M. Shukri, S.A.B.A. Aziz and M.F.M. Yusoff                                                                                              | 323 |
| <b>Quantification of Field of View and Blind Zone Reduction for Safe Driving</b><br>M. Shanmugavel                                                                                                                                                                          | 330 |
| <b>Simulation of Effect of Solder Balls Layout on Warpage and Interfacial Stresses of FBGA</b><br>C.L. Chang, L.C. Chen and P.H. Li                                                                                                                                         | 334 |
| <b>Damage Mechanics Model for Fracture Process of Steel-Concrete Composite Slabs</b><br>M. Joshani, S.S.R. Koloor and R. Abdullah                                                                                                                                           | 339 |
| <b>Low Velocity Impact Induced Delamination Control Using MFC Actuator</b><br>M.S.I. Shaik Dawood, L. Iannucci, E. Greenhalgh and A.K. Ariffin                                                                                                                              | 346 |