

Ultra Clean Processing of Semiconductor Surfaces X

von

Paul Mertens, Marc Meuris, Marc Heyns

1. Auflage

[Ultra Clean Processing of Semiconductor Surfaces X – Mertens / Meuris / Heyns](#)

schnell und portofrei erhältlich bei [beck-shop.de](#) DIE FACHBUCHHANDLUNG

Thematische Gliederung:

[Halbleiter- und Supraleiterphysik](#)

Trans Tech Publications 2012

Verlag C.H. Beck im Internet:

www.beck.de

ISBN 978 3 03785 388 7

Table of Contents

Preface, Committees and Sponsors

Keynote

Exploratory Materials and Devices to Advance CMOS beyond the Classical Si Roadmap M.M. Heyns	3
--	---

Chapter 1: FEOL Surface Chemistry, Etching and Passivation

Scanning Probe Microscopy Imaging before and after Atomic Layer Oxide Deposition on a Compound Semiconductor Surface W. Melitz, J.B. Clemens, J. Shen, E.A. Chagarov, S. Lee, J.S. Lee, J.E. Royer, M. Holland, S. Bentley, D. McIntyre, I. Thayne, R. Droopad and A.C. Kummel	9
--	---

Web Adds

Optimized Post-CMP and Pre-Epi Cleans to Enable Smooth and High Quality Epitaxial Strained Ge Growth on SiGe Strain Relaxed Buffers R. Loo, L. Souriau, P. Ong, K. Kenis and J. Rip	15
Cleaning and Surface Preparation for SiGe and Ge Channel Device M. Wada, H. Takahashi, J. Snow, R. Vos, T. Conard, P.W. Mertens and H. Shirakawa	19
S-Passivation of the Ge Gate Stack Using (NH₄)₂S S. Sioncke, C. Fleischmann, D. Lin, E. Vrancken, M. Caymax, M. Meuris, K. Temst, A. Vantomme, M. Müller, M. Kolbe and B. Beckhoff	23
Wet Chemical Cleaning of InP and InGaAs R. Vos, S. Arnauts, T. Conard, A. Moussa, H. Struyf and P.W. Mertens	27
Achieving Ultra-Shallow Junctions in Future CMOS Devices by a Wet Processing Technique J. Barnett, R. Hill and P. Majhi	33
Effect of Wet Cleanings on GST Surface: XPS Characterization A. Votta, F. Pipia, E. Ravizza, S. Spadoni, S. Rossini, L. Brattico and M. Alessandri	37
Study of the Etching Mechanism of Heavily Doped Si in HF N. Valckx, D. Cuypers, R. Vos, H. Philipsen, J. Rip, G. Doumen, P.W. Mertens, M.M. Heyns and S. de Gendt	41
Study on Al₂O₃ Film in Anhydrous HF Vapor H. Ritala and M. Tuohiniemi	45
Deposition Wet-Etching Deposition (DWD) Method for Polysilicon Gate Fill-In at Flash Memory C.L. Chiang, C.M. Cheng, J.H. Liao, H.J. Lin, C.C. Yeh, J.Y. Hsieh, L.W. Yang, T.H. Yang, K.C. Chen and C.Y. Lu	49
Poly-Silicon Wet Removal for Replacement Gate Integration Scheme: Impact of Process Parameters on the Removal Rate F. Sebaai, A. Veloso, M. Claes, K. Devriendt, S. Brus, P. Absil, P.W. Mertens and S. de Gendt	53
A Hybrid Dry-Wet Approach for Removal of a Dummy Polysilicon Gate in a Replacement Metal Gate Scheme G.Y. Hwang, J.H. Liao, S.F. Tzou, M. Lin, A. Yeh, D. Lou, E. Chen, W. Huang, G. Kamarthy, K.D. Xu and A. Athayde	57

Chapter 2: FEOL: Cleaning- and Drying-Induced Defects: Charging, Collapse of Fragile High Aspect Ratio Structures

Static Charge Induced Damage during Lightly Doped Drain (LDD) by Single Wafer Cleaning Process	
T.M.L. Guo, T.H. Tsai, C.C. Chien, M. Chan, C.L. Yang and J.Y. Wu	63
Surface Charging Induced Gate Oxide Degradation	
C.L. Chiang, C.M. Cheng, J.Y. Hsieh, J.H. Liao, L.W. Yang, T.H. Yang, K.C. Chen and C.Y. Lu	67
Investigation of Wet Clean Induced Dielectric Surface Static Charge and its Impact on Gate Oxide Integrity	
S.W. Lin, V.S. Chang, M. Yeh and E. Houyang	71
Effect of Drying Liquid on Stiction of High Aspect Ratio Structures	
G.H. Kim, S.H. Cho, J.H. Han, Y.B. Lee, C.H. Roh, K. Hong and S.K. Park	75
Elucidation of an Isopropyl Alcohol (IPA) Adsorption Phenomenon on a Wafer Surface for Achieving an Ultra-Clean and IPA-Saving Drying Process in the Batch Cleaning System	
Y. Hagimoto, T. Tetsuka, H. Iwamoto, H. Hyakutake and H. Tanaka	79

Chapter 3: FEOL: Photo Resist Removal

Measurement of Adhesion Force of Resist to Wafer by Using SAICAS: Characteristics of Lift-Off of Resist by Steam-Water Mixed Spray	
T. Mashiko, T. Sanada, H. Horibe, I. Nishiyama, M. Watanabe and A. Hayashida	85
High Temperature SPM Process Study for Stripping of Implanted Photoresist	
M. Yeh, F.Y. Hsu, S.W. Lin, D. Liao, E. Houyang, T.J. Yang, S. Ku and C.M. Yang	89
Study of Controlled Oxygen Diffusion Approaches for Advanced Photoresist Strip	
S.J. Luo, O. Escorcia, D. Mattson, C. Waldfried, D.W. Roh and I. Berry III	93
Non-Oxidizing Solvent-Based Strip of Ion Implanted Photoresist	
D. Tsvetanova, R. Vos, K. Vanstreels, D. Radisic, R. Sonnemans, I. Berry III, C. Waldfried, D. Mattson, J. de Luca, G. Vereecke, P.W. Mertens, T.N. Parac-Vogt and M.M. Heyns	97
All-Wet, Metal-Compatible High-Dose-Implanted Photoresist Strip	
G.G. Totir, M. Khojasteh, R. Nunes, E. Cooper, M. Kern, K. van Berkel, M. Payne, R. Dellaguardia, B. To and S. Maurer	101
Applicable Solvent Photoresist Strip Process for High-K/Metal Gate	
M. Wada, H. Takahashi, J. Snow, R. Vos, P.W. Mertens and H. Shirakawa	105
Study on Resist Removal Using Electrolyzed Sulfuric Acid Solution in Comparison with SPM	
T. Nagai, H. Yamakawa, M. Uchida, T. Ohtsu, N. Ikemiya and H. Morita	109
Using the Background Signal of a Light Scattering Tool for I/I Photo Resist Strip Optimization and Monitoring	
S. Halder, R. Vos, M. Wada, M. Claes, K. Kenis, P.W. Mertens, P. Dighe, S. Radovanovic, G. Simpson and R. Sonnemans	113
Wafer Edge Bead Cleaning with Laser Radiation and Reactive Gas	
D.J. Elliott, V.M. Chaplick, E. Degenkolb, K. Harte and R.P. Millman Jr.	117

Chapter 4: Mechanical Cleaning Forces: Metrology

Effects of Interfacial Strength and Dimension of Structures on Physical Cleaning Window	
T.G. Kim, A. Pacco, K. Wostyn, S. Brems, X.M. Xu, H. Struyf, K. Arstila, B. Vandeveld, J.G. Park, S. de Gendt, P.W. Mertens and M.M. Heyns	123
The Influence of Liquid Media on the Fracture Strength of Polysilicon Nanostructures	
D. Peter, M. Dalmer, A. Lechner, A.M. Gigler, R.W. Stark and W. Bensch	127
Comparisons of Various Physical Cleaning	
S.W. Bae, D.H. Kang, H.S. Lee, K.T. Lee and Y.S. Koh	131

Chapter 5: Chemical Mechanical Cleaning: Liquid Aerosol Cleaning

Effects of Target Compliance on a High-Speed Droplet Impact	
T. Sanada, K. Ando and T. Colonius	137

Order Estimation of Physical Processes in Dynamics of Steam-Water Mixed Spray Cleaning Technique

M. Watanabe, T. Sanada, T. Mashiko and A. Hayashida 141

Thermomechanical Resist Removal-Cleaning System Using Cryogenic Micro-Slush Jet

J. Ishimoto, D. Tan, H. Ohtake and S. Samukawa 145

Uniformity of Particle Removal by Aerosol Spray

X.M. Xu, A. Pacco, M. Wada, L. Leunissen, H. Struyf and P.W. Mertens 149

Development of a Novel Advanced Spray Technology Based on Investigation of Droplet Energy and Pattern Damage

T. Tanaka, M. Sato, M. Kobayashi and H. Shirakawa 153

Chapter 6: Chemical Mechanical Cleaning: Megasonic Cleaning

Comparison of Gold Particle Removal from Fused Silica and Thermal Oxide Surfaces in Dilute Ammonium Hydroxide Solutions

V. Pandit, M. Keswani, S. Siddiqui and S. Raghavan 159

The Influence of the Angle of Incidence in Megasonic Cleaning

S. Brems, M. Hauptmann, E. Camerotto, X.M. Xu, S. de Gendt, M.M. Heyns and P.W. Mertens 163

Simultaneous Removal of Particles from Front and Back Sides by a Single Wafer Backside Megasonic System

C.G. Park and H.S. Sohn 167

The Importance of Cavitation Hysteresis in Megasonic Cleaning

E. Camerotto, S. de Gendt, M. Hauptmann, D. Shamiryan, M.M. Heyns, P.W. Mertens and S. Brems 171

Control of Sonoluminescence in Carbon Dioxide Containing Di Water at near Neutral pH Conditions

S. Kumari, M. Keswani, S.K. Singh, M. Beck, E. Leibsch, P. Deymier and S. Raghavan 177

Development of a Megasonic System for Cleaning Flat Panel Display

H.S. Kim, Y.L. Lee, E.S. Lim and M. Elimelech 181

Stroboscopic Schlieren Study of Bubble Formation during Megasonic Agitation

M. Hauptmann, S. Brems, E. Camerotto, P.W. Mertens, M.M. Heyns, S. de Gendt, C. Glorieux and W. Lauriks 185

Chapter 7: Back-End-of-Line Cleaning

Low-k Integration Using Metallic Hard Masks

O. Joubert, N. Poss  m  , T. Chevolleau, T. David and M. Darnon 193

Characterization of Low-k Dielectric Etch Residue on the Sidewall by Chemical Force Microscope

T.G. Kim, Q.T. Le, S. Suhard, M. Lux, G. Vereecke, M. Claes, H. Struyf, S. de Gendt, P.W. Mertens and M.M. Heyns 197

Optimized Wetting Behavior of Water-Based Cleaning Solutions for Plasma Etch Residue Removal by Application of Surfactants

N. Ahner, S. Zimmermann, M. Schaller and S.E. Schulz 201

Modification of Post-Etch Residues by UV for Wet Removal

Q.T. Le, F. Drieskens, T. Conard, M. Lux, J.F. de Marneffe, H. Struyf and G. Vereecke 207

"Damage Free" Cleaning for Advanced BEOL Interconnections

L. Broussous, K. Courouble, E. Richard, C. Pernel, V. Loup and D. L  vy 211

A Descum Review for Cleaning Surfaces in Polymer Embedded Process Flows

G. Jamieson, C. Gerets, F.C. Duval, N.P. Pham, F. Iker, T. Funaya and W. Boullart 215

Influence of Photoresist and BARC Selection on the Efficiency of a Post-Etch Wet Strip in BEOL Applications

E. Kesters, M. Lux, J. Pitteville, J. Baeyens, G. Vereecke, C. Baerts, D. Shamiryan and H. Struyf 219

ESH Friendly Solvent for Stripping Positive and Negative Photoresists in 3D-Wafer Level Packaging and 3D-Stacked IC Applications

S. Suhard, M. Claes, Y. Civale, P. Nolmans, D. Sabuncuoglu Tezcan and Y. Travaly 223

Tungsten Oxidation Kinetic after Wet Cleaning: XPS and ToF-SIMS Characterization

F. Pipia, A. Votta, E. Ravizza, S. Spadoni, S. Grasso, S. Borsari, C. Lazzari and M. Alessandri 227

A Comparison between BTA and Amidoximes and their Interactions with Copper Surfaces S. Jethwa, D.W. Tee, S.M. Francis, F. Grillo, N.V. Richardson, C. Reid, L. McGhee and W.M. Lee	231
Electrochemical, Physical, and Electrical Characterization of Two Clean Solutions for Cu PCMP Clean Y.L. Li, N. Heylen, J. Daviot, C. Reid and L. Leunissen	235
TiN Metal Hardmask Etch Residue Removal on Advanced Porous Low-k and Cu Device with Corner Rounding Scheme H. Cui, M. Claes and S. Suhard	241
Improved Cleaning Process for Etch Residue Removal in an Advanced Copper/Low-k Device without the Use of DMAC (Dimethylacetamide) C.K. Jung, S.W. Joo, S.W. Ryu, S. Naghshineh, Y. Lee and J.W. Han	245
Aqueous Fluoride Residue Removers for 32 nm and beyond Copper Ultra Low-k Technologies G. Westwood, A. Pigliucci, T. Oszinda, S. Leppack and M. Schaller	249
Wet Clean Induce Pattern Collapse Mechanism Study C.C. Yang, C.C. Ko, H.O. Yang, K.F. Chen, Y.Y. Peng, J.W. Liou, C.C. Chou, H.Y. Tsai, K.C. Lin, S.M. Jeng, H.J. Tao and M. Cao	253

Chapter 8: Cleaning for 3D Applications

Ultra-Fast In-Line Inspection for 3D SIC TSV Line - Bonding & Thinning P.Y. Guittet, L. Markwort, G. Savage, S. Halder and A. Jourdain	259
Cleaning Requirement in the Thinning Module for 3D-Stacked IC (3D-SIC) Integration K. Wostyn, M. Zhao, H.S. Cui, P. Laermans, A. Jourdain, G. Verbinen, H. Struyf, S. de Strycker, M. Claes, Y. Travaly and L. Leunissen	265
High Efficiency Single Wafer Cleaning for Wafer Bonding-Based 3D Integration Applications D. Dussault, F. Fournel and V. Dragoi	269

Chapter 9: Contamination Control: Metallic and Organic Contamination

Indirect Ultra-Pure Water Metals Analysis by Extended Ion Exchange on a Silica Surface L.W. Shive, H.H. Liang, A. Grabbe and S. Kweskin	275
Production of High Purity Functional Water at Point-of-Use for Advanced Mask Cleaning Processes A.Y. Xia	279
Gettering Behavior of Transition Metals in Low Energy, High Dose Ion Implanted Silicon K. Saga	283
Yield Impact of Backside Metal-Ion Contamination S. Carey, D.M. Knotter, E. Ooms, J. Boersma, E. van der Sar, R. Cop, W. Gerritzen, H. van Zadelhoff and H. Bouma	287
Reliable Quantification of Inorganic Contamination by TXRF M. Müller, A. Nutsch, R. Altmann, G. Borionetti, T. Holz, C. Mantler, P. Hönicke, M. Kolbe and B. Beckhoff	291
Reference Samples for Ultra Trace Analysis of Organic Compounds on Substrate Surfaces A. Nutsch, B. Beckhoff, G. Borionetti, D. Codegoni, S. Grasso, P. Hönicke, A. Leibold, M. Müller, M. Otto, L. Pfitzner and M.L. Polignano	295
Assessment of a FOUP Conditioning Equipment for Advanced Semiconductor Application M. Otto, S. Rioufrays, A. Favre, A. Leibold, R. Altmann, S. Gennaro, R. Dell'Anna, R. Canteri and L. Pfitzner	299
Concentration of Three Organic Compounds Influencing each other on Silicon Surface H. Habuka, T. Naito and N. Kawahara	303
Environmentally Benign In-Line Cleaning Solutions for Immersion Lithography Tools T.N. Chen, M.B. Korzenski, S. Bilodeau, P. Zhang, T. Hogan, K. van Berkel, G. Mirth, R. Mih, K. Hoekerd, B. Jansen, R. Vangheluwe and N. Schuh	307

Chapter 10: Wet Processing and Cleaning for Silicon Photo-Voltaic Applications

Photovoltaics: The Renewable Energy Revolution Leading the Semiconductor Industry P.J. Verlinden	313
Ozone Based Chemical Oxide Growth for Crystalline Solar Cell Production K. Wolke, C. Gottschalk, J. Rentsch and H. Angermann	321
Simple Wet-Chemical Cleanings for High-Efficiency Silicon Solar Cell Applications L. Breitenstein, F. Sevenig, D. Pysch, C. Gottschalk, M. Hermle and W. Warta	325
Novel Texture Etch Chemistry for Transparent Conducting Oxides Used in Photovoltaic Cells S. Verhaverbeke, R. Gouk, K. Leschkies and R. Visser	329
Advanced Texturization of Mc-Si Solar Cells S. Braun, S. Mathijssen, M. Michel, M. Schmidt, M.M.C. Shen, W.C.W. Lin and A. Klipp	333
Surface Contamination of Silicon Wafer after Acidic Texturisation A. Oltersdorf, A. Moldovan, M. Bayer, M. Zimmer and J. Rentsch	337
Optimization of Post-Texturization Cleans for Heterojunction Solar Cells T. Bearda, K. Yoshikawa, E. van Assche, B. O'Sullivan, I. Gordon, K. Yamamoto, K. Baert and J. Poortmans	341
HF Last Passivation for High Efficiency a-Si/c-Si Heterojunction Solar Cells A. Danel, F. Souche, T. Nolan, Y. Le Tiec and P.J. Ribeyron	345
Wet-Chemical Preparation of Textured Silicon Solar Cell Substrates: Surface Conditioning and Electronic Interface Properties H. Angermann, A. Laades, U. Stürzebecher, E. Conrad, C. Klimm, T.F. Schulze, K. Jacob, A. Lawerenz and L. Korte	349
Two-In-One Texturing and Polishing in One Solution V. Prajapati, J. John, J. Poortmans and R.P. Mertens	353
Surface Passivation for Si Solar Cells: A Combination of Advanced Surface Cleaning and Thermal Atomic Layer Deposition of Al₂O₃ B. Vermang, A. Rothschild, K. Kenis, K. Wostyn, T. Bearda, A. Racz, X. Loozen, J. John, P.W. Mertens, J. Poortmans and R.P. Mertens	357