

CONTENTS

Preface

Acknowledgments

Introduction

About this Toolkit

Using Data Analysis to Detect Fraud

About Scripts

Customizing Scripts

1. Start and Menu

Launching the Fraud Toolkit Tests

Starting the Fraud Toolkit Application

Placement of Start and Fraud_Menu Scripts

How the Scripts Work

Start

Fraud Menu

Log Files

Exiting a Script

Working Without the Fraud Menu

2. Completeness and Integrity

Checking for Blanks and Data Type Mismatches

Running Completeness and Integrity

How the Scripts Work

Carriage Returns

Understanding the Verify Command

Understanding the Group Command

Deleting Temporary Variables, Fields, and Files

Review and Analysis

Case Study: General Ledger Accounts Unaccounted For
Organizing Your Data to Find Trends

3. Cross-Tabulation

Organizing Your Data to Find Trends

Running Cross-Tabulation

Benefits of Cross-Tabulation

How the Scripts Work

Challenges of Cross-Tabulation

Deleting Temporary Variables, Fields, and Files

Review and Analysis

Case Study: Not Enough Clients

Case Study: Calling Cards

4. Duplicates

- Finding Higher-Risk Items
- Running Duplicates
- How the Scripts Work
- The Role of Sub-Scripts
- Case Study: Duplicate Payments*
- Dup_Dialog Script
- If Statements
- Dup_Multiple_Keys1
- Macro Substitution
- Keychange
- Define Field
- LEN() and HEX()
- Deleting Temporary Variables, Fields, and Files
- Review and Analysis
- Checking for Duplicates
- Example—Payroll
- Accounts Payable Example

5. Gaps

- Identifying Transactions Missing From a Sequence
- Running Gaps
- How the Scripts Work
- Deleting Temporary Variables, Fields, and Files
- Review and Analysis
- Case Study: Free Calls*

6. Data Profile

- Establishing Normal Values and investigating Exceptions
- Running Data Profile
- How the Scripts Work
- Data Profile Test Parameters
- Deleting Temporary Variables, Fields, and Files
- Review and Analysis
- Statistics
- Stratify
- Round Amounts, Exact Multiples, and Frequent Values
- Round Amounts—Multiples of 5, 10, 25, or 100
- Exact Multiples Of...
- Frequently Used Values
- Profiling with Character Fields
- Items with the Most Exact Multiples
- Least/Most Used Items
- Case Study: Receipt of Inventory*
- Case Study: Exact Multiples*
- Filtering and Drilling Down
- Filtering Before Profiling
- Filtering After Profiling

7. Ratio Analysis

- Pinpointing Suspect Transactions and Trends
- Running Ratio Analysis

How the Scripts Work
Max /Max2 and Max /Min Ratios
Two Fields: Num_field1 / Num_field2 Ratio
Deleting Temporary Variables, Fields, and Files
Review and Analysis
Case Study—Dormant but Not Forgotten
Case Study—Doctored Bills

8. Benford's Law

Identifying Anomalous Data
Understanding Benford's Law
Identifying Irregularities
Running Benford Analysis
Running Benford Custom Analysis
Creating the Custom Distribution
Division by Zero
Testing Against the Custom Distribution
How the Scripts Work
Standard Benford Analysis
Benford Custom Analysis
Deleting Temporary Variables, Fields, and Files
Review and Analysis
Case Study: Signing Authority
Further Reading

9. Developing ACL Scripts

Introduction
Data Analysis – generic approach
ACL Commands
DISPLAY Command
SET Command
DELETE Command
OPEN Command
Commands for Defining Relationships
Basic ACL Commands
IF Command
Variables
User-defined Variables
Using System and User-defined Variables
DEFINE Field/Expression
Workspaces
Scripts
RUN ACL script from DOS
Saving a script to a .BAT file
Interactive Scripts
Accept Command
Dialog Boxes
Adding selections to Drop Down and Project Item Lists
Macro-Substitution
Editing Dialog Boxes
Sub-Scripts
Special uses for Sub-Scripts
Consolidation Exercise

- Advanced ACL Scripting Techniques
 - Group Command
 - Conditional GROUP
 - Nested GROUP
 - LOOP and OFFSET
 - Applications Menu
 - Building an Application Menu
 - Creating Sub-menus

10. Utility Scripts

- Auto Execute
- Extract Values
- Ending Balance Verification
- Running Total
- Maximum and Minimum Values

Appendix 1 - ACL Installation Process

Glossary

Index