

## 3d, 4d and 5d Elements, Alloys and Compounds

Bearbeitet von  
K Kanematsu, S Misawa, M Shiga, H Wada, H.P.J Wijn

1. Auflage 1997. Buch. xiii, 384 S. Hardcover

ISBN 978 3 540 60334 4

Format (B x L): 19,3 x 27 cm

Gewicht: 1405 g

Weitere Fachgebiete > Physik, Astronomie > Thermodynamik > Festkörperphysik,  
Kondensierte Materie

schnell und portofrei erhältlich bei

The logo for beck-shop.de features the text 'beck-shop.de' in a bold, red, sans-serif font. Above the 'i' in 'shop' are three red dots of increasing size. Below the main text, 'DIE FACHBUCHHANDLUNG' is written in a smaller, red, all-caps, sans-serif font.

**beck-shop.de**  
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung beck-shop.de ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

**Volume 32**  
**Magnetic Properties of Metals**

**Subvolume A**  
**3d, 4d and 5d Elements, Alloys and Compounds**

Introductory material

|          |                                                                                    |     |
|----------|------------------------------------------------------------------------------------|-----|
| 1        | Magnetic properties of 3d, 4d, and 5d elements, alloys and compounds               | 1   |
| 1.1      | 3d elements (H.P.J. WIJN)                                                          | 1   |
| 1.1.1    | Ti, V, Cr, Mn                                                                      | 1   |
|          | 1.1.1.1 Ti and 1.1.1.2 V (See Vol. 19A)                                            |     |
| 1.1.1.3  | Cr                                                                                 | 2   |
| 1.1.1.4  | Mn                                                                                 | 22  |
| 1.1.1.5  | References for 1.1.1                                                               | 28  |
| 1.1.2    | Fe, Co, Ni                                                                         | 31  |
| 1.1.2.1  | Survey                                                                             | 31  |
| 1.1.2.2  | Phase diagrams, lattice constants and elastic moduli                               | 32  |
| 1.1.2.3  | Paramagnetic properties (See Vol. 19A)                                             |     |
| 1.1.2.4  | Spontaneous magnetisation                                                          | 37  |
| 1.1.2.5  | Magnetocrystalline anisotropy constants                                            | 38  |
| 1.1.2.6  | Magnetostriction coefficients                                                      | 39  |
| 1.1.2.7  | Magnetic moments, Compton profiles                                                 | 40  |
| 1.1.2.8  | Hyperfine fields, isomer shifts and relaxation times (including muon properties)   | 46  |
| 1.1.2.9  | Spin wave properties                                                               | 61  |
| 1.1.2.10 | g factors and ferromagnetic resonance properties                                   | 64  |
| 1.1.2.11 | Fermi surfaces, band structures, exchange energies and electron spin polarisations | 66  |
| 1.1.2.12 | Optical constants, magneto-optic Kerr and Faraday effect (See Vol. 19A)            |     |
| 1.1.2.13 | Specific heat, resistivity                                                         | 69  |
| 1.1.2.14 | References for 1.1.2                                                               | 72  |
| 1.2      | Alloys between 3d elements (H.P.J. WIJN)                                           | 77  |
| 1.2.1    | Alloys between Fe, Co or Ni                                                        | 77  |
| 1.2.1.1  | Phase diagrams, lattice parameters                                                 | 77  |
| 1.2.1.2  | Paramagnetic properties                                                            | 79  |
| 1.2.1.3  | Magnetic phase diagram, spontaneous magnetisation                                  | 79  |
| 1.2.1.4  | Hyperfine magnetic fields. Isomer shift, muons                                     | 81  |
| 1.2.1.5  | Spin wave properties                                                               | 87  |
| 1.2.1.6  | Atomic magnetic moments                                                            | 89  |
| 1.2.1.7  | High-field susceptibility                                                          | 92  |
| 1.2.1.8  | Magnetocrystalline anisotropy                                                      | 97  |
| 1.2.1.9  | Magnetostriction                                                                   | 97  |
| 1.2.1.10 | Density of states                                                                  | 101 |
| 1.2.1.11 | Elastic and magnetoelastic constants. Lattice dynamics                             | 105 |
| 1.2.1.12 | Thermal expansion, specific heat                                                   | 109 |
| 1.2.1.13 | Electrical resistivity and magnetoresistance                                       | 111 |
| 1.2.1.14 | References for 1.2.1                                                               | 113 |

|          |                                                                                                                   |     |
|----------|-------------------------------------------------------------------------------------------------------------------|-----|
| 1.2.2    | Binary alloys between Ti, V, Cr or Mn                                                                             | 116 |
|          | 1.2.2.1 V-Ti and 1.2.2.2 Cr-Ti (See Vol. 19A)                                                                     |     |
| 1.2.2.3  | Cr-V                                                                                                              | 116 |
| 1.2.2.4  | Mn-Ti                                                                                                             | 118 |
| 1.2.2.5  | Mn-V See Vol. 19A, p. 295                                                                                         | 120 |
| 1.2.2.6  | Mn-Cr                                                                                                             | 120 |
| 1.2.3    | Binary alloys between Fe, Co or Ni and one of the elements Ti, V, Cr or Mn                                        | 127 |
| 1.2.3.1  | Fe-Ti                                                                                                             | 128 |
| 1.2.3.2  | Fe-V                                                                                                              | 128 |
| 1.2.3.3  | Fe-Cr                                                                                                             | 134 |
| 1.2.3.4  | Fe-Mn                                                                                                             | 144 |
| 1.2.3.5  | Co-Ti                                                                                                             | 155 |
| 1.2.3.6  | Co-V                                                                                                              | 158 |
| 1.2.3.7  | Co-Cr                                                                                                             | 160 |
| 1.2.3.8  | Co-Mn                                                                                                             | 161 |
| 1.2.3.9  | Ni-Ti (See Vol. 19A)                                                                                              |     |
| 1.2.3.10 | Ni-V                                                                                                              | 166 |
| 1.2.3.11 | Ni-Cr                                                                                                             | 169 |
| 1.2.3.12 | Ni-Mn                                                                                                             | 172 |
| 1.2.4    | Ternary alloys between Fe, Co, or Ni and one or more of the Ti, V, Cr or Mn elements                              | 177 |
| 1.2.4.1  | Fe-Cr-Mn                                                                                                          | 178 |
| 1.2.4.2  | Fe-Co-Ti                                                                                                          | 185 |
| 1.2.4.3  | Fe-Co-Cr                                                                                                          | 186 |
| 1.2.4.4  | Fe-Co-Mn                                                                                                          | 187 |
| 1.2.4.5  | Fe-Ni-V                                                                                                           | 187 |
| 1.2.4.6  | Fe-Ni-Cr                                                                                                          | 188 |
| 1.2.4.7  | Fe-Ni-Mn                                                                                                          | 201 |
| 1.2.4.8  | References for 1.2.2 - 1.2.4                                                                                      | 218 |
| 1.3      | 4d and 5d elements, alloys and compounds between themselves or with main group elements (S. MISAWA, K. KANEMATSU) | 225 |
| 1.3.1    | General remarks                                                                                                   | 225 |
| 1.3.2    | Zr alloys and compounds                                                                                           | 228 |
| 1.3.2.1  | Alloys and compounds except ZrZn <sub>2</sub>                                                                     | 228 |
| 1.3.2.2  | ZrZn <sub>2</sub>                                                                                                 | 238 |
| 1.3.3    | Nb alloys and compounds                                                                                           | 253 |
| 1.3.4    | Mo alloys and compounds                                                                                           | 261 |
| 1.3.5    | Tc alloys and compounds                                                                                           | 262 |
| 1.3.6    | Ru alloys and compounds                                                                                           | 263 |
| 1.3.7    | Rh alloys and compounds                                                                                           | 265 |
| 1.3.8    | Pd alloys and compounds                                                                                           | 268 |
| 1.3.9    | Hf alloys and compounds                                                                                           | 275 |
| 1.3.10   | Ta alloys and compounds                                                                                           | 275 |
| 1.3.11   | W alloys and compounds                                                                                            | 276 |
| 1.3.12   | Re alloys and compounds                                                                                           | 278 |
| 1.3.13   | Os alloys and compounds                                                                                           | 279 |
| 1.3.14   | Ir alloys and compounds                                                                                           | 280 |
| 1.3.15   | Pt alloys and compounds                                                                                           | 281 |
| 1.3.16   | References for 1.3                                                                                                | 282 |

|             |                                                                                   |     |
|-------------|-----------------------------------------------------------------------------------|-----|
| 1.4         | Alloys and compounds of 3d elements with 4d or 5d elements<br>(M. Shiga, H. Wada) | 286 |
| 1.4.1       | 3d elements and Zr, Nb, Mo or Hf, Ta, W, Re                                       | 286 |
| 1.4.1.1     | Introduction                                                                      | 286 |
| 1.4.1.2     | Ti and V alloys and compounds                                                     | 286 |
| 1.4.1.3     | Cr alloys and compounds                                                           | 292 |
| 1.4.1.4     | Mn alloys and compounds                                                           | 298 |
| 1.4.1.5     | Fe alloys and compounds                                                           | 300 |
| 1.4.1.6     | Co alloys and compounds                                                           | 320 |
| 1.4.1.7     | Ni alloys and compounds                                                           | 326 |
| 1.4.1.8     | References for 1.4.1                                                              | 330 |
| 1.4.2       | 3d elements and Ru, Rh, Pd or Os, Ir, Pt                                          | 332 |
| 1.4.2.1     | Introduction                                                                      | 332 |
| 1.4.2.2     | Ti and V alloy                                                                    | 332 |
| 1.4.2.3     | Cr alloys                                                                         | 335 |
| 1.4.2.3.1   | Cr rich bcc alloys                                                                | 335 |
| 1.4.2.3.2   | Cr based concentrated alloys                                                      | 338 |
| 1.4.2.4     | Mn alloys                                                                         | 339 |
| 1.4.2.4.1   | Mn alloys containing Rh                                                           | 340 |
| 1.4.2.4.2   | MnPd <sub>3</sub> based alloys                                                    | 341 |
| 1.4.2.4.3   | Dilute alloys of Mn with Pd and related alloys                                    | 346 |
| 1.4.2.4.4   | Mn-Pt based concentrated alloys and ordered alloys                                | 350 |
| 1.4.2.4.4.1 | Mn <sub>3</sub> Pt based alloys                                                   | 350 |
| 1.4.2.4.4.2 | MnPt based alloys                                                                 | 353 |
| 1.4.2.4.4.3 | MnPt <sub>3</sub> based alloys                                                    | 358 |
| 1.4.2.4.4.4 | Dilute alloys of Mn with Pt                                                       | 361 |
| 1.4.2.5     | Fe alloys                                                                         | 362 |
| 1.4.2.5.1   | Fe-Rh based alloys                                                                | 363 |
| 1.4.2.5.2   | Fe-Pd based alloys                                                                | 371 |
| 1.4.2.5.3   | Fe-Ir based alloys                                                                | 376 |
| 1.4.2.5.4   | Fe-Pt based alloys                                                                | 378 |
| 1.4.2.6     | Co and Ni alloys                                                                  | 380 |
| 1.4.2.7     | References for 1.4.2                                                              | 382 |