

[Pnictides and Chalcogenides I / Pnictide und Chalkogenide I](#)

Bearbeitet von
K Adachi, S Ogawa

1. Auflage 1988. Buch. IX, 425 S. Hardcover
ISBN 978 3 540 18751 6
Format (B x L): 0 x 0 cm
Gewicht: 1420 g

[Weitere Fachgebiete > Physik, Astronomie > Thermodynamik > Festkörperphysik,
Kondensierte Materie](#)

schnell und portofrei erhältlich bei

The logo for beck-shop.de features the text "beck-shop.de" in a bold, red, sans-serif font. Above the "i" in "shop" are three red dots of increasing size. Below the main text, the words "DIE FACHBUCHHANDLUNG" are written in a smaller, red, all-caps, sans-serif font.

beck-shop.de
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung beck-shop.de ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

Introductory material

1	Magnetic properties of pnictides and chalcogenides	1
1.1	Pnictides and chalcogenides based on 3d transition elements (K. ADACHI, S. OGAWA)	1
1.1.1	Introduction	1
1.1.1.1	General remarks	1
1.1.1.2	List of frequently used symbols and abbreviations	1
1.1.2	Compounds with pyrite, marcasite and arsenopyrite structures	7
1.1.2.1	MX_2 compounds with pyrite (FeS_2) type structure	8
1.1.2.1.1	MnX_2 ($\text{X} = \text{S, Se, Te}$)	15
1.1.2.1.2	FeX_2 ($\text{X} = \text{S, Se, Te}$)	18
1.1.2.1.3	CoX_2 ($\text{X} = \text{S, Se, Te}$)	20
1.1.2.1.4	NiX_2 ($\text{X} = \text{S, Se, Te}$)	28
1.1.2.1.5	CuX_2 ($\text{X} = \text{S, Se, Te}$)	33
1.1.2.1.6	ZnX_2 ($\text{X} = \text{S, Se}$)	36
1.1.2.2	$\text{M}_x\text{M}'_{1-x}\text{X}_2$ mixed systems with pyrite (C2) type structure	37
1.1.2.2.1	$\text{Cr}_x\text{Co}_{1-x}\text{S}_2$	37
1.1.2.2.2	$\text{Mn}_x\text{M}'_{1-x}\text{X}_2$ ($\text{M}' = \text{Fe, Mg, Cu, Zn}$; $\text{X} = \text{S, Se, Te}$)	37
1.1.2.2.3	$\text{Fe}_{1-x}\text{M}'_x\text{S}_2$ ($\text{M}' = \text{Co, Ni}$)	41
1.1.2.2.4	$\text{Co}_{1-x}\text{Ni}_x\text{S}_2$	45
1.1.2.2.5	$\text{Ni}_{1-x}\text{Cu}_x\text{S}_2$	46
1.1.2.3	$\text{MS}_{2-x}\text{Se}_x$ mixed systems with pyrite (C2) type structure	47
1.1.2.3.1	$\text{CoS}_{2-x}\text{Se}_x$	47
1.1.2.3.2	$\text{NiS}_{2-x}\text{Se}_x$	52
1.1.2.4	$\text{MY}_x\text{X}_{2-x}$ and $\text{M}_{1-x}\text{M}'_x\text{YX}$ mixed systems with cobaltite or pyrite (C2) type structure	54
1.1.2.4.1	$\text{CoP}_x\text{S}_{2-x}$	55
1.1.2.4.2	$\text{CoAs}_x\text{S}_{2-x}$	56
1.1.2.4.3	NiPS	57
1.1.2.4.4	$\text{NiAs}_x\text{S}_{2-x}$	58
1.1.2.4.5	$\text{Co}_{1-x}\text{Ni}_x\text{AsS}$	58
1.1.2.5	MX_2 , MY_2 , $\text{M}_x\text{M}'_{1-x}\text{Y}_2$ and $\text{MY}_{2-x}\text{X}_x$ compounds with marcasite (C18) type structure	59
1.1.2.5.1	CrSb_2	60
1.1.2.5.2	FeP_2	61
1.1.2.5.3	FeAs_2	61
1.1.2.5.4	FeSb_2	61
1.1.2.5.5	CoSb_2	62
1.1.2.5.6	CoTe_2	63
1.1.2.5.7	NiAs_2 (beta- NiAs_2)	63
1.1.2.5.8	NiSb_2	63
1.1.2.5.9	$\text{M}_{1-x}\text{M}'_x\text{Y}_2$ ($\text{M, M}' = \text{Cr, Fe, Ni}$; $\text{Y} = \text{As, Sb}$)	64
1.1.2.5.10	$\text{FeAs}_{2-x}\text{Se}_x$	64

1.1.2.6	MY_xX_{2-x} and MY_2 compounds with arsenopyrite ($E0_7$) type structure	64
1.1.2.6.1	$FeSb_xTe_{2-x}$	64
1.1.2.6.2	CoP_2	64
1.1.2.6.3	$CoAs_2$	65
1.1.2.6.4	$CoSb_2$	65
1.1.2.7	References for 1.1.2	65
1.1.3	Compounds with NiAs and MnP structures	70
1.1.3.1	$M_{1-x}X$ chalcogenides with NiAs type structure and their mixed systems	70
1.1.3.1.1	$Ti_{1-x}X$ ($X = S, Se, Te$)	81
1.1.3.1.2	$V_{1-x}X$ ($X = S, Se, Te$)	81
1.1.3.1.3	$Cr_{1-x}X$ ($X = S, Se, Te$)	83
1.1.3.1.4	MnX ($X = S, Se, Te$)	88
1.1.3.1.5	$Fe_{1-x}X$ ($X = S, Se, Te$)	89
1.1.3.1.6	$Co_{1-x}X$ ($X = S, Se, Te$)	92
1.1.3.1.7	$Ni_{1-x}X$ ($X = S, Se, Te$)	93
1.1.3.1.8	References for 1.1.3.1	140
1.1.3.2	MY pnictides with MnP and NiAs type structures and their mixed systems	148
1.1.3.2.1	MP ($M = V, Cr, Mn, Fe$)	159
1.1.3.2.2	MAs ($M = Ti, V, Cr, Mn, Fe, Co, Ni$)	163
1.1.3.2.3	MSb ($M = Ti, V, Cr, Mn, Fe, Co, Ni$)	170
1.1.3.2.4	MBi ($M = Mn, Ni$)	180
1.1.3.2.5	$Mn_{1-x}M_xP$ ($M = V, Cr, Fe, Co$)	182
1.1.3.2.6	$MnP_{1-x}As_x$	190
1.1.3.2.7	$Mn_{1-x}M_xAs$ ($M = Ti, V, Cr, Fe, Co, Ni$)	197
1.1.3.2.8	$MnAs_{1-x}Sb_x$	206
1.1.3.2.9	$Mn_{1-x}M_xSb$ ($M = Ti, V, Cr, Fe, Co, Ni$)	208
1.1.3.2.10	$MnSb_{1-x}Sn_x$	213
1.1.3.2.11	Arsenides containing Cr	214
1.1.3.2.12	Antimonides containing Cr	221
1.1.3.2.13	Other mixed pnictides containing Fe	224
1.1.3.2.14	References for 1.1.3.2	227
1.1.4	Compounds and mixed systems with Fe_2P and Cu_2Sb structures	232
1.1.4.1	M_2P compounds with Fe_2P type structure and their mixed systems	232
1.1.4.1.1	M_2P ($M = Mn, Fe, Co, Ni$)	236
1.1.4.1.2	Mixed system (M, M') $_2P$ ($M, M' = Co, Mn, Fe, Ni$)	248
1.1.4.1.3	$Fe_2As_xP_{1-x}$ and related systems containing As	261
1.1.4.1.4	Other mixed systems containing P	263
1.1.4.1.5	References for 1.1.4.1	264
1.1.4.2	M_2Y compounds with Cu_2Sb type structure and their mixed systems	265
1.1.4.2.1	M_2As ($M = Cr, Mn, Fe$)	269
1.1.4.2.2	M_2Sb ($M = Mn, Cu$)	270
1.1.4.2.3	$MnMGe$ ($M = Al, Ga$)	273
1.1.4.2.4	$(M, M')_2Y$ and $M_2(Y, Y')$ compounds ($M, M' = 3d$ metals; $Y, Y' = Sb, As$)	275
1.1.4.2.5	$Mn_{1-x}M_x(Al, Ga)Ge$ ($M = 3d$ metals)	284
1.1.4.2.6	References for 1.1.4.2	286
1.1.5	Chalcogenide spinels and their mixed systems	288
	References for 1.1.5	373
1.1.6	Other pnictides and chalcogenide	383
1.1.6.1	Chalcopyrite, $CuFeS_2$, and its Fe-substituted systems	383

1.1.6.2	Anti- CaF_2 type antimonides, $\text{M}'\text{MSb}$, and their mixed systems	385
1.1.6.3	Heusler type antimonides, $\text{M}'_2\text{MSb}$, and their mixed systems	400
1.1.6.4	References for 1.1.6	423