

# Contents

|                                                                                             |          |
|---------------------------------------------------------------------------------------------|----------|
| <b>Preface</b>                                                                              | <b>v</b> |
| <b>Notation</b>                                                                             | <b>1</b> |
| <b>1 Introduction</b>                                                                       | <b>8</b> |
| 1.1 Motivation, Bibliographic History, and an Overview of the book. . . . .                 | 8        |
| 1.2 Tour through the General Estimation Problem. . . . .                                    | 16       |
| 1.2.1 Estimation in a high-dimensional full data model                                      | 17       |
| 1.2.2 The curse of dimensionality in the full data model                                    | 21       |
| 1.2.3 Coarsening at random . . . . .                                                        | 23       |
| 1.2.4 The curse of dimensionality revisited . . . . .                                       | 27       |
| 1.2.5 The observed data model . . . . .                                                     | 40       |
| 1.2.6 General method for construction of locally efficient estimators . . . . .             | 40       |
| 1.2.7 Comparison with maximum likelihood estimation                                         | 45       |
| 1.3 Example: Causal Effect of Air Pollution on Short-Term Asthma Response . . . . .         | 48       |
| 1.4 Estimating Functions . . . . .                                                          | 55       |
| 1.4.1 Orthogonal complement of a nuisance tangent space                                     | 55       |
| 1.4.2 Review of efficiency theory . . . . .                                                 | 61       |
| 1.4.3 Estimating functions. . . . .                                                         | 62       |
| 1.4.4 Orthogonal complement of a nuisance tangent space in an observed data model . . . . . | 64       |

|          |                                                                                                                                       |            |
|----------|---------------------------------------------------------------------------------------------------------------------------------------|------------|
| 1.4.5    | Basic useful results to compute projections . . . .                                                                                   | 68         |
| 1.5      | Robustness of Estimating Functions . . . . .                                                                                          | 69         |
| 1.5.1    | Robustness of estimating functions against misspecification of linear convex nuisance parameters. . .                                 | 69         |
| 1.5.2    | Double robustness of observed data estimating functions. . . . .                                                                      | 77         |
| 1.5.3    | Understanding double robustness for a general semiparametric model . . . . .                                                          | 79         |
| 1.6      | Doubly robust estimation in censored data models. . . .                                                                               | 81         |
| 1.7      | Using Cross-Validation to Select Nuisance Parameter Models . . . . .                                                                  | 93         |
| 1.7.1    | A semiparametric model selection criterion . . . .                                                                                    | 94         |
| 1.7.2    | Forward/backward selection of a nuisance parameter model based on cross-validation with respect to the parameter of interest. . . . . | 97         |
| 1.7.3    | Data analysis example: Estimating the causal relationship between boiled water use and diarrhea in HIV-positive men . . . . .         | 99         |
| <b>2</b> | <b>General Methodology</b>                                                                                                            | <b>102</b> |
| 2.1      | The General Model and Overview . . . . .                                                                                              | 102        |
| 2.2      | Full Data Estimating Functions. . . . .                                                                                               | 103        |
| 2.2.1    | Orthogonal complement of the nuisance tangent space in the multivariate generalized linear regression model (MGLM) . . . . .          | 105        |
| 2.2.2    | Orthogonal complement of the nuisance tangent space in the multiplicative intensity model . . . .                                     | 107        |
| 2.2.3    | Linking the orthogonal complement of the nuisance tangent space to estimating functions . . . . .                                     | 111        |
| 2.3      | Mapping into Observed Data Estimating Functions . . .                                                                                 | 114        |
| 2.3.1    | Initial mappings and reparametrizing the full data estimating functions . . . . .                                                     | 114        |
| 2.3.2    | Initial mapping indexed by censoring and protected nuisance parameter . . . . .                                                       | 124        |
| 2.3.3    | Extending a mapping for a restricted censoring model to a complete censoring model . . . . .                                          | 125        |
| 2.3.4    | Inverse weighting a mapping developed for a restricted censoring model . . . . .                                                      | 126        |
| 2.3.5    | Beating a given RAL estimator . . . . .                                                                                               | 128        |
| 2.3.6    | Orthogonalizing an initial mapping w.r.t. $G$ : Double robustness . . . . .                                                           | 131        |
| 2.3.7    | Ignoring information on the censoring mechanism improves efficiency . . . . .                                                         | 135        |
| 2.4      | Optimal Mapping into Observed Data Estimating Functions . . . . .                                                                     | 137        |

|          |                                                                                                                            |            |
|----------|----------------------------------------------------------------------------------------------------------------------------|------------|
| 2.4.1    | The corresponding estimating equation . . . . .                                                                            | 139        |
| 2.4.2    | Discussion of ingredients of a one-step estimator . . . . .                                                                | 141        |
| 2.5      | Guaranteed Improvement Relative to an Initial Estimating Function . . . . .                                                | 142        |
| 2.6      | Construction of Confidence Intervals . . . . .                                                                             | 144        |
| 2.7      | Asymptotics of the One-Step Estimator . . . . .                                                                            | 145        |
| 2.7.1    | Asymptotics assuming consistent estimation of the censoring mechanism . . . . .                                            | 146        |
| 2.7.2    | Proof of Theorem 2.4 . . . . .                                                                                             | 150        |
| 2.7.3    | Asymptotics assuming that either the censoring mechanism or the full data distribution is estimated consistently . . . . . | 151        |
| 2.7.4    | Proof of Theorem 2.5 . . . . .                                                                                             | 152        |
| 2.8      | The Optimal Index . . . . .                                                                                                | 153        |
| 2.8.1    | Finding the optimal estimating function among a given class of estimating functions . . . . .                              | 159        |
| 2.9      | Estimation of the Optimal Index . . . . .                                                                                  | 166        |
| 2.9.1    | Reparametrizing the representations of the optimal full data function . . . . .                                            | 167        |
| 2.9.2    | Estimation of the optimal full data structure estimating function . . . . .                                                | 169        |
| 2.10     | Locally Efficient Estimation with Score-Operator Representation . . . . .                                                  | 170        |
| <b>3</b> | <b>Monotone Censored Data</b>                                                                                              | <b>172</b> |
| 3.1      | Data Structure and Model . . . . .                                                                                         | 172        |
| 3.1.1    | Cause-specific censoring . . . . .                                                                                         | 175        |
| 3.2      | Examples . . . . .                                                                                                         | 176        |
| 3.2.1    | Right-censored data on a survival time . . . . .                                                                           | 176        |
| 3.2.2    | Right-censored data on quality-adjusted survival time . . . . .                                                            | 177        |
| 3.2.3    | Right-censored data on a survival time with reporting delay . . . . .                                                      | 179        |
| 3.2.4    | Univariately right-censored multivariate failure time data . . . . .                                                       | 181        |
| 3.3      | Inverse Probability Censoring Weighted (IPCW) Estimators . . . . .                                                         | 183        |
| 3.3.1    | Identifiability condition . . . . .                                                                                        | 183        |
| 3.3.2    | Estimation of a marginal multiplicative intensity model . . . . .                                                          | 184        |
| 3.3.3    | Extension to proportional rate models. . . . .                                                                             | 191        |
| 3.3.4    | Projecting on the tangent space of the Cox proportional hazards model of the censoring mechanism . . . . .                 | 192        |
| 3.4      | Optimal Mapping into Estimating Functions . . . . .                                                                        | 195        |

|          |                                                                                                                     |            |
|----------|---------------------------------------------------------------------------------------------------------------------|------------|
| 3.5      | Estimation of $Q$ . . . . .                                                                                         | 196        |
| 3.5.1    | Regression approach: Assuming that the censoring mechanism is correctly specified . . . . .                         | 197        |
| 3.5.2    | Maximum likelihood estimation according to a multiplicative intensity model: Doubly robust . .                      | 198        |
| 3.5.3    | Maximum likelihood estimation for discrete models: Doubly robust . . . . .                                          | 200        |
| 3.5.4    | Regression approach: Doubly robust . . . . .                                                                        | 201        |
| 3.6      | Estimation of the Optimal Index . . . . .                                                                           | 204        |
| 3.6.1    | The multivariate generalized regression model . .                                                                   | 205        |
| 3.6.2    | The multivariate generalized regression model when covariates are always observed . . . . .                         | 206        |
| 3.7      | Multivariate failure time regression model . . . . .                                                                | 208        |
| 3.8      | Simulation and data analysis for the nonparametric full data model . . . . .                                        | 211        |
| 3.9      | Rigorous Analysis of a Bivariate Survival Estimate . . .                                                            | 217        |
| 3.9.1    | Proof of Theorem 3.2 . . . . .                                                                                      | 221        |
| 3.10     | Prediction of Survival . . . . .                                                                                    | 224        |
| 3.10.1   | General methodology . . . . .                                                                                       | 225        |
| 3.10.2   | Prediction of survival with Regression Trees . . .                                                                  | 230        |
| <b>4</b> | <b>Cross-Sectional Data and Right-Censored Data Combined</b>                                                        | <b>232</b> |
| 4.1      | Model and General Data Structure . . . . .                                                                          | 232        |
| 4.2      | Cause Specific Monitoring Schemes . . . . .                                                                         | 234        |
| 4.2.1    | Overview . . . . .                                                                                                  | 235        |
| 4.3      | The Optimal Mapping into Observed Data Estimating Functions . . . . .                                               | 236        |
| 4.3.1    | Identifiability condition . . . . .                                                                                 | 239        |
| 4.3.2    | Estimation of a parameter on which we have current status data . . . . .                                            | 241        |
| 4.3.3    | Estimation of a parameter on which we have right-censored data . . . . .                                            | 243        |
| 4.3.4    | Estimation of a joint-distribution parameter on which we have current status data and right-censored data . . . . . | 244        |
| 4.4      | Estimation of the Optimal Index in the MGLM . . . . .                                                               | 245        |
| 4.5      | Example: Current Status Data with Time-Dependent Covariates . . . . .                                               | 246        |
| 4.5.1    | Regression with current status data . . . . .                                                                       | 248        |
| 4.5.2    | Previous work and comparison with our results .                                                                     | 250        |
| 4.5.3    | An initial estimator . . . . .                                                                                      | 251        |
| 4.5.4    | The locally efficient one-step estimator . . . . .                                                                  | 252        |
| 4.5.5    | Implementation issues . . . . .                                                                                     | 253        |
| 4.5.6    | Construction of confidence intervals . . . . .                                                                      | 255        |

|          |                                                                                                                   |            |
|----------|-------------------------------------------------------------------------------------------------------------------|------------|
| 4.5.7    | A doubly robust estimator . . . . .                                                                               | 256        |
| 4.5.8    | Data-adaptive selection of the location parameter                                                                 | 257        |
| 4.5.9    | Simulations . . . . .                                                                                             | 257        |
| 4.5.10   | Example 1: No unmodeled covariate . . . . .                                                                       | 258        |
| 4.5.11   | Example 2: Unmodeled covariate . . . . .                                                                          | 258        |
| 4.5.12   | Data Analysis: California Partners' Study . . . .                                                                 | 260        |
| 4.6      | Example: Current Status Data on a Process Until Death                                                             | 262        |
| <b>5</b> | <b>Multivariate Right-Censored Multivariate Data</b>                                                              | <b>266</b> |
| 5.1      | General Data Structure . . . . .                                                                                  | 266        |
| 5.1.1    | Modeling the censoring mechanism . . . . .                                                                        | 268        |
| 5.1.2    | Overview . . . . .                                                                                                | 270        |
| 5.2      | Mapping into Observed Data Estimating Functions . . .                                                             | 271        |
| 5.2.1    | The initial mapping into observed estimating data functions . . . . .                                             | 271        |
| 5.2.2    | Generalized Dabrowska estimator of the survival function in the nonparametric full data model . .                 | 273        |
| 5.2.3    | Simulation study of the generalized Dabrowka estimator. . . . .                                                   | 275        |
| 5.2.4    | The proposed mapping into observed data estimating functions . . . . .                                            | 276        |
| 5.2.5    | Choosing the full data estimating function in MGLM . . . . .                                                      | 282        |
| 5.3      | Bivariate Right-Censored Failure Time Data . . . . .                                                              | 282        |
| 5.3.1    | Introduction . . . . .                                                                                            | 282        |
| 5.3.2    | Locally efficient estimation with bivariate right-censored data . . . . .                                         | 286        |
| 5.3.3    | Implementation of the locally efficient estimator .                                                               | 290        |
| 5.3.4    | Inversion of the information operator . . . . .                                                                   | 292        |
| 5.3.5    | Asymptotic performance and confidence intervals                                                                   | 293        |
| 5.3.6    | Asymptotics . . . . .                                                                                             | 294        |
| 5.3.7    | Simulation methods and results for the nonparametric full data model . . . . .                                    | 299        |
| 5.3.8    | Data analysis: Twin age at appendectomy . . . .                                                                   | 302        |
| <b>6</b> | <b>Unified Approach for Causal Inference and Censored Data</b>                                                    | <b>311</b> |
| 6.1      | General Model and Method of Estimation . . . . .                                                                  | 311        |
| 6.2      | Causal Inference with Marginal Structural Models . . . .                                                          | 318        |
| 6.2.1    | Closed Form Formula for the Inverse of the Nonparametric Information Operator in Causal Inference Models. . . . . | 324        |
| 6.3      | Double Robustness in Point Treatment MSM . . . . .                                                                | 326        |
| 6.4      | Marginal Structural Model with Right-Censoring . . . .                                                            | 329        |

|                      |                                                                                                      |            |
|----------------------|------------------------------------------------------------------------------------------------------|------------|
| 6.4.1                | Doubly robust estimators in marginal structural models with right-censoring . . . . .                | 334        |
| 6.4.2                | Data Analysis: SPARCS . . . . .                                                                      | 338        |
| 6.4.3                | A simulation for estimators of a treatment-specific survival function . . . . .                      | 343        |
| 6.5                  | Structural Nested Model with Right-Censoring . . . . .                                               | 347        |
| 6.5.1                | The orthogonal complement of a nuisance tangent space in a structural nested model without censoring | 353        |
| 6.5.2                | A class of estimating functions for the marginal structural nested model . . . . .                   | 357        |
| 6.5.3                | Analyzing dynamic treatment regimes . . . . .                                                        | 359        |
| 6.5.4                | Simulation for dynamic regimes in point treatment studies . . . . .                                  | 360        |
| 6.6                  | Right-Censoring with Missingness. . . . .                                                            | 362        |
| 6.7                  | Interval Censored Data . . . . .                                                                     | 366        |
| 6.7.1                | Interval censoring and right-censoring combined .                                                    | 368        |
| <b>References</b>    |                                                                                                      | <b>371</b> |
| <b>Author index</b>  |                                                                                                      | <b>388</b> |
| <b>Subject index</b> |                                                                                                      | <b>394</b> |
| <b>Example index</b> |                                                                                                      | <b>397</b> |