

## Applied Pseudoanalytic Function Theory

Bearbeitet von  
Vladislav V. Kravchenko

1. Auflage 2009. Taschenbuch. xii, 184 S. Paperback

ISBN 978 3 0346 0003 3

Format (B x L): 17 x 24 cm

Gewicht: 400 g

[Weitere Fachgebiete > Mathematik > Geometrie > Differentialgeometrie](#)

schnell und portofrei erhältlich bei

The logo for beck-shop.de features the text 'beck-shop.de' in a bold, red, sans-serif font. Above the 'i' in 'shop' are three red dots of increasing size. Below the main text, 'DIE FACHBUCHHANDLUNG' is written in a smaller, red, all-caps, sans-serif font.

**beck-shop.de**  
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung [beck-shop.de](http://beck-shop.de) ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

# Contents

|                                                                                                                  |    |
|------------------------------------------------------------------------------------------------------------------|----|
| <b>Foreword</b>                                                                                                  | xi |
| <b>1 Introduction</b>                                                                                            | 1  |
| <br><b>Part I Pseudoanalytic Function Theory and<br/>Second-order Elliptic Equations</b>                         |    |
| <b>2 Definitions and Results from Bers' Theory</b>                                                               |    |
| 2.1 Generating pairs and differentiation                                                                         | 9  |
| 2.2 Pseudoanalytic functions                                                                                     | 11 |
| 2.3 Derivatives and integrals of pseudoanalytic functions                                                        | 13 |
| 2.3.1 Equivalent generating pairs                                                                                | 13 |
| 2.3.2 Vekua's equation for $(F, G)$ -derivatives                                                                 | 14 |
| 2.3.3 Integration                                                                                                | 16 |
| <b>3 Solutions of Second-order Elliptic Equations as Real Components<br/>of Complex Pseudoanalytic Functions</b> |    |
| 3.1 Factorization of the stationary Schrödinger operator                                                         | 21 |
| 3.2 Factorization of the operator $\operatorname{div} p \operatorname{grad} + q$ .                               | 23 |
| 3.3 Conjugate metaharmonic functions                                                                             | 27 |
| 3.4 The main Vekua equation                                                                                      | 29 |
| 3.5 Cauchy's integral theorem for the Schrödinger equation                                                       | 31 |
| 3.6 $p$ -analytic functions                                                                                      | 32 |
| <b>4 Formal Powers</b>                                                                                           |    |
| 4.1 Definition                                                                                                   | 35 |
| 4.2 An important special case                                                                                    | 37 |
| 4.3 Similarity principle                                                                                         | 38 |
| 4.4 Taylor series in formal powers                                                                               | 41 |
| 4.5 The Runge theorem                                                                                            | 43 |
| 4.6 Complete systems of solutions for second-order equations                                                     | 43 |
| 4.7 A remark on orthogonal coordinate systems in a plane                                                         | 45 |

|                                                           |                                                                                                           |    |
|-----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----|
| 4.8                                                       | Explicit construction of a generating sequence . . . . .                                                  | 46 |
| 4.9                                                       | Explicit construction of complete systems of solutions<br>of second-order elliptic equations . . . . .    | 50 |
| 4.9.1                                                     | Explicit construction of complete systems of solutions<br>for a stationary Schrödinger equation . . . . . | 51 |
| 4.9.2                                                     | Complete systems of solutions for the<br>conductivity equation . . . . .                                  | 51 |
| 4.10                                                      | Numerical solution of boundary value problems . . . . .                                                   | 52 |
| <b>5</b>                                                  | <b>Cauchy's Integral Formula</b>                                                                          |    |
| 5.1                                                       | Preliminary information on the Cauchy integral formula<br>for pseudoanalytic functions . . . . .          | 55 |
| 5.2                                                       | Relation between the main Vekua equation and the<br>system describing $p$ -analytic functions . . . . .   | 57 |
| 5.3                                                       | The transplant operator . . . . .                                                                         | 58 |
| 5.4                                                       | Cauchy integral formulas for $x^k$ -analytic functions . . . . .                                          | 60 |
| <b>6</b>                                                  | <b>Complex Riccati Equation</b>                                                                           |    |
| 6.1                                                       | Preliminary notes . . . . .                                                                               | 65 |
| 6.2                                                       | The two-dimensional stationary Schrödinger equation and<br>the complex Riccati equation . . . . .         | 67 |
| 6.3                                                       | Generalizations of classical theorems . . . . .                                                           | 69 |
| 6.4                                                       | Cauchy's integral theorem . . . . .                                                                       | 71 |
| <br><b>Part II Applications to Sturm-Liouville Theory</b> |                                                                                                           |    |
| <b>7</b>                                                  | <b>A Representation for Solutions of the Sturm-Liouville Equation</b>                                     |    |
| 7.1                                                       | Solving the one-dimensional Schrödinger equation . . . . .                                                | 75 |
| 7.2                                                       | The “+”-case . . . . .                                                                                    | 76 |
| 7.3                                                       | Two sets of Taylor coefficients . . . . .                                                                 | 80 |
| 7.4                                                       | Solution of the one-dimensional Schrödinger equation . . . . .                                            | 81 |
| 7.5                                                       | Validating the result . . . . .                                                                           | 83 |
| 7.6                                                       | The “−” case . . . . .                                                                                    | 84 |
| 7.7                                                       | Complex potential . . . . .                                                                               | 85 |
| 7.8                                                       | Solution of the Sturm-Liouville equation . . . . .                                                        | 86 |
| 7.9                                                       | Numerical method for solving Sturm-Liouville equations . . . . .                                          | 90 |
| <b>8</b>                                                  | <b>Spectral Problems and Darboux Transformation</b>                                                       |    |
| 8.1                                                       | Sturm-Liouville problem as a problem of finding zeros<br>of an analytic function . . . . .                | 93 |
| 8.1.1                                                     | Sturm-Liouville problems with spectral parameter<br>dependent boundary conditions . . . . .               | 95 |

|     |                                                                 |    |
|-----|-----------------------------------------------------------------|----|
| 8.2 | Numerical method for solving Sturm-Liouville problems . . . . . | 96 |
| 8.3 | A remark on the Darboux transformation . . . . .                | 98 |

## Part III Applications to Real First-order Systems

### 9 Beltrami Fields

|     |                                                                                         |     |
|-----|-----------------------------------------------------------------------------------------|-----|
| 9.1 | Description of the result . . . . .                                                     | 103 |
| 9.2 | Reduction of (9.1) to a Vekua equation . . . . .                                        | 104 |
| 9.3 | Solution in the case when $\alpha$ is a function of one<br>Cartesian variable . . . . . | 105 |

### 10 Static Maxwell System in Axially Symmetric Inhomogeneous Media

|      |                                                                                |     |
|------|--------------------------------------------------------------------------------|-----|
| 10.1 | Meridional and transverse fields . . . . .                                     | 111 |
| 10.2 | Reduction of the static Maxwell system to<br>$p$ -analytic functions . . . . . | 112 |
|      | 10.2.1 The meridional case . . . . .                                           | 112 |
|      | 10.2.2 The transverse case . . . . .                                           | 112 |
| 10.3 | Construction of formal powers . . . . .                                        | 113 |
|      | 10.3.1 Formal powers in the meridional case . . . . .                          | 113 |
|      | 10.3.2 Formal powers in the transverse case . . . . .                          | 114 |

## Part IV Hyperbolic Pseudoanalytic Functions

### 11 Hyperbolic Numbers and Analytic Functions

### 12 Hyperbolic Pseudoanalytic Functions

|      |                                                     |     |
|------|-----------------------------------------------------|-----|
| 12.1 | Differential operators . . . . .                    | 125 |
| 12.2 | Hyperbolic pseudoanalytic function theory . . . . . | 126 |
| 12.3 | Generating sequences . . . . .                      | 130 |

### 13 Relationship between Hyperbolic Pseudoanalytic Functions and Solutions of the Klein-Gordon Equation

|      |                                                                         |     |
|------|-------------------------------------------------------------------------|-----|
| 13.1 | Factorization of the Klein-Gordon equation . . . . .                    | 133 |
| 13.2 | The main hyperbolic Vekua equation . . . . .                            | 135 |
| 13.3 | Generating sequence for the main hyperbolic<br>Vekua equation . . . . . | 138 |

## **Part V Bicomplex and Biquaternionic Pseudoanalytic Functions and Applications**

### **14 The Dirac Equation**

|        |                                                                                                    |     |
|--------|----------------------------------------------------------------------------------------------------|-----|
| 14.1   | Notation . . . . .                                                                                 | 150 |
| 14.2   | Quaternionic form of the Dirac equation . . . . .                                                  | 151 |
| 14.3   | The Dirac equation in a two-dimensional case as<br>a bicomplex Vekua equation . . . . .            | 153 |
| 14.4   | Some definitions and results from Bers' theory for<br>bicomplex pseudoanalytic functions . . . . . | 155 |
| 14.4.1 | Generating pair, derivative and antiderivative . . . . .                                           | 155 |
| 14.4.2 | Generating sequences and Taylor series<br>in formal powers . . . . .                               | 156 |
| 14.5   | The main bicomplex Vekua equation . . . . .                                                        | 158 |
| 14.6   | Dirac equation with a scalar potential . . . . .                                                   | 159 |

|           |                                                                                                     |            |
|-----------|-----------------------------------------------------------------------------------------------------|------------|
| <b>15</b> | <b>Complex Second-order Elliptic Equations and<br/>Bicomplex Pseudoanalytic Functions . . . . .</b> | <b>163</b> |
|-----------|-----------------------------------------------------------------------------------------------------|------------|

### **16 Multidimensional Second-order Equations**

|      |                                                |     |
|------|------------------------------------------------|-----|
| 16.1 | Factorization . . . . .                        | 167 |
| 16.2 | The main quaternionic Vekua equation . . . . . | 169 |

|                                |            |
|--------------------------------|------------|
| <b>Open Problems . . . . .</b> | <b>171</b> |
|--------------------------------|------------|

|                               |            |
|-------------------------------|------------|
| <b>Bibliography . . . . .</b> | <b>173</b> |
|-------------------------------|------------|

|                        |            |
|------------------------|------------|
| <b>Index . . . . .</b> | <b>183</b> |
|------------------------|------------|