

Contents

| | |
|---|-----------|
| <i>From the preface to First Edition</i> | xiii |
| <i>Preface to Second Edition</i> | xiv |
| 1 General introduction | 1 |
| 1.1 Types of composite material | 1 |
| 1.2 Design of composite materials | 5 |
| 1.3 The concept of load transfer | 6 |
| References and further reading | 8 |
| 2 Fibres and matrices | 9 |
| 2.1 Reinforcements | 9 |
| 2.1.1 Carbon fibres | 9 |
| 2.1.2 Glass fibres | 14 |
| 2.1.3 Organic fibres | 16 |
| 2.1.4 Silicon carbide | 17 |
| 2.1.5 Alumina and aluminosilicates | 21 |
| 2.2 The strength of reinforcements | 22 |
| 2.2.1 Thermal stability | 22 |
| 2.2.2 Compressive strength | 23 |
| 2.2.3 Fibre fracture and flexibility | 24 |
| 2.2.4 A statistical treatment of fibre strength | 27 |
| 2.3 Matrices | 30 |
| 2.3.1 Polymer matrices | 30 |
| 2.3.2 Metal matrices | 34 |
| 2.3.3 Ceramic matrices | 35 |
| References and further reading | 36 |
| 3 Fibre architecture | 39 |
| 3.1 General considerations | 39 |

| | | |
|----------|---|------------|
| viii | <i>Contents</i> | |
| 3.1.1 | Volume fraction and weight fraction | 39 |
| 3.1.2 | Fibre packing arrangements | 40 |
| 3.1.3 | Clustering of fibres and particles | 42 |
| 3.2 | Long fibres | 43 |
| 3.2.1 | Laminates | 43 |
| 3.2.2 | Woven, braided and knitted fibre arrays | 46 |
| 3.2.3 | Characterisation of fibre orientations in a plane | 48 |
| 3.3 | Short fibres | 49 |
| 3.3.1 | Fibre orientation distributions in three dimensions | 49 |
| 3.3.2 | Fibre length distributions | 53 |
| 3.4 | Voids | 55 |
| 3.5 | Fibre orientation during processing | 59 |
| | References and further reading | 59 |
| 4 | Elastic deformation of long-fibre composites | 60 |
| 4.1 | Axial stiffness | 60 |
| 4.2 | Transverse stiffness | 62 |
| 4.3 | Shear stiffness | 69 |
| 4.4 | Poisson contraction effects | 71 |
| | References and further reading | 77 |
| 5 | Elastic deformation of laminates | 78 |
| 5.1 | Elastic deformation of anisotropic materials | 78 |
| 5.1.1 | Hooke's law | 78 |
| 5.1.2 | Effects of symmetry | 80 |
| 5.2 | Off-axis elastic constants of laminae | 83 |
| 5.2.1 | Calculation procedure | 83 |
| 5.2.2 | Engineering constants | 87 |
| 5.3 | Elastic deformation of laminates | 93 |
| 5.3.1 | Loading of a stack of plies | 93 |
| 5.3.2 | Predicted behaviour | 95 |
| 5.4 | Stresses and distortions | 97 |
| 5.4.1 | Balanced laminates | 97 |
| 5.4.2 | Stresses in individual plies of a laminate | 98 |
| 5.4.3 | Coupling stresses and symmetric laminates | 101 |
| | References and further reading | 104 |
| 6 | Stresses and strains in short-fibre composites | 105 |
| 6.1 | The shear lag model | 105 |
| 6.1.1 | Stress and strain distributions | 107 |
| 6.1.2 | The stress transfer length | 109 |

| <i>Contents</i> | | ix |
|-----------------|--|------------|
| 6.1.3 | Transfer of normal stress across fibre ends | 114 |
| 6.1.4 | Prediction of stiffness | 115 |
| 6.1.5 | Onset of inelastic behaviour | 118 |
| 6.2 | The Eshelby method | 121 |
| 6.2.1 | A misfitting ellipsoid | 123 |
| 6.2.2 | The equivalent homogeneous ellipsoid | 123 |
| 6.2.3 | The background stress | 126 |
| 6.2.4 | Composite stiffness | 127 |
| | References and further reading | 131 |
| 7 | The interface region | 133 |
| 7.1 | Bonding mechanisms | 133 |
| 7.1.1 | Adsorption and wetting | 133 |
| 7.1.2 | Interdiffusion and chemical reaction | 135 |
| 7.1.3 | Electrostatic attraction | 137 |
| 7.1.4 | Mechanical keying | 137 |
| 7.1.5 | Residual stresses | 138 |
| 7.2 | Experimental measurement of bond strength | 138 |
| 7.2.1 | Single-fibre pull-out test | 140 |
| 7.2.2 | Single-fibre push-out and push-down tests | 143 |
| 7.2.3 | Other tests | 146 |
| 7.3 | Control of bond strength | 147 |
| 7.3.1 | Coupling agents and environmental effects | 147 |
| 7.3.2 | Toughness-reducing coatings | 151 |
| 7.3.3 | Interfacial chemical reaction and diffusion barrier coatings | 152 |
| 7.3.4 | The interphase region | 153 |
| | References and further reading | 155 |
| 8 | Strength of composites | 158 |
| 8.1 | Failure modes of long-fibre composites | 158 |
| 8.1.1 | Axial tensile failure | 159 |
| 8.1.2 | Transverse tensile failure | 171 |
| 8.1.3 | Shear failure | 177 |
| 8.1.4 | Failure in compression | 178 |
| 8.2 | Failure of laminae under off-axis loads | 184 |
| 8.2.1 | Maximum stress criterion | 185 |
| 8.2.2 | Other failure criteria | 186 |
| 8.2.3 | Experimental data for single laminae | 188 |
| 8.3 | Strength of laminates | 191 |

| | | |
|-----------|---|------------|
| x | <i>Contents</i> | |
| | 8.3.1 Tensile cracking | 192 |
| | 8.3.2 Interlaminar stresses | 194 |
| | 8.3.3 Edge effects | 195 |
| 8.4 | Failure of tubes under internal pressure | 197 |
| | 8.4.1 Pure hoop loading | 199 |
| | 8.4.2 Combined hoop and axial loading | 201 |
| | 8.4.3 Netting analysis | 203 |
| | References and further reading | 205 |
| 9 | Toughness of composites | 208 |
| 9.1 | Fracture mechanics | 208 |
| | 9.1.1 Basic concepts | 208 |
| | 9.1.2 Interfacial fracture and crack deflection | 213 |
| 9.2 | Contributions to work of fracture | 217 |
| | 9.2.1 Matrix deformation | 217 |
| | 9.2.2 Fibre fracture | 218 |
| | 9.2.3 Interfacial debonding | 219 |
| | 9.2.4 Frictional sliding and fibre pull-out | 220 |
| | 9.2.5 Effects of microstructure | 223 |
| 9.3 | Sub-critical crack growth | 226 |
| | 9.3.1 Fatigue | 227 |
| | 9.3.2 Stress corrosion cracking | 233 |
| | References and further reading | 234 |
| 10 | Thermal behaviour of composites | 237 |
| 10.1 | Thermal expansion and thermal stresses | 237 |
| | 10.1.1 Thermal stresses and strains | 237 |
| | 10.1.2 Thermal expansivities | 240 |
| | 10.1.3 Thermal cycling of unidirectional composites | 244 |
| | 10.1.4 Thermal cycling of laminates | 247 |
| 10.2 | Creep | 251 |
| | 10.2.1 Basics of matrix and fibre behaviour | 251 |
| | 10.2.2 Axial creep of long-fibre composites | 253 |
| | 10.2.3 Transverse creep and discontinuously reinforced composites | 255 |
| 10.3 | Thermal conduction | 259 |
| | 10.3.1 Heat transfer mechanisms | 259 |
| | 10.3.2 Conductivity of composites | 260 |
| | 10.3.3 Interfacial thermal resistance | 264 |
| | References and further reading | 269 |

| <i>Contents</i> | | xi |
|-----------------|--|------------|
| 11 | Fabrication | 271 |
| 11.1 | Polymer composites | 271 |
| 11.1.1 | Liquid resin impregnation routes | 272 |
| 11.1.2 | Pressurised consolidation of resin pre-pregs | 274 |
| 11.1.3 | Consolidation of resin moulding compounds | 276 |
| 11.1.4 | Injection moulding of thermoplastics | 278 |
| 11.1.5 | Hot press moulding of thermoplastics | 279 |
| 11.2 | Metal composites | 280 |
| 11.2.1 | Squeeze infiltration | 281 |
| 11.2.2 | Stir casting | 282 |
| 11.2.3 | Spray deposition | 283 |
| 11.2.4 | Powder blending and consolidation | 285 |
| 11.2.5 | Diffusion bonding of foils | 285 |
| 11.2.6 | Physical vapour deposition (PVD) | 286 |
| 11.3 | Ceramic composites | 286 |
| 11.3.1 | Powder-based routes | 288 |
| 11.3.2 | Reactive processing | 290 |
| 11.3.3 | Layered ceramic composites | 291 |
| 11.3.4 | Carbon/carbon composites | 291 |
| | References and further reading | 293 |
| 12 | Applications | 295 |
| 12.1 | Minesweeper hull | 295 |
| 12.2 | Sheet processing rolls | 297 |
| 12.3 | Helicopter rotor blade | 299 |
| 12.4 | Golf driving club | 301 |
| 12.5 | Racing bicycle | 303 |
| 12.6 | Diesel engine piston | 303 |
| 12.7 | Microelectronics housing | 305 |
| 12.8 | Gas turbine combustor can | 307 |
| 12.9 | Aircraft brakes | 308 |
| | References and further reading | 309 |
| | <i>Appendix</i> Nomenclature | 311 |
| | <i>Author index</i> | 315 |
| | <i>Subject index</i> | 320 |