

Liquid-quenched Alloys / Aus der Schmelze abgeschreckte Legierungen

Bearbeitet von
A.R Ferchmin, S Kobe, M Sostarich

1. Auflage 1991. Buch. xv, 345 S. Hardcover
ISBN 978 3 540 52128 0
Format (B x L): 19,3 x 27 cm
Gewicht: 1275 g

Weitere Fachgebiete > Philosophie, Wissenschaftstheorie, Informationswissenschaft >
Wissenschaften: Allgemeines > Nachschlagewerke, Wörterbücher, Zeitschriften,
Bibliographien, Verzeichnisse

schnell und portofrei erhältlich bei

The logo for beck-shop.de features the text "beck-shop.de" in a bold, red, sans-serif font. Above the "i" in "shop" are three red dots of increasing size. Below the main text, the words "DIE FACHBUCHHANDLUNG" are written in a smaller, red, all-caps, sans-serif font.

beck-shop.de
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung beck-shop.de ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

	Introductory material	
6	Liquid-quenched alloys	1
6.1	Liquid-quenched and sputtered alloys of 3d elements and main group elements (S. KOBE, A.R. FERCHMIN)	1
6.1.1	Introduction	1
6.1.1.1	General remarks	1
6.1.1.2	Preparation methods	1
6.1.1.3	Structure	2
6.1.1.4	How to find the data of a specific alloy in this chapter?	3
6.1.2	Materials and properties - guide	4
6.1.3	Paramagnetic properties	47
6.1.3.1	Cr alloys	48
6.1.3.2	Mn alloys	49
6.1.3.3	Fe alloys	52
6.1.3.4	Co alloys	54
6.1.3.5	Ni alloys	56
6.1.3.6	Cu alloys	62
6.1.3.7	Fe-Cr and Fe-Mn alloys	63
6.1.3.8	Ni-Ti, Ni-V, Ni-Cr and Ni-Mn alloys	66
6.1.3.9	Fe-Ni and Co-Ni alloys	67
6.1.3.10	Cu-Mn, Fe-Cu and Ni-Cu alloys	69
6.1.4	Magnetic moments, saturation magnetization	70
6.1.4.1	Definitions	70
6.1.4.2	Selected methods of measurement	70
6.1.4.2.1	Neutron scattering	70
6.1.4.2.2	Hall effect	70
6.1.4.2.3	Brillouin scattering	70
6.1.4.2.4	Ferromagnetic resonance (FMR)	71
6.1.4.2.5	Spin wave resonance (SWR)	71
6.1.4.2.6	Mössbauer effect	71
6.1.4.3	Zero-temperature magnetization	71
6.1.4.3.1	Zero magnetization at critical concentration	72
6.1.4.3.2	Finite magnetization at $T = 0$ K - concentration dependence	73
6.1.4.3.2.1	Magnetic valence model	73
6.1.4.3.2.2	Coordination bonding model	73
6.1.4.4	Temperature dependence of magnetization	74
6.1.4.4.1	Low-temperature range	74
6.1.4.4.1.1	Fe alloys and Co alloys	74
6.1.4.4.1.2	Fe-Ti and Fe-V alloys	76
6.1.4.4.1.3	Fe-Cr and Fe-Mn alloys	77
6.1.4.4.1.4	Co-Fe alloys	78

6.1.4.4.1.5	Fe-Ni alloys	79
6.1.4.4.1.6	Fe-Ni-Cr alloys	81
6.1.4.4.2	Intermediate-temperature range	81
6.1.4.4.3	High-temperature range - the critical region near T_C	81
6.1.5	Curie temperature and magnetic phase diagrams	82
6.1.5.1	Introduction	82
6.1.5.2	Selected methods of measurement	82
6.1.5.2.1	Thermomagnetic measurements	82
6.1.5.2.2	Calorimetric measurements	83
6.1.5.2.3	Other methods	83
6.1.5.3	Critical exponents	83
6.1.5.4	Pressure dependence of the Curie temperature	87
6.1.6	Magnetic moment, saturation magnetization, Curie temperature - Tables and Figures	87
6.1.6.1	Mn alloys and Fe alloys	88
6.1.6.2	Co alloys	123
6.1.6.3	Ni alloys	135
6.1.6.4	Fe-Ti alloys	136
6.1.6.5	Fe-V alloys	139
6.1.6.6	Fe-Cr alloys	140
6.1.6.7	Fe-Mn alloys	147
6.1.6.8	Co-Ti alloys	150
6.1.6.9	Co-V alloys	151
6.1.6.10	Co-Cr alloys	151
6.1.6.11	Co-Mn alloys	152
6.1.6.12	Co-Fe alloys	153
6.1.6.13	Ni-Mn alloys	162
6.1.6.14	Fe-Ni alloys	163
6.1.6.15	Co-Ni alloys	177
6.1.6.16	Cu-Mn alloys	178
6.1.6.17	Fe-Cu alloys	179
6.1.6.18	Co-Fe-V alloys	180
6.1.6.19	Co-Fe-Cr alloys	180
6.1.6.20	Co-Fe-Mn alloys	181
6.1.6.21	Fe-Ni-V alloy	182
6.1.6.22	Fe-Ni-Cr alloys	182
6.1.6.23	Fe-Ni-Mn alloys and Co-Ni-Mn alloys	184
6.1.6.24	Co-Fe-Ni alloys	184
6.1.6.25	Alloys containing four TM elements	187
6.1.7	References for 6.1	188
6.2	Liquid-quenched alloys of 3d elements and rare earth elements (M. SOSTARICH)	209
6.2.1	Introduction	209
6.2.1.1	General	209
6.2.1.2	Survey	215
6.2.2	Amorphous alloys with Y and nonmagnetic rare earths (La, Lu)	222
6.2.2.1	Magnetic moments, ordering temperatures and type of magnetic order	222
6.2.2.2	Temperature dependence of magnetization	227
6.2.2.3	High-field magnetization and susceptibility	229
6.2.2.4	Mössbauer effect	232

6.2.2.5	Ferromagnetic resonance properties	242
6.2.2.6	Magnetovolume effects	244
6.2.3	Alloys with Gd ($L = 0$)	246
6.2.3.1	Magnetization, magnetic moments, ordering temperatures and type of magnetic order	246
6.2.3.2	Temperature dependence of magnetization and susceptibility	254
6.2.3.3	High-field magnetization and susceptibility	262
6.2.3.4	Hyperfine interactions: Mössbauer effect and nuclear magnetic resonance	265
6.2.3.5	Ferromagnetic resonance and magnetic anisotropy	267
6.2.3.6	Magnetovolume effects	268
6.2.3.7	Magnetoresistivity	271
6.2.3.8	Scaling behaviour and critical exponents	272
6.2.4	Alloys with light rare earth elements (Ce, Pr, Nd, Sm)	275
6.2.4.1	Magnetization, magnetic moments, ordering temperatures and type of magnetic order	275
6.2.4.2	Temperature dependence of magnetization and susceptibility	283
6.2.4.3	High-field magnetization and susceptibility. Anisotropy constants. Magnetoresistivity. Magnetostriction	290
6.2.4.4	Mössbauer effect	294
6.2.5	Alloys with heavy rare earth elements (Tb, Dy, Ho, Er, Tm)	298
6.2.5.1	Magnetization, magnetic moments, ordering temperatures and type of magnetic order	298
6.2.5.2	Temperature dependence of magnetization and susceptibility	305
6.2.5.3	High-field magnetization and susceptibility. Magnetic anisotropy	317
6.2.5.4	Mössbauer effect	322
6.2.5.5	Magnetoresistivity	323
6.2.5.6	Scaling behaviour and critical exponents	325
6.2.6	Alloys with two rare earth species	328
6.2.6.1	Magnetization, magnetic moments, ordering temperatures and type of magnetic order	328
6.2.6.2	Temperature dependence of magnetization and susceptibility	332
6.2.6.3	Mössbauer effect and magnetic anisotropy	336
6.2.7	Alloy series - variation of some magnetic properties with the rare earth species	337
6.2.8	References for 6.2	342