

# Water and Solute Permeability of Plant Cuticles

Measurement and Data Analysis

Bearbeitet von  
Lukas Schreiber, Jörg Schönherr

1. Auflage 2009. Buch. xiii, 299 S. Hardcover  
ISBN 978 3 540 68944 7  
Format (B x L): 15,5 x 23,5 cm  
Gewicht: 637 g

[Weitere Fachgebiete > Chemie, Biowissenschaften, Agrarwissenschaften > Botanik > Pflanzenökologie](#)

Zu [Leseprobe](#)

schnell und portofrei erhältlich bei

The logo for beck-shop.de features the text 'beck-shop.de' in a bold, red, sans-serif font. Above the 'i' in 'shop' are three red dots of increasing size. Below the main text, the words 'DIE FACHBUCHHANDLUNG' are written in a smaller, red, all-caps, sans-serif font.

**beck-shop.de**  
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung [beck-shop.de](http://beck-shop.de) ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

# Contents

|          |                                                                                                 |    |
|----------|-------------------------------------------------------------------------------------------------|----|
| <b>1</b> | <b>Chemistry and Structure of Cuticles as Related to Water and Solute</b>                       |    |
|          | <b>Permeability</b> .....                                                                       | 1  |
| 1.1      | Polymer Matrix .....                                                                            | 2  |
| 1.2      | Cutin Composition .....                                                                         | 3  |
| 1.3      | Soluble Cuticular Lipids .....                                                                  | 8  |
| 1.3.1    | Extraction and Classification of Waxes .....                                                    | 8  |
| 1.3.2    | Chemistry of Waxes .....                                                                        | 10 |
| 1.3.3    | Special Aspects of Wax Analysis .....                                                           | 11 |
| 1.4      | Fine Structure of Cuticles .....                                                                | 14 |
| 1.4.1    | Nomenclature .....                                                                              | 15 |
| 1.4.2    | Transversal Heterogeneity .....                                                                 | 15 |
| 1.4.2.1  | Light Microscopy .....                                                                          | 15 |
| 1.4.2.2  | Scanning Electron Microscopy .....                                                              | 18 |
| 1.4.2.3  | Transmission Electron Microscopy .....                                                          | 20 |
| 1.4.3    | Cuticle Synthesis .....                                                                         | 26 |
| 1.4.4    | Lateral Heterogeneity .....                                                                     | 27 |
|          | Problems .....                                                                                  | 27 |
|          | Solutions .....                                                                                 | 28 |
| <b>2</b> | <b>Quantitative Description of Mass Transfer</b> .....                                          | 31 |
| 2.1      | Models for Analysing Mass Transfer .....                                                        | 32 |
| 2.1.1    | Model 1 .....                                                                                   | 33 |
| 2.1.2    | Model 2 .....                                                                                   | 35 |
| 2.1.3    | Model 3 .....                                                                                   | 37 |
| 2.1.4    | Conductance and Resistance .....                                                                | 37 |
| 2.2      | Steady State Diffusion Across a Stagnant Water Film .....                                       | 38 |
| 2.3      | Steady State Diffusion Across a Stagnant Water Film Obstructed<br>by Cellulose and Pectin ..... | 39 |
| 2.4      | Steady State Diffusion of a Solute Across a Dense<br>Non-Porous Membrane .....                  | 40 |
| 2.4.1    | The Experiment .....                                                                            | 43 |

|          |                                                                                                                                 |           |
|----------|---------------------------------------------------------------------------------------------------------------------------------|-----------|
| 2.5      | Diffusion Across a Membrane with Changing Concentrations . . . . .                                                              | 45        |
| 2.5.1    | The Experiment . . . . .                                                                                                        | 46        |
| 2.6      | Determination of the Diffusion Coefficient from Sorption<br>or Desorption Kinetics . . . . .                                    | 48        |
| 2.6.1    | The Experiment . . . . .                                                                                                        | 49        |
| 2.7      | Summary . . . . .                                                                                                               | 51        |
|          | Problems . . . . .                                                                                                              | 51        |
|          | Solutions . . . . .                                                                                                             | 51        |
| <b>3</b> | <b>Permeance, Diffusion and Partition Coefficients: Units and Their<br/>Conversion . . . . .</b>                                | <b>53</b> |
| 3.1      | Units of Permeability . . . . .                                                                                                 | 53        |
| 3.1.1    | Example . . . . .                                                                                                               | 55        |
| 3.2      | Diffusion Coefficients . . . . .                                                                                                | 58        |
| 3.3      | Partition Coefficients . . . . .                                                                                                | 58        |
|          | Problems . . . . .                                                                                                              | 60        |
|          | Solutions . . . . .                                                                                                             | 60        |
| <b>4</b> | <b>Water Permeability . . . . .</b>                                                                                             | <b>61</b> |
| 4.1      | Water Permeability of Synthetic Polymer Membranes and Polymer<br>Matrix Membranes: A Comparison of Barrier Properties . . . . . | 61        |
| 4.2      | Isoelectric Points of Polymer Matrix Membranes . . . . .                                                                        | 65        |
| 4.3      | Ion Exchange Capacity . . . . .                                                                                                 | 68        |
| 4.3.1    | Cation Selectivity . . . . .                                                                                                    | 72        |
| 4.4      | Water Vapour Sorption and Permeability as Affected by $pH$ ,<br>Cations and Vapour Pressure . . . . .                           | 74        |
| 4.5      | Diffusion and Viscous Transport of Water: Evidence for Aqueous<br>Pores in Polymer Matrix Membranes . . . . .                   | 78        |
| 4.5.1    | Lipophilic and Hydrophilic Pathways in the<br>Polymer Matrix . . . . .                                                          | 88        |
| 4.5.2    | Permeability of the Pore and Cutin Pathways . . . . .                                                                           | 89        |
| 4.5.3    | Effect of Partial Pressure of Water Vapour on Permeances<br>of the Pore and Cutin Pathways . . . . .                            | 92        |
| 4.6      | Water Permeability of Isolated Astomatous Cuticular Membranes . .                                                               | 93        |
| 4.6.1    | Comparing Water Permeability of CM with that of MX . . . .                                                                      | 93        |
| 4.6.2    | Water Permeability of CM . . . . .                                                                                              | 94        |
| 4.6.2.1  | Chemical Composition of Wax and Its<br>Relationship to Water Permeability . . . . .                                             | 96        |
| 4.6.2.2  | Water Permeability of CM and Diffusion<br>of Stearic Acid in Wax . . . . .                                                      | 98        |
| 4.6.2.3  | Co-Permeation of Water and Lipophilic Solutes . . . . .                                                                         | 101       |
| 4.6.2.4  | Effect of Partial Vapour Pressure (Humidity)<br>on Permeability of CM . . . . .                                                 | 104       |
| 4.6.2.5  | Effect of AgCl Precipitates on Water Permeance . . . . .                                                                        | 105       |

|          |                                                                                                |            |
|----------|------------------------------------------------------------------------------------------------|------------|
| 4.6.3    | Diffusion Coefficients of Water in CM and Cuticular Wax . .                                    | 107        |
| 4.6.3.1  | Measurement of $D_w$ for Water in CM from<br>Hold-up Times . . . . .                           | 107        |
| 4.6.3.2  | Estimation of $D_w$ from Diffusion of Lipophilic<br>Neutral Molecules . . . . .                | 109        |
| 4.6.4    | Water Permeability of Paraffin Waxes . . . . .                                                 | 111        |
| 4.6.4.1  | Water Permeance of Polyethylene<br>and Paraffin Wax . . . . .                                  | 111        |
| 4.6.4.2  | Water Permeability of Lipid Monolayers . . . . .                                               | 114        |
| 4.6.4.3  | Estimation of Water Sorption in Wax and<br>Thickness of the Waxy Transpiration Barrier . . . . | 116        |
| 4.7      | Permeances of Adaxial and Abaxial Cuticles . . . . .                                           | 118        |
| 4.8      | Water Permeability of Isolated Cuticular Membranes<br>as Compared to Intact Leaves . . . . .   | 119        |
| 4.9      | The Shape of the Water Barrier in Plant Cuticles . . . . .                                     | 120        |
|          | Problems . . . . .                                                                             | 121        |
|          | Solutions . . . . .                                                                            | 122        |
| <b>5</b> | <b>Penetration of Ionic Solutes . . . . .</b>                                                  | <b>125</b> |
| 5.1      | Localisation of Aqueous Pores in Cuticles . . . . .                                            | 126        |
| 5.2      | Experimental Methods . . . . .                                                                 | 129        |
| 5.3      | Cuticular Penetration of Electrolytes . . . . .                                                | 133        |
| 5.3.1    | Effect of Wetting Agents . . . . .                                                             | 133        |
| 5.3.2    | Penetration of Calcium and Potassium Salts . . . . .                                           | 134        |
| 5.3.3    | Rate Constants Measured with Leaf CM from Different<br>Species . . . . .                       | 136        |
| 5.3.4    | Size Selectivity of Aqueous Pores . . . . .                                                    | 137        |
| 5.3.5    | Penetration of Organic Ions and Zwitter Ions . . . . .                                         | 140        |
| 5.4      | Cuticular Penetration of Fe Chelates . . . . .                                                 | 142        |
|          | Problems . . . . .                                                                             | 143        |
|          | Solutions . . . . .                                                                            | 144        |
| <b>6</b> | <b>Diffusion of Non-Electrolytes . . . . .</b>                                                 | <b>145</b> |
| 6.1      | Sorption in Cuticular Membranes, Polymer Matrix,<br>Cutin and Waxes . . . . .                  | 145        |
| 6.1.1    | Definition and Determination of Partition Coefficients . . . .                                 | 145        |
| 6.1.2    | Cuticle/Water Partition Coefficients $K_{cw}$ . . . . .                                        | 146        |
| 6.1.3    | Wax/Water Partition Coefficients $K_{ww}$ . . . . .                                            | 148        |
| 6.1.4    | Concentration Dependence of Partition Coefficients . . . . .                                   | 149        |
| 6.1.5    | Prediction of Partition Coefficients . . . . .                                                 | 149        |
| 6.1.6    | Problems Related to the Measurement of Partition<br>Coefficients . . . . .                     | 151        |
| 6.1.6.1  | Solutes with Ionisable Acidic and Basic Groups . .                                             | 151        |
| 6.1.6.2  | Hydrophobic Solutes with Extremely<br>Low Water Solubility . . . . .                           | 151        |

|          |                                                                                      |            |
|----------|--------------------------------------------------------------------------------------|------------|
| 6.1.6.3  | Polar Solutes with Extremely High Water Solubility .....                             | 152        |
| 6.2      | Steady State Penetration .....                                                       | 153        |
| 6.2.1    | Permeance of Isolated Cuticular Membranes .....                                      | 153        |
| 6.2.2    | Steady State Penetration into Detached Leaves:<br>The Submersion Technique .....     | 159        |
| 6.2.2.1  | Penetration into Cut Edges .....                                                     | 160        |
| 6.2.2.2  | Cuticular Penetration .....                                                          | 161        |
| 6.2.2.3  | Compartmental Analysis .....                                                         | 163        |
| 6.2.2.4  | Projected and Specific Surface Area .....                                            | 168        |
| 6.2.2.5  | Evaluation of Compartmental Analysis .....                                           | 170        |
| 6.2.3    | Steady State Penetration into Leaf Disks Using<br>the Well Technique .....           | 171        |
| 6.3      | Diffusion with Changing Donor Concentrations:<br>The Transient State .....           | 176        |
| 6.3.1    | Simultaneous Bilateral Desorption .....                                              | 176        |
| 6.3.2    | Unilateral Desorption from the Outer Surface .....                                   | 180        |
| 6.3.2.1  | Estimating Solute Mobility from Rate Constants ..                                    | 183        |
| 6.3.2.2  | Variability of Solute Mobility among Different<br>Plant Species .....                | 186        |
| 6.3.2.3  | Variability of Solute Mobility<br>with Size of Solutes .....                         | 187        |
| 6.4      | Simulation of Foliar Penetration .....                                               | 190        |
| 6.5      | Diffusion in Reconstituted Isolated Cuticular Waxes .....                            | 192        |
| 6.5.1    | Experimental Approach .....                                                          | 193        |
| 6.5.2    | Diffusion Coefficients in Reconstituted Cuticular Wax .....                          | 195        |
| 6.5.3    | Relationship Between D and P .....                                                   | 198        |
|          | Problems .....                                                                       | 200        |
|          | Solutions .....                                                                      | 202        |
| <b>7</b> | <b>Accelerators Increase Solute Permeability of Cuticles .....</b>                   | <b>205</b> |
| 7.1      | Sorption of Plasticisers in Wax and Cutin .....                                      | 206        |
| 7.1.1    | Sorption of Alcohol Ethoxylates in Wax .....                                         | 206        |
| 7.1.2    | Sorption of Alcohol Ethoxylates in Polymer Matrix<br>Membranes .....                 | 210        |
| 7.1.3    | Sorption of n-Alkyl Esters in Wax .....                                              | 211        |
| 7.2      | Plasticisation of Cuticular Wax: Evidence from Spectroscopy .....                    | 212        |
| 7.3      | Effects of Plasticisers on Diffusion of Lipophilic Solutes in Wax ...                | 215        |
| 7.3.1    | Effect of C <sub>12</sub> E <sub>8</sub> on Solute Diffusion in Reconstituted Wax .. | 215        |
| 7.3.2    | Plasticising Effects of Other Alcohol Ethoxylates .....                              | 217        |
| 7.3.3    | Plasticising Effects of n-Alkyl Esters .....                                         | 218        |
| 7.3.4    | Dependence of the Plasticising Effect on Molar Volume<br>of Solutes .....            | 220        |
| 7.4      | Effects of Plasticisers on Transport in Cuticles .....                               | 222        |
| 7.4.1    | Reversibility of Plasticiser Effects .....                                           | 223        |

|          |                                                                                                   |            |
|----------|---------------------------------------------------------------------------------------------------|------------|
| 7.4.2    | Effects of Plasticisers and Temperature on Solute Mobility in CM .....                            | 225        |
| 7.4.3    | Effects of Plasticisers on the Mobility of Polar Solutes in CM .....                              | 227        |
| 7.5      | Effects of Plasticisers on Water and Ion Transport .....                                          | 229        |
|          | Problems .....                                                                                    | 230        |
|          | Solutions .....                                                                                   | 230        |
| <b>8</b> | <b>Effects of Temperature on Sorption and Diffusion of Solutes and Penetration of Water .....</b> | <b>233</b> |
| 8.1      | Sorption from Aqueous Solutions .....                                                             | 233        |
| 8.1.1    | Sorption Isotherms and Partition Coefficients .....                                               | 234        |
| 8.1.2    | Thermodynamics of Sorption .....                                                                  | 237        |
| 8.2      | Solute Mobility in Cuticles .....                                                                 | 239        |
| 8.2.1    | Effect of Temperature on Rate Constants $k^*$ .....                                               | 241        |
| 8.2.2    | Thermodynamics of Solute Diffusion in CM .....                                                    | 243        |
| 8.3      | Water Permeability in CM and MX .....                                                             | 247        |
| 8.4      | Thermal Expansion of CM, MX, Cutin and Waxes .....                                                | 251        |
| 8.5      | Water Permeability of Synthetic Polymers as Affected by Temperatures .....                        | 253        |
| 8.5.1    | $E_P$ , $E_D$ and $\Delta H_S$ Measured with Synthetic Polymers .....                             | 254        |
|          | Problems .....                                                                                    | 257        |
|          | Solutions .....                                                                                   | 258        |
| <b>9</b> | <b>General Methods, Sources of Errors, and Limitations in Data Analysis .....</b>                 | <b>259</b> |
| 9.1      | Isolation of Cuticular Membranes .....                                                            | 259        |
| 9.2      | Testing Integrity of Isolated CM .....                                                            | 261        |
| 9.3      | Effects of Holes on Permeance, Rate Constants and Diffusion Coefficients .....                    | 262        |
| 9.4      | Distribution of Water and Solute Permeability .....                                               | 263        |
| 9.5      | Very High or Very Low Partition Coefficients .....                                                | 264        |
| 9.6      | Cutin and Wax Analysis and Preparation of Reconstituted Cuticular Wax .....                       | 264        |
| 9.7      | Measuring Water Permeability .....                                                                | 266        |
| 9.8      | Measuring Solute Permeability .....                                                               | 268        |
|          | <b>Appendix .....</b>                                                                             | <b>275</b> |
|          | <b>References .....</b>                                                                           | <b>285</b> |