

[Nitrogen and Oxygen Centered Radicals](#)

Bearbeitet von
J.A Howard, H Jäger, M Jäger, R Mecke, F.A Neugebauer

1. Auflage 2004. Buch. xi, 535 S.
ISBN 978 3 540 43276 0
Format (B x L): 19,3 x 27 cm
Gewicht: 1640 g

[Weitere Fachgebiete > Physik, Astronomie > Quantenphysik > Atom- und Molekularphysik](#)

schnell und portofrei erhältlich bei

The logo for beck-shop.de features the text 'beck-shop.de' in a bold, red, sans-serif font. Above the 'i' in 'shop' are three red dots of varying sizes, arranged in a slight arc. Below the main text, the words 'DIE FACHBUCHHANDLUNG' are written in a smaller, red, all-caps, sans-serif font.

beck-shop.de
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung beck-shop.de ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

Landolt-Börnstein**GROUP II: Molecules and Radicals****VOLUME 26****Magnetic Properties of Free Radicals****SUBVOLUME C****Nitrogen and Oxygen Centered Radicals**

Title Pages, Contributors, Preface, Table of Contents

Title Pages

Contributors

Preface

Table of Contents

| | | |
|-----------|--|----|
| I | General introduction (H. FISCHER) | 1 |
| A | Definition and substances | 1 |
| B | Magnetic properties | 1 |
| C | Arrangements of the tables | 3 |
| D | Monographs, reviews and important conference proceedings | 4 |
| II | Data | 7 |
| 9 | Nitrogen-centered monoradicals, biradicals and high-spin nitrenes (F.A. NEUGEBAUER) | 7 |
| 9.1 | Introduction | 7 |
| 9.1.1 | General remarks | 7 |
| 9.1.2 | Arrangement of tables | 8 |
| 9.1.3 | Abbreviations | 9 |
| 9.2 | Aminyl radicals of type $R-N^{\bullet}-R$ ($R = H, C$) | 10 |
| 9.2.1 | Acyclic aminyl radicals | 10 |
| 9.2.1.1 | Alkylaminyl radicals | 10 |
| 9.2.1.2 | Vinylaminyl radicals | 13 |
| 9.2.1.3 | Arylaminyls | 14 |
| 9.2.1.4 | Aminyl radicals with heterocyclic substituent | 17 |
| 9.2.1.5 | Cyano- and acylaminyl radicals | 21 |
| 9.2.2 | Cyclic aminyl radicals | 22 |
| 9.2.2.1 | Monocyclic aminyl radicals | 22 |
| 9.2.2.1.1 | Aminyl radicals from four-membered rings | 22 |
| 9.2.2.1.2 | Aminyl radicals from five-membered rings | 22 |
| 9.2.2.1.3 | Aminyl radicals from six-membered rings | 25 |
| 9.2.2.2 | Fused polycyclic aminyl radicals | 33 |
| 9.2.2.2.1 | Based on five-membered rings | 33 |
| 9.2.2.2.2 | Based on six-membered rings | 39 |
| 9.2.2.2.3 | Based on seven-membered rings | 66 |
| 9.3 | Germylaminyl radicals of type $R-N^{\bullet}-GeR_3$ | 67 |
| 9.4 | Hydrazyl and hydrazone radicals: $R^1-N^{\bullet}-NR^2R^3$, $R^1-N^{\bullet}-N=CR^2R^3$ | 68 |
| 9.4.1 | Acyclic hydrazyl radicals | 68 |
| 9.4.1.1 | Leading atom of R^1 , R^2 , and R^3 : Hydrogen or carbon | 68 |
| 9.4.1.1.1 | Alkylhydrazyl radicals | 68 |
| 9.4.1.1.2 | Arylhydrazyl radicals | 69 |
| 9.4.1.1.3 | Cyano- and acylhydrazyl radicals | 71 |

| | | |
|------------|---|-----|
| 9.4.1.2 | Leading atom of R ¹ : Other than hydrogen or carbon | 74 |
| 9.4.1.3 | Leading atom of R ² : Other than hydrogen or carbon | 76 |
| 9.4.1.4 | Leading atom of R ¹ and R ² : Other than hydrogen or carbon | 76 |
| 9.4.2 | Cyclic hydrazyl radicals | 77 |
| 9.4.2.1 | Monocyclic hydrazyl radicals | 77 |
| 9.4.2.1.1 | Hydrazyl radicals from three-membered rings | 77 |
| 9.4.2.1.2 | Hydrazyl radicals from five-membered rings | 78 |
| 9.4.2.1.3 | Hydrazyl radicals from six-membered rings | 90 |
| 9.4.2.2 | Fused polycyclic hydrazyl radicals | 101 |
| 9.4.3 | Acyclic and cyclic hydrazonyl radicals | 106 |
| 9.4.3.1 | Acyclic hydrazonyl radicals | 106 |
| 9.4.3.2 | Cyclic hydrazonyl radicals | 110 |
| 9.5 | Oxyaminy radicals: $\text{-N}^{\bullet}\text{-O-}$ | 111 |
| 9.5.1 | Acyclic oxyaminy radicals: $\text{R}^1\text{-N}^{\bullet}\text{-O-R}^2$ | 111 |
| 9.5.1.1 | Leading atom of R ¹ and R ² : Carbon | 111 |
| 9.5.1.2 | Leading atom of R ² : Other than carbon | 134 |
| 9.5.1.3 | Leading atom of R ¹ : Other than carbon | 139 |
| 9.5.2 | Cyclic oxyaminy radicals | 140 |
| 9.6 | Thioaminy radicals: $\text{-N}^{\bullet}\text{-S-}$, $\text{-N}^{\bullet}\text{-S(=O)-}$, $\text{-N}^{\bullet}\text{-SO}_2\text{-}$ | 142 |
| 9.6.1 | Acyclic thioaminy radicals | 142 |
| 9.6.1.1 | Sulfenamidy radicals: $\text{R}^1\text{-N}^{\bullet}\text{-S-R}^2$ | 142 |
| 9.6.1.1.1 | Leading atom of R ¹ and R ² : Carbon | 142 |
| 9.6.1.1.2 | Leading atom of R ¹ : Other than carbon | 163 |
| 9.6.1.2 | Sulfinamidyl radicals: $\text{R}^1\text{-N}^{\bullet}\text{-S(=O)-R}^2$ | 165 |
| 9.6.1.3 | Sulfonamidyl radicals: $\text{R}^1\text{-N}^{\bullet}\text{-SO}_2\text{-R}^2$ | 165 |
| 9.6.2 | Cyclic thioaminy radicals | 166 |
| 9.6.2.1 | Monocyclic thioaminy radicals | 166 |
| 9.6.2.1.1 | Thioaminy radicals from five-membered rings | 166 |
| 9.6.2.1.2 | Thioaminy radicals from six-membered rings | 182 |
| 9.6.2.1.3 | Thioaminy radicals from eight-membered rings | 184 |
| 9.6.2.2 | Fused polycyclic thioaminy radicals | 185 |
| 9.6.2.3 | Bridged thioaminy radicals | 195 |
| 9.7 | Selenoaminy radicals: $\text{-N}^{\bullet}\text{-Se-}$ | 199 |
| 9.8 | Iminyl radicals: >C=N^{\bullet} | 201 |
| 9.8.1 | Iminyl radicals of type RCH=N^{\bullet} | 201 |
| 9.8.2 | Iminyl radicals of type $\text{R}^1\text{R}^2\text{C=N}^{\bullet}$ | 204 |
| 9.9 | Diazenyl radicals: $\text{R-N}^{\bullet+}=\text{N}^-$ | 209 |
| 9.10 | Iminoxyl radicals: >C=N-O^{\bullet} | 211 |
| 9.10.1 | Acyclic iminoxyl radicals | 211 |
| 9.10.1.1 | Iminoxyl radicals of type RCH=N-O^{\bullet} , leading atom of R: Carbon | 211 |
| 9.10.1.2 | Iminoxyl radicals of type $\text{R}^1\text{R}^2\text{C=N-O}^{\bullet}$ | 217 |
| 9.10.1.2.1 | Leading atom of R ¹ and R ² : Carbon | 217 |
| 9.10.1.2.2 | Leading atom of R ² : Other than carbon | 224 |
| 9.10.1.2.3 | Leading atom of R ¹ and R ² : Other than carbon | 241 |
| 9.10.2 | Cyclic iminoxyl radicals | 241 |
| 9.10.2.1 | Monocyclic iminoxyl radicals | 241 |

| | | |
|-----------|--|-----|
| 9.10.2.2 | Fused polycyclic iminoxyl radicals | 245 |
| 9.10.2.3 | Bridged iminoxyl radicals | 248 |
| 9.11 | Nitrogen-centered biradicals | 250 |
| 9.11.1 | Aminyl biradicals | 250 |
| 9.11.2 | Hydrazyl biradicals | 250 |
| 9.11.2.1 | Acyclic hydrazyl biradicals | 250 |
| 9.11.2.2 | Cyclic hydrazyl biradicals | 251 |
| 9.11.3 | Thioaminyl biradicals | 252 |
| 9.11.3.1 | Acyclic thioaminyl biradicals | 252 |
| 9.11.3.2 | Cyclic thioaminyl biradicals | 253 |
| 9.11.4 | Cyclic selenoaminyl biradical | 255 |
| 9.11.5 | Biradicals with different kinds of radical centers | 256 |
| 9.11.5.1 | Type $R^1N^{\bullet}\cdots C^{\bullet}R^2R^3$ | 256 |
| 9.11.5.2 | Type $R^1N^{\bullet}\cdots N(O^{\bullet})R^2$ | 257 |
| 9.11.5.3 | Type $R^1N^{\bullet}\cdots O^{\bullet}$ | 258 |
| 9.12 | High-spin mono- and polynitrenes | 259 |
| 9.12.1 | Mononitrenes | 259 |
| 9.12.1.1 | Alkyl nitrenes | 259 |
| 9.12.1.2 | Cyano nitrene | 262 |
| 9.12.1.3 | Carbonyl nitrene | 262 |
| 9.12.1.4 | Aryl nitrenes | 262 |
| 9.12.1.5 | Heterocyclic nitrenes | 280 |
| 9.12.1.6 | Boryl nitrene | 287 |
| 9.12.1.7 | Phosphoryl nitrene | 288 |
| 9.12.1.8 | Sulfonyl nitrenes | 288 |
| 9.12.1.9 | Silyl nitrenes | 289 |
| 9.12.1.10 | Stannyl nitrene | 290 |
| 9.12.2 | Mononitrenes and additional radicals ($S = 3/2, S = 2$) | 291 |
| 9.12.2.1 | Nitrene and benzyl | 291 |
| 9.12.2.2 | Nitrene and aminyl | 291 |
| 9.12.2.3 | Nitrene and hydrazyl | 291 |
| 9.12.2.4 | Nitrene and nitroxyde | 291 |
| 9.12.2.5 | Nitrene, alkyl and aminyl | 292 |
| 9.12.2.6 | Nitrene and carbene | 292 |
| 9.12.3 | Quinonoidal dinitrenes (iminyl biradicals) | 293 |
| 9.12.4 | Dinitrenes ($S = 2$) | 296 |
| 9.12.4.1 | Arylene dinitrenes | 296 |
| 9.12.4.2 | Bis(arylnitrenes) linked by $>C=CH_2$ or $>C=O$ | 297 |
| 9.12.4.3 | Bis(arylnitrenes) linked by $-HC=CH-$, $-[C\equiv C]_n-$, $-(1,3-C_6H_4)-$, or $-C\equiv C-(1,3-C_6H_4)-C\equiv C-$ | 299 |
| 9.12.4.4 | Bis(arylnitrenes) linked by carbocyclic or heterocyclic bridges | 302 |
| 9.12.4.5 | Bis(arylnitrenes) linked by $-CONH-$ | 303 |
| 9.12.4.6 | Bis(arylnitrenes) linked by hetero atoms: O, S, Si | 304 |
| 9.12.4.7 | Heterocyclic dinitrenes | 305 |
| 9.12.5 | Polynitrenes ($S \geq 3$) | 307 |
| 9.13 | References for 9 | 309 |
| 9.13.1 | Review articles | 309 |
| 9.13.2 | References for 9.2–9.12 | 309 |

| | | |
|--------------|--|-----|
| 10 | Oxy- and peroxyalkyl radicals (J.A. HOWARD) | 323 |
| 10.1 | Introduction | 323 |
| 10.2 | Carbonyloxy radicals | 323 |
| 10.3 | Sulfinyl radicals | 326 |
| 10.4 | Alkylperoxy radicals | 328 |
| 10.5 | Alkenylperoxy radicals | 330 |
| 10.6 | Substituted alkylperoxy radicals | 331 |
| 10.7 | Aromatic peroxy radicals | 335 |
| 10.8 | Thiylperoxy radicals | 335 |
| 10.9 | Sulphonylperoxyl radicals | 337 |
| 10.10 | Peroxyl radicals from biological molecules | 337 |
| 10.11 | Polymer peroxyl radical | 338 |
| 10.12 | Metal centered peroxyl radical | 339 |
| 10.13 | References for 10 | 340 |
| 11 | Aroxyl radicals (R. MECKE, H.H. JÄGER, M. JÄGER) | 341 |
| 11.1 | Introduction | 341 |
| 11.1.1 | General remarks | 341 |
| 11.1.2 | Arrangement of the tables | 341 |
| 11.1.3 | Abbreviations | 342 |
| 11.2 | Carbocycles | 343 |
| 11.2.1 | Monocyclic compounds | 343 |
| 11.2.1.1 | Phenoxy | 343 |
| 11.2.1.1.1 | Phenoxy | 343 |
| 11.2.1.1.2 | Monosubstituted phenoxy | 343 |
| 11.2.1.1.2.1 | Tyrosyl | 353 |
| 11.2.1.1.2.2 | Tyrosine derived radicals | 354 |
| 11.2.1.1.2.3 | Tyrosine radicals in biological systems | 354 |
| 11.2.1.1.3 | Disubstituted phenoxy | 373 |
| 11.2.1.1.4 | Trisubstituted phenoxy | 383 |
| 11.2.1.1.4.1 | 2,3,4-trisubstituted phenoxy | 383 |
| 11.2.1.1.4.2 | 2,3,5-trisubstituted phenoxy | 383 |
| 11.2.1.1.4.3 | 2,3,6-trisubstituted phenoxy | 384 |
| 11.2.1.1.4.4 | 2,4,5-trisubstituted phenoxy | 387 |
| 11.2.1.1.4.5 | 2,4,6-trisubstituted phenoxy (1/6) | 387 |
| 11.2.1.1.4.5 | 2,4,6-trisubstituted phenoxy (2/6) | 398 |
| 11.2.1.1.4.5 | 2,4,6-trisubstituted phenoxy (3/6) | 409 |
| 11.2.1.1.4.5 | 2,4,6-trisubstituted phenoxy (4/6) | 423 |
| 11.2.1.1.4.5 | 2,4,6-trisubstituted phenoxy (5/6) | 439 |
| 11.2.1.1.4.5 | 2,4,6-trisubstituted phenoxy (6/6) | 459 |
| 11.2.1.1.4.6 | 3,4,5-trisubstituted phenoxy | 474 |
| 11.2.1.1.5 | Tetrasubstituted phenoxy | 475 |
| 11.2.1.1.6 | Pentasubstituted phenoxy | 479 |
| 11.2.2 | Condensed ring systems | 481 |
| 11.2.2.1 | Systems with condensed non-aromatic rings | 481 |
| 11.2.2.2 | Naphthoxy | 481 |

| | | |
|----------|--|-----|
| 11.2.2.3 | Anthroxyls | 482 |
| 11.2.2.4 | Polycondensed systems | 483 |
| 11.3 | Heterocycles | 486 |
| 11.3.1 | N-heterocycles | 486 |
| 11.3.2 | O-heterocycles | 487 |
| 11.3.2.1 | 5-membered heterocyclic systems | 487 |
| 11.3.2.2 | 6-membered heterocyclic systems | 488 |
| 11.3.2.3 | Condensed dioxol systems | 494 |
| 11.3.3 | S-heterocycles | 496 |
| 11.4 | Cations | 499 |
| 11.5 | Bi- and polyradicals | 513 |
| 11.6 | References for 11 | 524 |
| III | General symbols and abbreviations (H. FISCHER) | 533 |
| A | Symbols | 533 |
| B | Abbreviations | 533 |
| C | Substances or part of substances | 534 |