

# Mechanics of Deformable Solids

Linear, Nonlinear, Analytical and Computational Aspects

Bearbeitet von  
Issam Doghri

1. Auflage 2000. Buch. xviii, 579 S. Hardcover  
ISBN 978 3 540 66960 9  
Format (B x L): 15,5 x 23,5 cm  
Gewicht: 2240 g

[Weitere Fachgebiete > Technik > Werkstoffkunde, Mechanische Technologie > Werkstoffkunde, Materialwissenschaft: Forschungsmethoden](#)

schnell und portofrei erhältlich bei

  
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung beek-shop.de ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

# Table of Contents

|  |    |
|--|----|
| <b>1. Basic mechanics</b> .....  | 1  |
| 1.1 On tensors .....   | 1  |
| 1.2 Stress .....   | 3  |
| 1.3 Strain .....   | 5  |
| 1.4 Principal invariants and eigenvalues of stress and strain .....              | 6  |
| 1.5 Mohr's stress circles .....  | 7  |
| 1.6 Equilibrium .....  | 8  |
| 1.7 Local formulation of static problems .....                                   | 9  |
| 1.8 Continuity equations .....   | 11 |
| 1.9 Compatibility equations .....  | 12 |
| 1.10 Strength criteria .....   | 12 |
| 1.11 Linear elasticity .....   | 16 |
| 1.12 Strain energy .....   | 21 |
| 1.13 Navier equations .....  | 23 |
| 1.14 Beltrami-Mitchell compatibility equations .....                             | 24 |
| 1.15 Saint-Venant's principle, Uniqueness, Superposition, Special theories ..... | 25 |
| 1.16 Solved problem: composite cylinder under axial load .....                   | 26 |
| <b>2. Variational formulations, work and energy theorems</b> .....               | 29 |
| 2.1 Local formulation of static problems .....                                   | 29 |
| 2.2 Virtual work theorem (VWT) .....   | 30 |
| 2.3 Displacement-based variational formulation .....                             | 33 |
| 2.4 Potential energy theorem .....   | 35 |
| 2.5 Stress-based variational formulation .....                                   | 37 |
| 2.6 Complementary energy theorem .....   | 38 |
| 2.7 Energy bounds .....  | 39 |
| 2.8 Stored energy .....  | 40 |
| 2.9 Maxwell-Betti reciprocity theorem .....                                      | 41 |
| 2.10 Castigliano's theorem .....   | 42 |
| 2.11 Introduction to numerical methods .....                                     | 45 |
| 2.11.1 Method of Ritz .....  | 45 |

|           |   |           |
|-----------|---|-----------|
| 2.11.2    | Finite element method (FEM) .....                             | 45        |
| 2.12      | Solved problem: volume change of an axially compressed body   | 47        |
| <b>3.</b> | <b>Theory of beams (strength of materials)</b> .....          | <b>49</b> |
| 3.1       | Definitions and geometric properties .....                    | 49        |
| 3.2       | Pure bending of a straight beam: 3D elasticity solution ..... | 51        |
| 3.3       | Basic assumptions of beam theory .....                        | 55        |
| 3.3.1     | External loads .....  | 56        |
| 3.3.2     | Internal loads (stress resultants) .....                      | 57        |
| 3.3.3     | Equilibrium equations .....                                   | 58        |
| 3.3.4     | Navier-Bernoulli assumption .....                             | 59        |
| 3.3.5     | Constitutive equations .....                                  | 59        |
| 3.4       | Displacement boundary and continuity conditions .....         | 60        |
| 3.5       | Computation of internal loads (stress resultants) .....       | 62        |
| 3.6       | Computation of normal and shear stresses .....                | 64        |
| 3.7       | Statically determinate or indeterminate problems .....        | 66        |
| 3.8       | Strain energy .....   | 67        |
| 3.9       | Work and energy theorems .....                                | 68        |
| 3.10      | Influence lines .....   | 69        |
| 3.11      | Solved problems .....   | 70        |
| 3.11.1    | Shear reduced area .....                                      | 70        |
| 3.11.2    | Statically determinate problems .....                         | 71        |
| 3.11.3    | Statically indeterminate problems .....                       | 77        |
| 3.11.4    | Maxwell-Betti reciprocity theorem .....                       | 80        |
| 3.11.5    | Castigliano's theorem .....                                   | 85        |
| 3.11.6    | Virtual work theorem (VWT) .....                              | 90        |
| <b>4.</b> | <b>Torsion of beams</b> .....                                 | <b>95</b> |
| 4.1       | Formulation with a warping function .....                     | 95        |
| 4.2       | Formulation with a conjugate function .....                   | 98        |
| 4.3       | Formulation with Prandtl's stress function .....              | 98        |
| 4.4       | Contour lines of the stress function .....                    | 100       |
| 4.5       | Maximum tangential stress .....                               | 101       |
| 4.6       | Membrane analogy .....  | 102       |
| 4.7       | Multi-connected sections- Particular case .....               | 104       |
| 4.8       | Multi-connected sections- General case .....                  | 104       |
| 4.9       | Thin tubes with variable thickness .....                      | 107       |
| 4.10      | Potential energy .....  | 108       |
| 4.11      | Cylindrical coordinates .....                                 | 109       |
| 4.12      | Solved problems .....   | 110       |
| 4.12.1    | Elliptic section .....  | 110       |
| 4.12.2    | Triangular section .....                                      | 113       |
| 4.12.3    | Notched circular section .....                                | 114       |
| 4.12.4    | Thin rectangular section .....                                | 116       |
| 4.12.5    | Ritz's method- Square section .....                           | 117       |

|           |   |            |
|-----------|---|------------|
| 4.12.6    | Hollow elliptic section- Special method . . . . .   | 118        |
| 4.12.7    | Hollow elliptic section- General method . . . . .   | 119        |
| 4.12.8    | Thin circular tube . . . . .  | 121        |
| 4.12.9    | Thin-walled section with multiple voids . . . . .   | 121        |
| <b>5.</b> | <b>Theory of thin plates . . . . .</b>  | <b>123</b> |
| 5.1       | Definitions and notation . . . . .  | 123        |
| 5.2       | Internal loads (stress resultants) . . . . .  | 123        |
| 5.3       | Equilibrium equations . . . . .   | 126        |
| 5.4       | Displacements . . . . .   | 127        |
| 5.5       | Strains . . . . .   | 129        |
| 5.6       | Constitutive equations . . . . .  | 129        |
| 5.7       | Summary: two un-coupled problems . . . . .  | 130        |
| 5.8       | Fundamental P.D.E. for bending problem . . . . .  | 131        |
| 5.9       | Boundary conditions . . . . .   | 133        |
| 5.10      | Contradictions in Kirchhoff-Love theory . . . . .   | 135        |
| 5.11      | Plates with two simply supported opposite edges – Lévy's<br>method . . . . .                                    | 136        |
| 5.12      | Potential energy . . . . .  | 139        |
| 5.13      | Influence function . . . . .  | 140        |
| 5.14      | Solved problems . . . . .   | 140        |
| 5.14.1    | Uniformly loaded rectangular plate with two simply<br>supported opposite edges and two built-in edges . . . . . | 140        |
| 5.14.2    | Uniformly loaded rectangular plate with two simply<br>supported opposite edges and two free edges . . . . .     | 142        |
| <b>6.</b> | <b>Bending of thin plates in polar coordinates . . . . .</b>  | <b>143</b> |
| 6.1       | Change of coordinates . . . . .   | 143        |
| 6.2       | Axisymmetric problems . . . . .   | 146        |
| 6.3       | Potential energy . . . . .  | 148        |
| 6.4       | Solved problems . . . . .   | 149        |
| 6.4.1     | Uniformly loaded plate . . . . .  | 149        |
| 6.4.2     | Uniform load along a concentric circle . . . . .  | 150        |
| 6.4.3     | Uniform pressure on a concentric disk . . . . .   | 153        |
| 6.4.4     | Plate simply supported on a number of points . . . . .  | 155        |
| 6.4.5     | Ritz's method . . . . .   | 160        |
| <b>7.</b> | <b>Two-dimensional problems in Cartesian coordinates . . . . .</b>  | <b>163</b> |
| 7.1       | Plane strain . . . . .  | 163        |
| 7.2       | Plane stress . . . . .  | 164        |
| 7.3       | Summary: plane strain versus plane stress . . . . .   | 165        |
| 7.4       | Airy stress function . . . . .  | 167        |
| 7.5       | Polynomial solutions . . . . .  | 167        |
| 7.6       | Solution by Fourier series . . . . .  | 169        |
| 7.7       | Generalized plane stress . . . . .  | 170        |

|           |  |            |
|-----------|--|------------|
| 7.8       | Solved problems . . . . .  | 173        |
| 7.8.1     | Concentrated load at the end of a cantilever beam . . . .                          | 173        |
| 7.8.2     | Uniform loads on the upper and lower surfaces of a simply supported beam . . . . . | 177        |
| 7.8.3     | Uniform load on a cantilever beam . . . . .  | 182        |
| 7.8.4     | Uniform load on a beam with two clamped ends . . . . .                             | 182        |
| 7.8.5     | Compression of a beam in the height-direction . . . . .                            | 182        |
| 7.8.6     | Body forces- Beam under its own weight . . . . .                                   | 187        |
| <b>8.</b> | <b>Two-dimensional problems in polar coordinates . . . . .</b>                     | <b>193</b> |
| 8.1       | Change of coordinates . . . . .  | 193        |
| 8.2       | Summary: plane strain versus plane stress . . . . .                                | 195        |
| 8.3       | Airy stress function . . . . .   | 196        |
| 8.4       | Axisymmetric plane problems . . . . .  | 198        |
| 8.5       | Periodic Airy stress functions . . . . .   | 200        |
| 8.6       | Generalized plane strain . . . . .   | 201        |
| 8.7       | Solved problems . . . . .  | 201        |
| 8.7.1     | Hollow circular cylinder under inner and outer pressures                           | 201        |
| 8.7.2     | Composite hollow cylinder under inner and outer pressures . . . . .                | 205        |
| 8.7.3     | Coil winding . . . . .   | 206        |
| 8.7.4     | Bending of a curved beam . . . . .   | 209        |
| 8.7.5     | Traction of a circular arch . . . . .  | 214        |
| 8.7.6     | Rotating disk of uniform thickness . . . . .                                       | 215        |
| 8.7.7     | Rotating disk of variable thickness . . . . .                                      | 218        |
| 8.7.8     | Stress concentration in a plate with a small circular hole                         | 222        |
| 8.7.9     | Force on the straight edge of a semi-infinite plate . . . . .                      | 224        |
| 8.7.10    | Pressure on the straight edge of a semi-infinite plate . . . . .                   | 228        |
| 8.7.11    | Compression of a disk along a diameter . . . . .                                   | 230        |
| 8.7.12    | Compression of a disk over two opposing arcs . . . . .                             | 231        |
| <b>9.</b> | <b>Thermo-elasticity . . . . .</b>   | <b>233</b> |
| 9.1       | Constitutive equations . . . . .   | 233        |
| 9.2       | Heat equation . . . . .  | 234        |
| 9.3       | Thermo-mechanical problem . . . . .  | 235        |
| 9.3.1     | Thermal problem . . . . .  | 236        |
| 9.3.2     | Mechanical problem . . . . .   | 237        |
| 9.4       | Thermal stresses: some remarks . . . . .   | 237        |
| 9.5       | Solved problems . . . . .  | 239        |
| 9.5.1     | Axisymmetric thermal stresses in a hollow cylinder . . . . .                       | 239        |
| 9.5.2     | Thermal stresses in a composite cylinder . . . . .                                 | 242        |
| 9.5.3     | Transient thermal stresses in a thin plate . . . . .                               | 245        |

|  |     |
|--|-----|
| <b>10. Elastic stability</b> .....   | 249 |
| 10.1 Introduction .....  | 249 |
| 10.2 Direct and energy methods .....   | 250 |
| 10.3 Euler's method for axially compressed columns .....                                   | 252 |
| 10.3.1 Critical buckling load .....  | 252 |
| 10.3.2 Critical buckling stress .....  | 254 |
| 10.3.3 Remarks .....   | 256 |
| 10.4 Energy-based approximate method .....   | 256 |
| 10.5 Non-conservative loads .....  | 258 |
| 10.6 Solved problems .....   | 259 |
| 10.6.1 Two rigid bars connected with a spring .....  | 259 |
| 10.6.2 Column clamped at one end .....   | 260 |
| 10.6.3 Column clamped at one end and simply supported at<br>the other .....                | 261 |
| 10.6.4 Column clamped at both ends .....   | 263 |
| 10.6.5 Column elastically built-in at one end and simply sup-<br>ported at the other ..... | 264 |
| 10.6.6 Column with non-uniform properties .....  | 266 |
| 10.6.7 Eccentric compressive load .....  | 267 |
| 10.6.8 Beam-column under compressive and bending forces ..                                 | 268 |
| 10.6.9 Energy method .....   | 269 |
| <br>   |     |
| <b>11. Theory of thin shells</b> .....   | 273 |
| 11.1 Geometry of the mid-surface .....   | 273 |
| 11.2 First fundamental form .....  | 274 |
| 11.3 Second fundamental form .....   | 278 |
| 11.4 Compatibility conditions of Codazzi and Gauss .....                                   | 280 |
| 11.5 Surface of revolution .....   | 280 |
| 11.5.1 General case .....  | 280 |
| 11.5.2 Conic surfaces .....  | 283 |
| 11.6 Gradient of a vector field in curvilinear coordinates .....                           | 283 |
| 11.7 Kinematics of the mid-surface .....   | 285 |
| 11.8 Displacements and strains outside the mid-surface .....                               | 287 |
| 11.8.1 General theory .....  | 287 |
| 11.8.2 Application: plates in rectangular coordinates .....                                | 289 |
| 11.8.3 Application: plates in polar coordinates .....                                      | 290 |
| 11.9 Internal loads (stress resultants) .....  | 290 |
| 11.10 Equilibrium equations .....  | 292 |
| 11.10.1 General theory .....   | 292 |
| 11.10.2 Application: plates in rectangular coordinates .....                               | 295 |
| 11.10.3 Application: plates in polar coordinates .....                                     | 295 |
| 11.11 Constitutive equations .....   | 296 |
| 11.12 Membrane theory .....  | 298 |
| 11.13 Further reading .....  | 298 |

|   |     |
|---|-----|
| <b>12. Elasto-plasticity</b> .....                                | 301 |
| 12.1 One-dimensional model .....                                  | 301 |
| 12.2 Three-dimensional model .....                                | 304 |
| 12.3 Linear elasticity .....                                      | 305 |
| 12.4 Equivalent stress .....                                      | 306 |
| 12.5 Hardening .....  | 306 |
| 12.6 Flow rules .....   | 307 |
| 12.7 Tangent operator, loading/unloading, hardening/softening ... | 308 |
| 12.8 Elementary examples .....                                    | 312 |
| 12.8.1 Uniaxial tension-compression .....                         | 312 |
| 12.8.2 Simple shear .....   | 313 |
| 12.9 Boundary-value problem .....                                 | 313 |
| 12.10 Numerical algorithms .....                                  | 313 |
| 12.10.1 Finite element method (F.E.M.) .....                      | 313 |
| 12.10.2 Return mapping algorithm .....                            | 315 |
| 12.10.3 Consistent tangent operator .....                         | 318 |
| 12.11 A general framework for material models .....               | 320 |
| 12.11.1 State variables .....                                     | 320 |
| 12.11.2 Equations of state .....                                  | 321 |
| 12.11.3 Flow rules .....  | 322 |
| 12.11.4 Rate-independent plasticity .....                         | 323 |
| 12.11.5 Heat equation .....                                       | 324 |
| 12.12 A class of non-associative plasticity models .....          | 325 |
| 12.13 Further reading .....                                       | 327 |
| <b>13. Elasto-viscoplasticity</b> .....                           | 329 |
| 13.1 One-dimensional model .....                                  | 329 |
| 13.2 Three-dimensional model .....                                | 331 |
| 13.3 Numerical algorithms .....                                   | 332 |
| 13.3.1 Return mapping algorithm .....                             | 333 |
| 13.3.2 Consistent tangent operator .....                          | 333 |
| 13.4 Further reading .....  | 335 |
| <b>14. Nonlinear continuum mechanics</b> .....                    | 337 |
| 14.1 Kinematics .....   | 337 |
| 14.1.1 Description of motion .....                                | 338 |
| 14.1.2 Material time derivative .....                             | 338 |
| 14.2 Deformation .....  | 339 |
| 14.2.1 Deformation gradient .....                                 | 339 |
| 14.2.2 Polar decomposition .....                                  | 340 |
| 14.2.3 Spectral decompositions .....                              | 341 |
| 14.2.4 Length variation .....                                     | 343 |
| 14.3 Strain measures .....  | 344 |
| 14.3.1 One-dimensional case .....                                 | 344 |
| 14.3.2 Three-dimensional case .....                               | 344 |

|            |   |            |
|------------|---|------------|
| 14.4       | Strain rates  | 346        |
| 14.5       | Balance laws  | 348        |
| 14.5.1     | Transport formula                                   | 348        |
| 14.5.2     | Conservation of mass                                | 349        |
| 14.5.3     | Conservation of linear momentum                     | 350        |
| 14.5.4     | Conservation of rotational momentum                 | 350        |
| 14.5.5     | Cauchy stress tensor                                | 351        |
| 14.5.6     | Eulerian strong formulation                         | 351        |
| 14.5.7     | Eulerian weak formulation                           | 352        |
| 14.5.8     | Balance of work and energy rates                    | 353        |
| 14.5.9     | Nominal stress                                      | 354        |
| 14.5.10    | Lagrangian weak formulation                         | 354        |
| 14.5.11    | Lagrangian strong formulation                       | 355        |
| 14.6       | Conjugate stress and strain measures                | 356        |
| 14.6.1     | Definition and examples                             | 356        |
| 14.6.2     | Interpretation of the second Piola-Kirchhoff stress | 358        |
| 14.6.3     | Uniaxial tension/compression                        | 358        |
| 14.7       | Objectivity   | 359        |
| 14.7.1     | Definition  | 360        |
| 14.7.2     | Examples  | 361        |
| 14.8       | Objective stress rates                              | 363        |
| 14.8.1     | Examples  | 363        |
| 14.8.2     | A family of objective rates                         | 365        |
| 14.9       | Laws of thermodynamics                              | 366        |
| 14.9.1     | First law   | 366        |
| 14.9.2     | Second law  | 366        |
| 14.9.3     | Clausius-Duhem inequality                           | 367        |
| 14.10      | Further reading                                     | 367        |
| <b>15.</b> | <b>Nonlinear elasticity</b>                         | <b>369</b> |
| 15.1       | Hyperelasticity and hypoelasticity                  | 369        |
| 15.1.1     | Definitions   | 369        |
| 15.1.2     | Hyperelasticity and material objectivity            | 369        |
| 15.1.3     | Elasticity tensors                                  | 371        |
| 15.1.4     | Incompressibility constraint                        | 373        |
| 15.2       | Principal invariants and principal stretches        | 374        |
| 15.3       | Isotropic hyperelasticity in principal invariants   | 375        |
| 15.3.1     | Formulation   | 375        |
| 15.3.2     | Modified neo-Hookean model                          | 377        |
| 15.3.3     | Modified Mooney-Rivlin model                        | 378        |
| 15.4       | Isotropic hyperelasticity in principal stretches    | 379        |
| 15.4.1     | Formulation   | 379        |
| 15.4.2     | Modified Ogden's model                              | 380        |
| 15.5       | Examples of homogeneous deformations                | 381        |
| 15.5.1     | Homogeneous simple shear                            | 381        |



|            |   |            |
|------------|---|------------|
| 15.5.2     | Uniform extension .....   | 383        |
| 15.5.3     | Pure dilatation .....   | 384        |
| 15.6       | Linearization .....   | 385        |
| 15.6.1     | Linearization of the deformation .....  | 386        |
| 15.6.2     | Linearization of constitutive equations .....                                     | 387        |
| 15.6.3     | Linearization of the equations of elasto-statics .....                            | 387        |
| 15.6.4     | Variational formulations .....  | 388        |
| 15.6.5     | Linearization of the weak formulation .....                                       | 389        |
| 15.7       | Mixed variational formulation .....   | 390        |
| 15.7.1     | Formulation .....   | 390        |
| 15.7.2     | Incompressibility constraint .....  | 392        |
| 15.8       | Appendices .....  | 393        |
| 15.8.1     | The Piola identity .....  | 393        |
| 15.8.2     | Linearization of a pressure B.C. ....   | 393        |
| 15.8.3     | Differentiation of an isotropic function of a second-order symmetric tensor ..... | 394        |
| 15.8.4     | Elasticity tensors for principal stretch formulation ....                         | 395        |
| <b>16.</b> | <b>Finite-strain elasto-plasticity .....</b>                                      | <b>397</b> |
| 16.1       | First theory .....  | 397        |
| 16.1.1     | Multiplicative decomposition of the deformation gradient .....                    | 397        |
| 16.1.2     | Hyperelastic-plastic constitutive equations .....                                 | 399        |
| 16.1.3     | Stress-strain relations .....   | 401        |
| 16.1.4     | Flow rules .....  | 402        |
| 16.1.5     | Elastic predictor .....   | 404        |
| 16.1.6     | Time discretization of the plastic flow rule .....                                | 404        |
| 16.1.7     | Return mapping algorithm in principal stresses and strains .....                  | 406        |
| 16.1.8     | Algorithmic tangent moduli .....  | 407        |
| 16.1.9     | Summary of the algorithm .....  | 408        |
| 16.1.10    | Application: Quadratic logarithmic free energy and $J_2$ flow .....               | 410        |
| 16.2       | Second theory .....   | 413        |
| 16.2.1     | Additive decomposition of the rate of deformation and hypoelasticity .....        | 413        |
| 16.2.2     | Computation of the strain increment .....   | 415        |
| 16.2.3     | Polar decomposition algorithm .....   | 417        |
| 16.2.4     | A time-integration algorithm for the rotation matrix ..                           | 419        |
| 16.2.5     | Application: the Jaumann objective stress rate .....                              | 420        |
| 16.2.6     | Summary .....   | 421        |
| 16.2.7     | Incremental objectivity .....   | 422        |

|  |     |
|--|-----|
| <b>17. Cyclic plasticity</b> .....                                   | 423 |
| 17.1 One-dimensional model .....                                     | 423 |
| 17.2 Three-dimensional model .....                                   | 425 |
| 17.3 Dissipation inequality .....                                    | 428 |
| 17.4 Plastic multiplier .....  | 428 |
| 17.5 Tangent operator .....  | 429 |
| 17.6 Hardening modulus .....   | 429 |
| 17.7 Return mapping algorithm .....                                  | 430 |
| 17.8 Consistent tangent operator .....                               | 433 |
| 17.9 Numerical simulation .....                                      | 435 |
| <b>18. Damage mechanics</b> .....                                    | 439 |
| 18.1 Damage variable .....   | 439 |
| 18.2 Three-dimensional constitutive model .....                      | 442 |
| 18.3 Dissipation inequality .....                                    | 445 |
| 18.4 Plastic multiplier .....  | 445 |
| 18.5 Tangent operator .....  | 445 |
| 18.6 Hardening modulus .....   | 446 |
| 18.7 Closed-form solutions for loadings with constant triaxiality .. | 447 |
| 18.8 Return mapping algorithm .....                                  | 450 |
| 18.8.1 Corrections over the elastic predictor .....                  | 458 |
| 18.8.2 Summary of the algorithm .....                                | 458 |
| 18.8.3 Non-damaged case .....  | 458 |
| 18.9 Consistent tangent operator .....                               | 459 |
| 18.9.1 Non-damaged case .....  | 461 |
| 18.10 Numerical simulations .....                                    | 461 |
| 18.10.1 Ductile failure under uniaxial tension .....                 | 462 |
| 18.10.2 Ductile failure under simple shear .....                     | 462 |
| 18.10.3A post-processor for crack initiation .....                   | 462 |
| 18.11 Further reading .....  | 465 |
| <b>19. Strain localization</b> .....                                 | 469 |
| 19.1 Motivation: a one-dimensional example .....                     | 469 |
| 19.2 Uniqueness and ellipticity .....                                | 472 |
| 19.3 Strain localization .....                                       | 474 |
| 19.3.1 Continuous bifurcation .....                                  | 475 |
| 19.3.2 Discontinuous bifurcation .....                               | 475 |
| 19.3.3 Summary .....   | 477 |
| 19.4 Analytical results for initially homogeneous plane problems ..  | 477 |
| 19.4.1 General strain-softening models .....                         | 477 |
| 19.4.2 A ductile damage model .....                                  | 481 |
| 19.5 Numerical results for a ductile damage model .....              | 481 |
| 19.5.1 Biaxial loadings in plane stress .....                        | 481 |
| 19.5.2 Notched plate with a macro-defect .....                       | 484 |
| 19.6 Nonlocal or internal-length models .....                        | 496 |

|            |  |            |
|------------|--|------------|
| 19.7       | A two-scale homogenization procedure . . . . .                                       | 498        |
| 19.8       | Numerical algorithms . . . . .   | 503        |
| 19.9       | Elasticity with damage- Model without threshold . . . . .                            | 506        |
| 19.9.1     | Local constitutive equations . . . . .   | 506        |
| 19.9.2     | Nonlocal macroscopic formulation . . . . .   | 506        |
| 19.9.3     | Numerical simulations . . . . .  | 507        |
| 19.10      | Elasticity with damage- Model with threshold . . . . .                               | 509        |
| 19.10.1    | Local constitutive equations . . . . .   | 509        |
| 19.10.2    | Nonlocal macroscopic formulation . . . . .   | 510        |
| 19.10.3    | Numerical simulations . . . . .  | 510        |
| 19.11      | Appendices . . . . .   | 513        |
| 19.11.1    | Strain localization criterion in 2D . . . . .  | 513        |
| 19.11.2    | Macroscopic free-energy potential . . . . .  | 515        |
| 19.11.3    | Macroscopic dissipation potential . . . . .  | 517        |
| <b>20.</b> | <b>Micro-mechanics of materials . . . . .</b>  | <b>519</b> |
| 20.1       | Micro/macro approach . . . . .   | 519        |
| 20.2       | Homogenization schemes . . . . .   | 521        |
| 20.2.1     | Average strains and stresses . . . . .   | 521        |
| 20.2.2     | Voigt model . . . . .  | 523        |
| 20.2.3     | Reuss model . . . . .  | 524        |
| 20.2.4     | Self-Consistent model . . . . .  | 524        |
| 20.2.5     | Mori-Tanaka model . . . . .  | 526        |
| 20.3       | Micro/macro constitutive model for semi-crystalline polymers . . . . .               | 527        |
| 20.3.1     | Crystalline phase . . . . .  | 528        |
| 20.3.2     | Amorphous phase . . . . .  | 531        |
| 20.3.3     | Intermediate phase . . . . .   | 536        |
| 20.3.4     | Single inclusion . . . . .   | 538        |
| 20.3.5     | Overall behavior . . . . .   | 538        |
| 20.3.6     | Numerical simulations . . . . .  | 538        |
| 20.4       | Further reading . . . . .  | 543        |
| <b>A.</b>  | <b>Cylindrical coordinates . . . . .</b>   | <b>545</b> |
| <b>B.</b>  | <b>Cardan's formulae . . . . .</b>   | <b>551</b> |
| <b>C.</b>  | <b>Matrices for the representation of second- and fourth-order tensors . . . . .</b> | <b>553</b> |
| C.1        | Storage . . . . .  | 553        |
| C.2        | Change of coordinates . . . . .  | 556        |
| <b>D.</b>  | <b>Zero-stress constraints . . . . .</b>   | <b>559</b> |
| D.1        | Small-strain $J_2$ elasto-plasticity . . . . .                                       | 559        |
| D.2        | General small-strain models . . . . .  | 561        |
| D.3        | General finite-strain models . . . . .   | 562        |