

TABLE OF CONTENTS

CHAPTER I. INTRODUCTORY. RELATIONS OF THE  
GEOMETRY OF TWO, THREE, FOUR AND FIVE  
DIMENSIONS

|                                                                                                        | PAGES  |
|--------------------------------------------------------------------------------------------------------|--------|
| SECTION I. THEOREMS OF TWO AND THREE DIMENSIONS . . . . .                                              | 1—32   |
| The conics touching the fives from six arbitrary lines of a plane . . . . .                            | 1—4    |
| Exx. 1—4. <i>Particular algebraic results; equation of triangularly circumscribed conic.</i> . . . . . | 4—6    |
| Representation of a plane upon a quadric . . . . .                                                     | 6—8    |
| The generalised Miquel theorem . . . . .                                                               | 8—10   |
| Ex. 1. <i>The conic of an arbitrary plane determined by joins of five points</i> . . . . .             | 10, 11 |
| Ex. 2. <i>Cubic curve through the five points gives a self-polar triad.</i> . . . .                    | 11     |
| Ex. 3. <i>Dual of theorem of Ex. 1; consequence</i> . . . . .                                          | 11     |
| Ex. 4. <i>Aggregate of conics thus arising for sets of five points of a cubic curve</i> . . . . .      | 11, 12 |
| Ex. 5. <i>Alternative proof of generalised Miquel theorem</i> . . . . .                                | 12     |
| Ex. 6. <i>A plane theorem arising from Ex. 5</i> . . . . .                                             | 12     |
| The theory of inversion in a plane . . . . .                                                           | 12—14  |
| Ex. 1. <i>Equations for inversion in a plane</i> . . . . .                                             | 14     |
| Ex. 2. <i>Relations between centres of inverse circles</i> . . . . .                                   | 14, 15 |
| Ex. 3. <i>Inversion of one given circle into another.</i> . . . .                                      | 15     |
| Ex. 4. <i>Centres of similitude and circle of similitude of two circles.</i> . . . .                   | 15     |
| Ex. 5. <i>Circles through threes of four points; property of circles of similitude</i> . . . . .       | 15, 16 |
| Ex. 6. <i>Quadric touching four planes having double contact with another.</i> . . . . .               | 16     |
| Ex. 7. <i>Relation of two points of contact in Ex. 6</i> . . . . .                                     | 16     |
| Ex. 8. <i>Relation expressed by means of a cubic curve</i> . . . . .                                   | 16, 17 |
| Ex. 9. <i>Employment of cross-ratios</i> . . . . .                                                     | 17     |
| Ex. 10. <i>A line, and its polar line, intersecting a quadric</i> . . . . .                            | 17     |
| Ex. 11. <i>Five circles constructed from five given circles</i> . . . . .                              | 17, 18 |
| Wallace's theorem for four circles and Moebius's figure of two tetrads . . . . .                       | 18—20  |
| Ex. 1. <i>Dual of Moebius's figure.</i> . . . . .                                                      | 20     |
| Ex. 2. <i>A quartic surface considered by Bauer</i> . . . . .                                          | 20, 21 |
| Ex. 3. <i>A theorem of Steiner's for two triads of points.</i> . . . .                                 | 21     |
| Additions to Wallace's theorem in a plane . . . . .                                                    | 21, 22 |
| Ex. 1. <i>Pedal circles orthogonal to one circle</i> . . . . .                                         | 22—24  |
| Ex. 2. <i>Alternative to use of associated points</i> . . . . .                                        | 24     |
| Ex. 3. <i>Pedal properties in threefold space</i> . . . . .                                            | 24, 25 |
| Ex. 4. <i>Theorem of symmetry of five points, for pedal property</i> . . . . .                         | 25     |

| X | Contents                                                                                       | PAGES  |
|---|------------------------------------------------------------------------------------------------|--------|
|   | Ex. 5. <i>Pedal property of circle generalised to rational curve of higher space</i> . . . . . | 25, 26 |
|   | Ex. 6. <i>Generalised form of pedal property</i> . . . . .                                     | 26     |
|   | Ex. 7. <i>Algebraic proof of preceding results</i> . . . . .                                   | 26, 27 |
|   | Ex. 8. <i>A generalised orthocentre of four arbitrary points</i> . . . . .                     | 28     |
|   | Ex. 9. <i>Theorem for two systems of conics</i> . . . . .                                      | 28     |
|   | Ex. 10. <i>A property of the cubic surface with four double points</i> . . . . .               | 28     |
|   | Ex. 11. <i>Cubic curve in threefold space, three tetra's upon</i> . . . . .                    | 28, 29 |
|   | Ex. 12. <i>Algebraic form of result of Ex. 11</i> . . . . .                                    | 29     |
|   | Theorems for circumscribed circles for any number of lines in a plane . . . . .                | 29—31  |
|   | Ex. 1. <i>Representation of points of quadric by transversals of two lines</i> . . . . .       | 31, 32 |
|   | Ex. 2. <i>Six conics triangularly inscribed to another</i> . . . . .                           | 32     |
|   | SECTION II. THEOREMS OF THREE AND FOUR DIMENSIONS . . . . .                                    | 32—40  |
|   | Tetrahedral complex, determined by planes meeting three lines in fourfold space . . . . .      | 32—34  |
|   | Ex. <i>Algebraic formulation</i> . . . . .                                                     | 34     |
|   | Analogous generation of a linear complex . . . . .                                             | 34, 35 |
|   | Ex. <i>Algebraic formulation</i> . . . . .                                                     | 35, 36 |
|   | Spheres as determined from sections of a quadric in fourfold space . . . . .                   | 36—38  |
|   | Exx. 1, 2. <i>Two conjugate points of quadric in fourfold space</i> . . . . .                  | 38     |
|   | Ex. 3. <i>Representation of a circle by a line in fourfold space</i> . . . . .                 | 38, 39 |
|   | Ex. 4. <i>Two spheres cut everywhere at the same angle</i> . . . . .                           | 39, 40 |
|   | SECTION III. USE OF SPACE OF FIVE DIMENSIONS . . . . .                                         | 40—64  |
|   | The representation of lines of threefold space by points of fivefold space . . . . .           | 40—42  |
|   | Ex. 1. <i>Representation of two conjugate or apolar linear complexes</i> . . . . .             | 42     |
|   | Ex. 2. <i>Six linear complexes mutually conjugate</i> . . . . .                                | 42     |
|   | Ex. 3. <i>General form of theorem of Ex. 2</i> . . . . .                                       | 42, 43 |
|   | The lines common to three, and to four, linear complexes . . . . .                             | 43, 44 |
|   | Planes lying entirely on the quadric fourfold in the space of five dimensions . . . . .        | 44, 45 |
|   | The planes of the quadric fourfold treated with the symbols . . . . .                          | 45—47  |
|   | The aggregate of the planes lying on a quadric in fivefold space . . . . .                     | 47, 48 |
|   | Ex. 1. <i>Representation of point and polar plane in regard to a focal system</i> . . . . .    | 48     |
|   | Ex. 2. <i>Representation of a pair of lines, polars in regard to a quadric</i> . . . . .       | 48, 49 |
|   | The representation of congruences of lines of the original space . . . . .                     | 49, 50 |
|   | Number of lines common to two congruences in threefold space . . . . .                         | 50, 51 |
|   | Ex. <i>Number of chords common to two curves</i> . . . . .                                     | 51     |
|   | The chords of a cubic curve in the threefold space. Veronese's surface . . . . .               | 52—54  |

Contents xi

|                                                                                                                       | PAGES  |
|-----------------------------------------------------------------------------------------------------------------------|--------|
| Ex. 1. <i>The section of Veronese's surface by a fourfold space.</i>                                                  | 54     |
| Ex. 2. <i>The representation in fivefold space of the conics of a plane</i>                                           | 54     |
| Ex. 3. <i>Statement of some properties of Veronese's surface</i>                                                      | 54, 55 |
| Lie's correspondence between lines and spheres in space of three dimensions                                           | 55, 56 |
| Ex. 1. <i>Algebraic formulation of the correspondence</i>                                                             | 56, 57 |
| Ex. 2. <i>Comparison with deduction of sphere from fourfold space</i>                                                 | 57     |
| Ex. 3. <i>The eight pairs of spheres which touch four spheres</i>                                                     | 57, 58 |
| Ex. 4. <i>The eight spheres touching four planes</i>                                                                  | 58     |
| Ex. 5. <i>The double-six theorem expressed in terms of spheres</i>                                                    | 58     |
| Generalisation of Wallace's theorem. The theorem of the double-six. A theorem for six lines with a common transversal | 58—60  |
| Exx. 1—5. <i>Proofs of the theorems</i>                                                                               | 60—64  |
| Note. Another proof of Wallace's theorem, and extensions                                                              | 64     |

CHAPTER II. HART'S THEOREM, FOR CIRCLES IN A PLANE, OR FOR SECTIONS OF A QUADRIC

|                                                                                                    |        |
|----------------------------------------------------------------------------------------------------|--------|
| The sections of a quadric which touch three given sections                                         | 65, 66 |
| Ex. 1. <i>A pair of variable sections of a quadric touching one another and two fixed sections</i> | 66     |
| Ex. 2. <i>Construction of the circles touching three given circles</i>                             | 66     |
| Ex. 3. <i>A theorem for circles through threes of four special points</i>                          | 66, 67 |
| Ex. 4. <i>Circles cutting three given circles at equal angles</i>                                  | 67     |
| Ex. 5. <i>Circles cutting four given circles at equal angles</i>                                   | 67     |
| Ex. 6. <i>Circles cutting three given circles at given angles</i>                                  | 67     |
| Ex. 7. <i>Common tangents, of three circles, which meet in a point</i>                             | 67, 68 |
| Ex. 8. <i>Solution of generalised Malfatti's problem</i>                                           | 68, 69 |
| Ex. 9. <i>Equations of sections touching three sections of a quadric</i>                           | 69, 70 |
| Exx. 10—15. <i>Various algebraic results</i>                                                       | 70, 71 |
| The Hart circles of three circles when the four have a common orthogonal circle                    | 71, 72 |
| The Hart circles of three circles in general                                                       | 72—75  |
| Ex. 1. <i>The various cases</i>                                                                    | 75     |
| Ex. 2. <i>The point of contact of the Hart section</i>                                             | 75, 76 |
| Ex. 3. <i>The bipolar character of the figure obtained</i>                                         | 76, 77 |
| Ex. 4. <i>Eight sections divided into four pairs</i>                                               | 77     |
| Ex. 5. <i>Relations with metrical geometry</i>                                                     | 78     |
| Ex. 6. <i>The particular case of the Feuerbach circle</i>                                          | 78—80  |
| Ex. 7. <i>The same Hart section arises in different ways</i>                                       | 80     |
| Ex. 8. <i>The radius of the Hart section</i>                                                       | 80, 81 |
| Ex. 9. <i>Four circles arising from the intersections of three circles</i>                         | 82     |
| The bifocal property is necessary as well as sufficient                                            | 82—85  |
| Ex. 1. <i>A particular form of the equation of the quadric</i>                                     | 85, 86 |

xii Contents

|                                                                                          | PAGES |
|------------------------------------------------------------------------------------------|-------|
| Exx. 2, 3. <i>Two algebraic results</i> . . . . .                                        | 86    |
| Ex. 4. <i>Relations between four sections and four tangent sections</i> . . . . .        | 86—88 |
| Ex. 5. <i>The harmonically conjugate quadric in regard to tangent sections</i> . . . . . | 88    |
| Ex. 6. <i>The Hart circle defined by angles of intersection</i> . . . . .                | 88    |

CHAPTER III. THE PLANE QUARTIC CURVE WITH TWO DOUBLE POINTS

|                                                                                                                |          |
|----------------------------------------------------------------------------------------------------------------|----------|
| The generation of the curve. The four principal circles . . . . .                                              | 89, 90   |
| The curve as an envelope of circles. The director conic . . . . .                                              | 90       |
| Ex. 1. <i>Algebraic formulation</i> . . . . .                                                                  | 90, 91   |
| Ex. 2. <i>Two tangent circles have their points of contact on a circle.</i> . . . .                            | 91       |
| The four director conics are confocal . . . . .                                                                | 91, 92   |
| The sixteen foci of the quartic curve. Are intersections of a principal circle and a director conic . . . . .  | 92—94    |
| Relation of distances of point of curve from three foci . . . . .                                              | 94       |
| Construction of the plane quartic curve given four foci lying on a circle . . . . .                            | 94—96    |
| Inversion of the curve into itself . . . . .                                                                   | 96, 97   |
| Ex. 1. <i>Cubic curves with two fixed points, arising by inversion</i> . . . . .                               | 97       |
| Ex. 2. <i>Equations for the case of the cubic curve</i> . . . . .                                              | 97, 98   |
| Ex. 3. <i>Case of quartic with four foci on a line</i> . . . . .                                               | 98       |
| Ex. 4. <i>The Cartesian, Limaçon and Cardioid</i> . . . . .                                                    | 98, 99   |
| Angles of intersection of enveloping circles of the plane quartic which belong to different families . . . . . | 99—101   |
| Exx. 1, 2. <i>Theorem for eight intersections of four circles taken in order</i> . . . . .                     | 101      |
| Ex. 3. <i>Condition by angles of intersection for three circles to meet in a point</i> . . . . .               | 101      |
| Exx. 4, 5. <i>Angles between six planes, in regard to a quadric</i> . . . . .                                  | 102, 103 |
| Ex. 6. <i>Theorem of intervals, for quadrics with ring contact</i> . . . . .                                   | 103      |
| Ex. 7. <i>Descriptive form of distance theorem for focal conics.</i> . . . .                                   | 103      |
| Ex. 8. <i>A theorem for the foci of an anallagmatic curve</i> . . . . .                                        | 103      |

CHAPTER IV. A PARTICULAR FIGURE IN SPACE OF FOUR DIMENSIONS

|                                                                                                  |          |
|--------------------------------------------------------------------------------------------------|----------|
| The structure of the figure. Identity of numbers with those for lines of cubic surface . . . . . | 104, 105 |
| Geometrical bearings of the figure. The group . . . . .                                          | 105      |
| The establishment of the figure . . . . .                                                        | 105—111  |
| Exx. 1—4. <i>Some particular results. Connexion with theory of spheres</i> . . . . .             | 111, 112 |

Contents xiii

CHAPTER V. A FIGURE OF FIFTEEN LINES AND  
POINTS, IN SPACE OF FOUR DIMENSIONS; AND  
ASSOCIATED LOCI

|                                                                                                              | PAGES    |
|--------------------------------------------------------------------------------------------------------------|----------|
| The figure of fifteen lines and points . . . . .                                                             | 113—115  |
| Proof of the incidences with the help of the symbols . . . .                                                 | 115, 116 |
| Ex. 1. <i>A property of five associated lines</i> . . . . .                                                  | 117      |
| Ex. 2. <i>A generation of five associated lines</i> . . . . .                                                | 117      |
| Ex. 3. <i>A quadric surface obtained from six points in fourfold space</i>                                   | 117      |
| Ex. 4. <i>Harmonic inversion of figure, with point and solid funda-<br/>mental</i> . . . . .                 | 117      |
| Ex. 5. <i>Dual of the figure. Harmonic inversion with two funda-<br/>mental planes</i> . . . . .             | 117—119  |
| Ex. 6. <i>Harmonic inversion with line and plane fundamental</i> . .                                         | 119      |
| Ex. 7. <i>Separation of the figure into two parts, in ten ways</i> . .                                       | 119, 120 |
| Ex. 8. <i>Application of inversion of Ex. 6 to quartic curve in four-<br/>fold space</i> . . . . .           | 120      |
| The associated line of a set of five is met by all planes meeting the<br>first four lines . . . . .          | 120—123  |
| <i>Interpolation in regard to quadric point-cone and line-cone</i> . .                                       | 120—122  |
| The six systems of planes . . . . .                                                                          | 123, 124 |
| The planes of the figure deduced with the help of the symbols . .                                            | 124, 125 |
| The equation of an associated quartic locus . . . . .                                                        | 125, 126 |
| Ex. <i>The six sets of associated lines give related ranges on certain<br/>conics</i> . . . . .              | 127, 128 |
| The tangent solid of the quartic locus $\Sigma$ . . . . .                                                    | 128, 129 |
| The equations of the singular solids . . . . .                                                               | 129, 130 |
| The intersections of a tangent solid of $\Sigma$ with the fifteen funda-<br>mental lines . . . . .           | 130—133  |
| The intersections of a tangent solid of $\Sigma$ with the planes of the six<br>systems . . . . .             | 134—136  |
| Ex. 1. <i>Planes of a system meeting a line. Algebraic expression</i> . .                                    | 136, 137 |
| Ex. 2. <i>Equations for congruence of lines on tangent solid, by planes<br/>of a system</i> . . . . .        | 137, 138 |
| Ex. 3. <i>Particular algebraic results</i> . . . . .                                                         | 138      |
| Ex. 4. <i>Intersection of locus <math>\Sigma</math> with tangent solid is a Kummer<br/>surface</i> . . . . . | 138, 139 |
| Ex. 5. <i>Six conjugate linear complexes determined by six points</i> . .                                    | 139, 140 |
| Ex. 6. <i>Algebraic formulation of theorem of Ex. 5</i> . . . . .                                            | 140      |
| Ex. 7. <i>Number of non-intersecting pairs and threes of lines in the<br/>figure</i> . . . . .               | 140      |
| Ex. 8. <i>Other forms of congruence of lines in tangent solid, by<br/>planes of a system</i> . . . . .       | 140, 141 |
| Ex. 9. <i>Theorem for relation of a line to four mutually inscribed<br/>tetrads</i> . . . . .                | 141, 142 |

xiv Contents

|                                                                                                                        | PAGES    |
|------------------------------------------------------------------------------------------------------------------------|----------|
| Ex. 10. <i>The locus <math>\Sigma</math> giving rise to Kummer surface, or to Plücker's Meridian Surface</i> . . . . . | 142, 143 |
| Ex. 11. <i>Six arbitrary lines in fourfold space are met by five associated planes</i> . . . . .                       | 143      |
| Ex. 12. <i>Solid through associated plane meets four planes in lines of a quadric</i> . . . . .                        | 143, 144 |
| Ex. 13. <i>Joins of two triads met by solid in six planes touching a quadric cone</i> . . . . .                        | 144, 145 |
| Ex. 14. <i>A plane in a singular solid determines a quadric cone</i> . . . . .                                         | 145      |
| Ex. 15. <i>Aggregate of planes each joining corresponding points in three related planes</i> . . . . .                 | 145, 146 |
| Exx. 16, 17. <i>Various algebraic results</i> . . . . .                                                                | 146, 147 |
| Ex. 18. <i>Enveloping cone of Segre's locus from point of a particular line</i> . . . . .                              | 147      |
| Ex. 19. <i>Trisecant planes of a quartic curve in fourfold space</i> . . . . .                                         | 147      |
| Ex. 20. <i>Symmetrical tangential equation of Segre's quartic locus</i> . . . . .                                      | 147, 148 |
| Ex. 21. <i>Quadric in regard to which Segre's figure is self-polar</i> . . . . .                                       | 148      |
| Ex. 22. <i>Derivation of Segre's figure from fivefold space</i> . . . . .                                              | 149      |
| Ex. 23. <i>The projection of Segre's figure on to a threefold space</i> . . . . .                                      | 149—151  |
| The dual of the figure which has been considered. The cubic locus $S$                                                  | 151—158  |
| Ex. 1. <i>Equations for the six lines of the locus <math>S</math> through an arbitrary point</i> . . . . .             | 158      |
| Ex. 2. <i>The equation of the Weddle surface</i> . . . . .                                                             | 158, 159 |
| Ex. 3. <i>Quadratic congruence obtained by projection of lines of <math>S</math></i> . . . . .                         | 159      |
| Ex. 4. <i>Dual derivation of Weddle's surface</i> . . . . .                                                            | 159      |
| Ex. 5. <i>The locus <math>\Sigma</math>, and its tangent solid, in terms of parameters</i> . . . . .                   | 159, 160 |
| Ex. 6. <i>Quartic surface with fifteen double points, changed to surface with five double points</i> . . . . .         | 160      |
| Ex. 7. <i>The locus <math>S</math> by projection from fivefold space</i> . . . . .                                     | 160      |
| Ex. 8. <i>Theory of system of any four quadrics in threefold space</i> . . . . .                                       | 160      |

CHAPTER VI. A QUARTIC SURFACE IN SPACE  
OF FOUR DIMENSIONS. THE CYCLIDE.

|                                                                                               |          |
|-----------------------------------------------------------------------------------------------|----------|
| A quartic surface in space of four dimensions . . . . .                                       | 161, 162 |
| Preliminary algebraic consideration of the surface . . . . .                                  | 162—165  |
| Ex. 1. <i>Surface projected on to plane by planes through a line of the surface</i> . . . . . | 165      |
| Ex. 2. <i>Reduction of equations of two quadric point-cones</i> . . . . .                     | 165      |
| Ex. 3. <i>Combination of harmonic inversions from points of a simplex</i> . . . . .           | 165      |
| Ex. 4. <i>Algebraic proof surface contains only sixteen lines</i> . . . . .                   | 166      |
| Ex. 5. <i>Algebraic arrangement of lines</i> . . . . .                                        | 166      |
| Resumption of the descriptive theory of the quartic surface. The sixteen lines . . . . .      | 166—168  |

Contents XV

|                                                                                                                  | PAGES    |
|------------------------------------------------------------------------------------------------------------------|----------|
| The self-polar pentad for the quartic surface . . . . .                                                          | 168—170  |
| Ex. 1. <i>Harmonic inversion of the lines of the figure</i> . . . . .                                            | 170      |
| Ex. 2. <i>The lines meet in pairs in eight points of a face of the pentad</i> . . . . .                          | 170      |
| Ex. 3. <i>A notation for the sixteen lines. Double-fours of lines</i> . . . . .                                  | 170, 171 |
| The conics lying on the quartic surface . . . . .                                                                | 171, 172 |
| The cubic surface in space of three dimensions; and the theory of inversion . . . . .                            | 172, 173 |
| Ex. 1. <i>Equation for a cubic surface derived from fourfold space</i> . . . . .                                 | 173      |
| Ex. 2. <i>The twenty-seven lines of the cubic surface obtained by projection</i> . . . . .                       | 174      |
| Ex. 3. <i>A line meeting the Absolute conic inverts into an intersecting line meeting this conic</i> . . . . .   | 174      |
| The Cyclide, or quartic surface with a double conic, in threefold space . . . . .                                | 174, 175 |
| Ex. 1. <i>Equation of Cyclide, and of enveloping spheres</i> . . . . .                                           | 175, 176 |
| Ex. 2. <i>Cyclide as locus of circle, intersection of corresponding spheres of two systems</i> . . . . .         | 176      |
| Ex. 3. <i>Cyclide as locus of limiting points of fixed sphere and varying tangent plane of quadric</i> . . . . . | 176, 177 |
| Ex. 4. <i>Enveloping spheres meet Cyclide on tangent planes of a quadric cone</i> . . . . .                      | 177      |
| The five generations of the Cyclide, with confocal quadric surfaces . . . . .                                    | 177, 178 |
| Ex. 1. <i>The focal conics of the confocal principal quadrics</i> . . . . .                                      | 178, 179 |
| Ex. 2. <i>The angle between two enveloping spheres of different systems</i> . . . . .                            | 179      |
| Ex. 3. <i>The five inversions of a Cyclide into itself</i> . . . . .                                             | 179      |
| Ex. 4. <i>Four points of double conic of Cyclide at which tangent planes coincide</i> . . . . .                  | 179, 180 |
| Confocal Cyclides. Three through arbitrary point with given focal curve, cutting orthogonally . . . . .          | 180—183  |
| Ex. 1. <i>Algebraic formulation</i> . . . . .                                                                    | 183      |
| Ex. 2. <i>Lines in fourfold space which become normals of Cyclide</i> . . . . .                                  | 183—186  |
| Ex. 3. <i>The lines of curvature of a Cyclide</i> . . . . .                                                      | 186—188  |
| Ex. 4. <i>The normals of Cyclide along line of curvature generate a developable surface</i> . . . . .            | 188, 189 |
| Ex. 5. <i>Sixteen lines of Cyclide are complete intersection with a quartic surface</i> . . . . .                | 189      |
| Ex. 6. <i>A line of curvature is inverted into a line of curvature</i> . . . . .                                 | 189      |
| Ex. 7. <i>A criterion for a line of curvature</i> . . . . .                                                      | 189      |
| Ex. 8. <i>Two orthogonal surfaces intersecting in a line of curvature on one</i> . . . . .                       | 189      |
| Ex. 9. <i>Plane lines of curvature</i> . . . . .                                                                 | 189, 190 |
| Ex. 10. <i>Differential equation for inflexional curve, and for line of curvature</i> . . . . .                  | 190      |
| In regard to some particular cases. The Dupin Cyclide . . . . .                                                  | 190—194  |

xvi Contents

|                                                                                                           | PAGES    |
|-----------------------------------------------------------------------------------------------------------|----------|
| Ex. 1. <i>An irrational form of the equation of a general Cyclide</i> . . . . .                           | 194, 195 |
| Ex. 2. <i>Equations for a Cyclide with two double points</i> . . . . .                                    | 195, 196 |
| Ex. 3. <i>Equations for a Cyclide with four double points</i> . . . . .                                   | 196—198  |
| Ex. 4. <i>Maxwell's generation of Dupin's Cyclide generalised</i> . . . . .                               | 198      |
| Ex. 5. <i>Inversion of Dupin's Cyclide into an Anchor Ring</i> . . . . .                                  | 198—200  |
| Ex. 6. <i>Two theorems for inversion of spheres</i> . . . . .                                             | 200      |
| Ex. 7. <i>The envelope of a sphere touching three spheres</i> . . . . .                                   | 200, 201 |
| Ex. 8. <i>The inversion of Dupin's Cyclide into a Quadric cone of revolution</i> . . . . .                | 201      |
| Ex. 9. <i>Dupin's Cyclide given by its tangent planes</i> . . . . .                                       | 201, 202 |
| Ex. 10. <i>Further equations for Dupin's Cyclide</i> . . . . .                                            | 202      |
| CHAPTER VII. RELATIONS IN SPACE OF FIVE DIMENSIONS. KUMMER'S SURFACE                                      |          |
| Klein's figure in three dimensions, related to a figure in five dimensions . . . . .                      | 203—205  |
| Exx. 1—4. <i>Various particular formulae</i> . . . . .                                                    | 205, 206 |
| Ex. 5. <i>Origin and scheme for ten important quadric surfaces</i> . . . . .                              | 206—208  |
| A transformation of Segre's figure, in space of four dimensions, to a figure in five dimensions . . . . . | 208—211  |
| Relation of the transformation to the theory of Kummer's surface . . . . .                                | 211, 212 |
| Kummer's quartic surface as the locus of singular points of a quadratic complex of lines . . . . .        | 212—217  |
| Ex. 1. <i>The question of the covariance of the transformation</i> . . . . .                              | 217      |
| Ex. 2. <i>The tetrahedroid, and Wave Surface, of Fresnel</i> . . . . .                                    | 217, 218 |
| Kummer's surface in the geometry of space of five dimensions . . . . .                                    | 218—221  |
| The tangent lines of a Kummer surface at a point . . . . .                                                | 221, 222 |
| The inflexional directions at a point of the Kummer surface . . . . .                                     | 222, 223 |
| The associated quadratic congruences . . . . .                                                            | 223—225  |
| The common singular points and planes of the six congruences . . . . .                                    | 225—227  |
| The confocal quadrics . . . . .                                                                           | 227—229  |
| Singular planes through a more particular point . . . . .                                                 | 229, 230 |
| The Inflexional (or Asymptotic) curves of the Kummer Surface . . . . .                                    | 230—234  |
| The rationality of the Quadratic Complex, and of the Quadratic Congruence . . . . .                       | 234—237  |
| The generation of a quadric in fivefold space. The tetrahedral complex in threefold space . . . . .       | 237—240  |
| The singular points and planes of a Quadratic Congruence. Caporali's theorem . . . . .                    | 240—243  |
| Exx. 1—3. <i>Various algebraic results</i> . . . . .                                                      | 243, 244 |
| CORRECTIONS TO VOLUME III . . . . .                                                                       | 244      |
| INDEX . . . . .                                                                                           | 245—250  |