

## Contents

<i>Figures</i>	page xiii
<i>Acknowledgements for the first edition</i>	xix
<i>Acknowledgements for the second edition</i>	xxi
<b>Introduction</b>	1
<b>1. An introduction to climate change</b>	4
1.1 Weather or climate	5
1.2 The greenhouse effect	5
1.3 The carbon cycle	14
1.4 Natural changes in the carbon cycle	23
1.5 Pacemaker of the glacial–interglacial cycles	24
1.6 Non-greenhouse influences on climate	31
1.7 The water cycle, climate change and biology	33
1.8 From theory to reality	35
1.9 References	37
<b>2. Principal indicators of past climates</b>	40
2.1 Terrestrial biotic climatic proxies	42
2.1.1 Tree-ring analysis (dendrochronology)	42
2.1.2 Isotopic dendrochronology	45
2.1.3 Leaf shape (morphology)	47
2.1.4 Leaf physiology	48
2.1.5 Pollen and spore analysis	49
2.1.6 Species as climate proxies	52
2.2 Marine biotic climatic proxies	54
2.2.1 <sup>18</sup> O Isotope analysis of forams and corals	54
2.2.2 Alkenone analysis	58
2.3 Non-biotic indicators	59
2.3.1 Isotopic analysis of water	59
2.3.2 Boreholes	61
2.3.3 Carbon dioxide and methane records as palaeoclimatic forcing agents	61
2.3.4 Dust as an indicator of dry–wet hemispheric climates	62
2.4 Other indicators	62
2.5 Interpreting indicators	63
2.6 Conclusions	63
2.7 References	64

<b>3. Past climate change</b>	<b>66</b>
3.1 Early biology and climate of the Hadean and Archean eons (4.6–2.5 bya)	66
3.1.1 The pre-biotic Earth (4.6–3.8 bya)	66
3.1.2 The early biotic Earth (3.8–2.3 bya)	67
3.2 Major bio-climatic events of the Proterozoic eon (2.5–0.542 bya)	71
3.2.1 Earth in the anaerobic–aerobic transition (2.6–1.7 bya)	71
3.2.2 The aerobic Earth (from 1.7 bya)	74
3.3 Major bio-climatic events of the pre-Quaternary Phanerozoic (542–2 mya)	80
3.3.1 Late-Ordovician extinction (455–435 mya)	80
3.3.2 Late-Devonian extinction (365–363.5 mya)	81
3.3.3 Vascular plants and the atmospheric depletion of carbon dioxide (350–275 mya)	81
3.3.4 Permo–Carboniferous glaciation (330–250 mya)	84
3.3.5 End-Permian extinction (251 mya)	85
3.3.6 End-Triassic extinction (205 mya)	87
3.3.7 Toarcian extinction (183 mya)	88
3.3.8 Cretaceous–Tertiary extinction (65.5 mya)	89
3.3.9 The Eocene (55–34 mya) and the Initial Eocene Thermal Maximum (~55 mya)	92
3.3.10 Eocene–Oligocene extinction (approximately 35 mya; or 33.9 mya?)	106
3.3.11 Late-Miocene expansion of C <sub>4</sub> grasses (14–9 mya)	107
3.4 Summary	112
3.5 References	113
<b>4. The Oligocene to the Quaternary: climate and biology</b>	<b>119</b>
4.1 The Oligocene (33.9–23.03 mya)	119
4.2 The end Miocene (9–5.3 mya)	121
4.3 The Pliocene (5.3–2.6 mya)	122
4.4 The current ice age	126
4.5 The last glacial	132
4.5.1 Overview of temperature, carbon dioxide and timing	132
4.5.2 Ice and sea level	135
4.5.3 Temperature changes within the glacial	135
4.5.4 Biological and environmental impacts of the last glacial	147
4.6 Interglacials and the present climate	156
4.6.1 Previous interglacials	156
4.6.2 The Allerød, Bølling and Younger Dryas (14 600–11 600 years ago)	160
4.6.3 The Holocene (11 700 years ago–the Industrial Revolution)	166
4.6.4 Biological response to the last glacial, LGM and Holocene transition	178
4.7 Summary	189
4.8 References	190

<b>5. Present climate and biological change</b>	198
5.1 Recent climate change	198
5.1.1 The latter half of the Little Ice Age	198
5.1.2 20th-century climate	202
5.1.3 21st-century climate	203
5.1.4 The Holocene interglacial beyond the 21st century	203
5.1.5 Holocene summary	207
5.2 Human change arising from the Holocene climate	208
5.2.1 Climatic impacts on early human civilisations	208
5.2.2 The Little Ice Age's human impact	216
5.2.3 Increasing 20th-century human climatic insulation	224
5.3 Climate and business as usual in the 21st century	225
5.3.1 The IPCC Business-as-Usual scenario	225
5.3.2 Uncertainties and the IPCC's conclusions	240
5.4 Current human influences on the carbon cycle	249
5.4.1 Carbon dioxide	250
5.4.2 Methane	253
5.4.3 Halocarbons	256
5.4.4 Nitrous oxide	256
5.5 References	257
<b>6. Current warming and likely future impacts</b>	262
6.1 Current biological symptoms of warming	262
6.1.1 Current boreal dendrochronological response	262
6.1.2 Current tropical rainforest response	264
6.1.3 Some biological dimensions of the climatic change fingerprint	266
6.1.4 Phenology	273
6.1.5 Biological communities and species shift	278
6.2 Case study: climate and natural systems in the USA and Canada	297
6.3 Case study: climate and natural systems in the UK	312
6.4 Case study: climate and natural systems in Australasia	324
6.5 Biological responses to greenhouse trends beyond the 21st century	328
6.6 Possible surprise responses to greenhouse trends in the 21st century and beyond	329
6.6.1 Extreme weather events	330
6.6.2 Greenhouse gases	333
6.6.3 Sea-level rise	334
6.6.4 Methane hydrates (methane clathrates)	342
6.6.5 Volcanoes	346
6.6.6 Oceanic and atmospheric circulation	349
6.6.7 Ocean acidity	353
6.6.8 Climate thresholds	355
6.6.9 The probability of surprises	358
6.7 References	359

<b>7. The human ecology of climate change</b>	<b>367</b>
7.1 Population (past, present and future) and its environmental impact	367
7.1.1 Population and environmental impact	367
7.1.2 Past and present population	375
7.1.3 Future population	378
7.1.4 Food	380
7.1.5 Impact on other species	382
7.2 Energy supply	385
7.2.1 Energy supply: the historical context	385
7.2.2 Future energy supply	391
7.3 Human health and climate change	395
7.3.1 Health and weather extremes	398
7.3.2 Climate change and disease	404
7.3.3 Flooding and health	412
7.3.4 Droughts	421
7.4 Climate change and food security	422
7.4.1 Past food security	422
7.4.2 Present and future food security and climate change	425
7.5 The biology of reducing anthropogenic climate change	432
7.5.1 Terrestrial photosynthesis and soil carbon	433
7.5.2 Manipulating marine photosynthesis	438
7.5.3 Biofuels	439
7.6 Summary and conclusions	442
7.7 References	443
<b>8. Sustainability and policy</b>	<b>449</b>
8.1 Key developments of sustainability policy	450
8.1.1 UN Conference on the Human Environment (1972)	450
8.1.2 The Club of Rome's Limits to Growth (1972)	452
8.1.3 World Climate Conference (1979)	453
8.1.4 <i>The World Conservation Strategy</i> (1980)	453
8.1.5 The Brandt Report: Common Crisis North-South (1980)	454
8.1.6 The Brundtland, World Commission on Environment and Development Report (1987)	455
8.1.7 United Nations' Conference on the Environment and Development: Rio de Janeiro (1992)	456
8.1.8 The Kyoto Protocol (1997)	457
8.1.9 Johannesburg Summit: UNCED+10 (2002)	459
8.1.10 2002–2007	460
8.1.11 The run-up to Kyoto II (2008–2011)	461
8.2 Global energy sustainability and carbon	463
8.2.1 Prospects for savings from changes in land use	465
8.2.2 Prospects for savings from improvements in energy efficiency	466
8.2.3 Prospects for fossil carbon savings from renewable energy	470
8.2.4 Prospects for carbon-capture technology	472

8.2.5 Prospects for nuclear options	476
8.2.6 Overall prospects for fossil carbon savings to 2025	480
8.3 Energy policy and carbon	481
8.3.1 Case study: USA	482
8.3.2 Case study: Canada	486
8.3.3 Case study: UK	489
8.3.4 Case study: China and India	498
8.3.5 Case study: Australia and New Zealand	504
8.4 Possible future energy options	508
8.4.1 Managing fossil carbon emissions: the scale of the problem	508
8.4.2 Fossil futures	510
8.4.3 Nuclear futures	511
8.4.4 Renewable futures	512
8.4.5 Low-energy futures	513
8.4.6 Possible future energy options and greenhouse gases	514
8.5 Future human and biological change	515
8.5.1 The ease and difficulty of adapting to future impacts	518
8.5.2 Future climate change and human health	524
8.5.3 Future climate and human-ecology implications for wildlife	525
8.5.4 Reducing future anthropogenic greenhouse gas emissions	526
8.5.5 A final conclusion	528
8.6 References	528
<b>Appendix 1 Glossary and abbreviations</b>	<b>535</b>
Glossary	535
Abbreviations	539
<b>Appendix 2 Biogeological chronology</b>	<b>543</b>
<b>Appendix 3 Calculations of energy demand/supply and orders of magnitude</b>	<b>546</b>
Calculations of energy demand/supply	546
Orders of magnitude	547
Sources	547
<b>Appendix 4 Further considerations: climate science and policy beyond 2013</b>	<b>548</b>
<i>Index</i>	551

Cambridge University Press

978-1-107-60356-1 - Climate Change: Biological and Human Aspects: Second Edition

Jonathan Cowie

Table of Contents

[More information](#)

---

## Figures

1.1	A summary of the principal solar-energy flow and balance in the Earth's atmosphere.	<i>page 7</i>
1.2	The contribution from each of the principal anthropogenic greenhouse gases due to the change in warming (radiative forcing) (a) from 1980 to 1990, (b) and for 2005.	12
1.3	Broad estimates of the principal annual carbon sources and sinks in gigatonnes of carbon as well as approximate annual movements of carbon about the carbon cycle in gigatonnes of carbon <i>per annum</i> average for the 1990s.	15
1.4	Outline of northern hemispheric seasonality effects of atmospheric carbon dioxide concentration 1958–2011 through to the early 21st century.	18
1.5	The growth in atmospheric carbon dioxide.	21
1.6	Atmospheric carbon dioxide and methane palaeorecord for the past glacial–interglacial cycle plotted with regional temperature change, as indicated by the ice hydrogen isotope proxy.	24
1.7	Milankovitch orbital parameters of eccentricity, axial tilt and precession of the equinoxes.	25
1.8	Examples of interacting positive- and negative-feedback mechanisms affecting climate change.	27
2.1	Approximate, smoothed-average northern high-latitude temperature changes over the past 2000 years, based originally on several dendrochronological series and deviating from the 1601–1974 average.	44
2.2	The variation in size of pollen grains from two different species of the same genus may overlap, impeding identification.	51
2.3	Approximate Cenozoic–present global temperature trends compared to 1990, as estimated from $^{18}\text{O}$ analysis of composite benthic foram records from the Atlantic Deep Sea Drilling Program sites.	57
3.1	A broad outline of Phanerozoic atmospheric carbon dioxide.	83
3.2	A sketch outline of the principal temperature changes of the Eocene (55–34 mya).	93
3.3	Marine core from the early Eocene.	96
3.4	(a) The IETM/PETM CIE as revealed by the analysis of benthic foraminifera. (b) $^{18}\text{O}$ climate proxy temperature analysis of IETM/PETM strata. (c) Carbonate content of sediments in two cores from the south Atlantic.	97
3.5	The wide diversification of ferns did not solely take place back when they dominated many terrestrial biomes (as represented in panel (a))	

but extant ferns diversified later (more as represented in panel (b)), filling the new environmental niches created by the angiosperms.	109
4.1 Sea-water density and temperature.	129
4.2 Temperature changes around Antarctica as revealed by deuterium analysis of ice cores.	132
4.3 Approximate southern extent of ice over northern North America during the deepest part of late Quaternary glacials.	136
4.4 Approximate glacial ice extent over Europe during deepest part of late Quaternary glacials.	137
4.5 Carbon dioxide and methane relate to temperature. (a) Carbon dioxide, (b) temperature (as derived from isotopic composition of the ice) and (c) methane. (d) Track changes in the ice's $^{18}\text{O}$ isotope. (e) Milankovitch insolation as calculated for June at $65^\circ\text{N}$ .	138
4.6 (a) $^{18}\text{O}$ isotope and (b) methane records from the northern and southern hemispheres (Greenland and Antarctica) smoothed.	139
4.7 A simplified representation of the Broecker conveyor.	140
4.8 Summary pollen diagram from Okarito Pakihi, New Zealand.	141
4.9 The Intertropical Convergence Zone (ITCZ) and key areas of South American tropical forest.	144
4.10 Altitudinal distribution of main vegetation belts across a Colombian Andean mountain.	155
4.11 The regional temperature of the present Holocene interglacial (broken line) superimposed on the one following Termination V (solid line) as represented by the change in Antarctic ice-core $^2\text{H}$ .	158
4.12 (a) Vostok deuterium record over the past 15 000 years, reflecting Antarctic regional temperature change. (b) Greenland ice-core electrical conductivity over the past 15 000 years reflecting North Atlantic Arctic precipitation, and hence indirectly temperature.	161
4.13 Climate–dust interactions combine to tend to maintain either a cool (glacial) or a warm (interglacial) mode.	166
5.1 Seven centuries of Holocene Greenland deuterium ( $^2\text{H}$ ) measurements.	199
5.2 Northern-hemisphere climate trends over 500 years as discerned from instrumental, dendrochronological and Greenland ice-core records.	200
5.3 Central Greenland temperature from the beginning of the 18th century (end of the pre-industrial era) to 16 000 years ago.	209
5.4 Global temperature by year and also using a 3-year-smoothed filter, relative to the 1961–90 average and covering the period 1850–2010.	223
5.5 The 1990 IPCC Business-as-Usual (B-a-U) scenario simulating the anticipated increase in global mean temperature with best estimate (thick line) and upper and lower estimates (thin lines) showing the temperature rise above the 1765 value.	225
5.6 Graphs of the IPCC 1990 scenarios.	227
5.7 (a) The IPCC (2001b) All Special Report on Emission Scenario (SRES) temperature-change forecasts, which provide an envelope of predicted 21st-century global climate change relative to the 1990 temperature. (b) The IPCC (2007) principal scenarios for the 20th and	



21st centuries based on temperatures relative to the <i>1980–1999 average</i> .	228
5.8 (a) Global temperature for 1861–2002 and IPCC 1990 B-a-U scenario for the 21st century, relative to the 1961–90 average. (b) Global temperature for 1850–2010 actual measurements and the various ‘best-estimate’ IPCC B-a-U scenarios up to 2100 from the 1990, 1995, 2001 and 2007 assessment reports.	229
5.9 (a) In parts of Antarctica (mainly the east) the ice is thickening (+) and in other parts the ice is thinning (–). (b) Sketch after an animation from European Space Agency, Canadian Space Agency and Japanese Space Agency data.	246
5.10 The world population 1950–2002.	250
5.11 Sources of atmospheric methane from the 1990s to 2001.	254
6.1 The 1959 cycle of northern hemisphere carbon dioxide superimposed on the 2010 cycle.	277
6.2 (a) Vertical migration of species and communities due to climatic warming is frequently not uniform. (b) Horizontal migration of species is rarely uniform.	279
6.3 Extent of the minimum Arctic sea ice at the end of the summer (September).	289
6.4 Difficulties in predicting 21st-century change in the USA, in this case by the Hadley and Canadian climate models.	299
6.5 A breakdown of US freshwater consumption in 1995.	307
6.6 Rough sketch maps of key aspects of North American climate change for the 21st century under B-a-U scenarios.	310
6.7 Coast and land in the UK deemed to be at risk from sea-level rise.	313
6.8 Forecasted key aspects of climate change for the British Isles up to the 2080s.	320
6.9 Principal areas of England and Wales at risk from river flooding as a result of an extreme weather event with a 1% chance of an event happening in any given year, and from the sea with a 0.5% chance in any year, if there were no flood defences.	322
6.10 Key hotspots identified for Australia and New Zealand, assuming a medium emissions scenario for 2050.	327
6.11 (a) A near-linear relationship between two variables and a relationship with a non-critical transition. (b) A relationship between two variables that includes a critical transition.	356
7.1 Carbon emissions per person from energy production in selected countries in 2002 (shaded bars) and 2009 (white bars).	369
7.2 Worldwide average wealth (annual income) per person in 2011 US dollars.	370
7.3 The decline in household size.	371
7.4 (a) World population over 3000 years compiled from various demographic, historic estimates and future forecasts. (b) World population on a logarithmic scale.	377
7.5 The past 150 years of the 3000 years represented in Figure 7.4(a).	378

7.6 (a) Developing and industrial nations' contributions to global population growth. (b) Geographical distribution of the global population in 1950 and as predicted for 2050.	379
7.7 Land for global food production; cropland versus intensification.	384
7.8 The proportional contribution from various fuels made to the energy budget of the (a) UK and (b) USA. (c) Summary of the proportional contribution from various fuels to global energy supply.	387
7.9 Broad summary of global primary energy production/consumption in million tonnes of oil equivalent (mtoe).	389
7.10 (a) Outline of developed and developing nations' emissions of carbon by decade from fossil-fuel burning and cement production for each decade. (b) Annual (not decadal) global emissions of carbon from fossil-fuel burning (excluding other minority industrial sources) since 1950, the period of most emissions.	390
7.11 Global environmental change, development and health impacts.	396
7.12 Reported cases of <i>Salmonella enteritidis</i> by month in England and Wales in 1995–7.	405
7.13 The location of the world's 842 million undernourished people (1999–2001).	428
7.14 Spatial map comparison of (a) national cumulative carbon dioxide emissions by country for 1950–2000 and (b) the regional distribution of four climate-sensitive health consequences (malaria, malnutrition, diarrhoea and inland flood-related fatalities).	432
7.15 The proportions of some 2.3 Tt of total global carbon stocks in soil and vegetation in different terrestrial biomes.	434
8.1 (a) The improvements in energy efficiency of some household electrical equipment between 1972 and 1987. (b) Proportion of UK households with selected appliances.	468
8.2 Commercial biofuel production 2000–2010 by world region.	471
8.3 USA's fossil carbon domestic production and consumption trends.	484
8.4 (a) Sectoral breakdown of Canadian greenhouse gas sources in 2009. (b) Canada's fossil carbon domestic production and consumption trends.	488
8.5 (a) UK's fossil carbon domestic production and consumption trends. (b) UK's fossil carbon consumption broken down by fuel type.	494
8.6 China's fossil carbon domestic production and consumption trends.	499
8.7 India's fossil carbon domestic production and consumption trends.	502
8.8 Australia's total energy consumption, its fossil carbon domestic production and consumption.	505
8.9 (a) New Zealand's fossil carbon domestic production, consumption and overall (including non-fossil) energy for the past three decades. (b) New Zealand's greenhouse gas emissions by sector in 2008.	506
8.10 Past, present and likely future global energy demands, for 1964, 2004 and 2044.	509
8.11 Time horizons of various human activities, natural processes and atmospheric carbon dioxide.	516

---

8.12 The fundamental economic problem.	518
8.13 (a) Crop and pasture regions of the world. (b) Regions of the world likely to see an increase in precipitation in a 4°C world. (c) Regions of the world likely to see an decrease in precipitation in a 4°C world.	523